
Miriam MartÃ-nez-Huélamo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6056635/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Identification and Quantification of Urinary Microbial Phenolic Metabolites by HPLC-ESI-LTQ-Orbitrap-HRMS and Their Relationship with Dietary Polyphenols in Adolescents. Antioxidants, 2022, 11, 1167.	2.2	12
2	High Fruit and Vegetable Consumption and Moderate Fat Intake Are Associated with Higher Carotenoid Concentration in Human Plasma. Antioxidants, 2021, 10, 473.	2.2	7
3	Moderate Consumption of Beer (with and without Ethanol) and Menopausal Symptoms: Results from a Parallel Clinical Trial in Postmenopausal Women. Nutrients, 2021, 13, 2278.	1.7	8
4	Ethnobotanical, nutritional and medicinal properties of Mexican drylands Cactaceae Fruits: Recent findings and research opportunities. Food Chemistry, 2020, 312, 126073.	4.2	39
5	Effect of physiological factors, pathologies, and acquired habits on the sweet taste threshold: A systematic review and metaâ€analysis. Comprehensive Reviews in Food Science and Food Safety, 2020, 19, 3755-3773.	5.9	14
6	Beer Phenolic Composition of Simple Phenols, Prenylated Flavonoids and Alkylresorcinols. Molecules, 2020, 25, 2582.	1.7	34
7	5-cis-, Trans- and Total Lycopene Plasma Concentrations Inversely Relate to Atherosclerotic Plaque Burden in Newly Diagnosed Type 2 Diabetes Subjects. Nutrients, 2020, 12, 1696.	1.7	14
8	Microbial Phenolic Metabolites: Which Molecules Actually Have an Effect on Human Health?. Nutrients, 2019, 11, 2725.	1.7	52
9	Extra Virgin Olive Oil Minor Compounds Modulate Mitogenic Action of Oleic Acid on Colon Cancer Cell Line. Journal of Agricultural and Food Chemistry, 2019, 67, 11420-11427.	2.4	30
10	Acute Effect of a Single Dose of Tomato Sofrito on Plasmatic Inflammatory Biomarkers in Healthy Men. Nutrients, 2019, 11, 851.	1.7	14
11	Characterisation of bioactive compounds and assessment of antioxidant activity of different traditional <i>Lycopersicum esculentum</i> L. varieties: chemometric analysis. International Journal of Food Sciences and Nutrition, 2019, 70, 813-824.	1.3	6
12	Cooking Practice and the Matrix Effect on the Health Properties of Mediterranean Diet: A Study in Tomato Sauce. ACS Symposium Series, 2018, , 305-314.	0.5	3
13	Wine and Olive Oil Phenolic Compounds Interaction in Humans. Diseases (Basel, Switzerland), 2018, 6, 76.	1.0	12
14	Home cooking and ingredient synergism improve lycopene isomer production in Sofrito. Food Research International, 2017, 99, 851-861.	2.9	41
15	Identification of phenolic metabolites in human urine after the intake of a functional food made from grape extract by a high resolution LTQ-Orbitrap-MS approach. Food Research International, 2017, 100, 435-444.	2.9	49
16	ls enzymatic hydrolysis a reliable analytical strategy to quantify glucuronidated and sulfated polyphenol metabolites in human fluids?. Food and Function, 2017, 8, 2419-2424.	2.1	16
17	<i>trans</i> â€Lycopene from tomato juice attenuates inflammatory biomarkers in human plasma samples: An intervention trial. Molecular Nutrition and Food Research, 2017, 61, 1600993.	1.5	21
18	Modulation of Nrf2 by Olive Oil and Wine Polyphenols and Neuroprotection. Antioxidants, 2017, 6, 73.	2.2	70

#	Article	IF	CITATIONS
19	A New Method to Simultaneously Quantify the Antioxidants: Carotenes, Xanthophylls, and Vitamin A in Human Plasma. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-10.	1.9	15
20	Development of an Advanced HPLC–MS/MS Method for the Determination of Carotenoids and Fat-Soluble Vitamins in Human Plasma. International Journal of Molecular Sciences, 2016, 17, 1719.	1.8	37
21	Tomato Sauce Enriched with Olive Oil Exerts Greater Effects on Cardiovascular Disease Risk Factors than Raw Tomato and Tomato Sauce: A Randomized Trial. Nutrients, 2016, 8, 170.	1.7	50
22	Absorption and disposition of naringenin and quercetin after simultaneous administration via intestinal perfusion in mice. Food and Function, 2016, 7, 3880-3889.	2.1	19
23	Bioavailability of tomato polyphenols is enhanced by processing and fat addition: Evidence from a randomized feeding trial. Molecular Nutrition and Food Research, 2016, 60, 1578-1589.	1.5	53
24	Metabolic profile of naringenin in the stomach and colon using liquid chromatography/electrospray ionization linear ion trap quadrupole-Orbitrap-mass spectrometry (LC-ESI-LTQ-Orbitrap-MS) and LC-ESI-MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2016, 120, 38-45.	1.4	31
25	High gastrointestinal permeability and local metabolism of naringenin: influence of antibiotic treatment on absorption and metabolism. British Journal of Nutrition, 2015, 114, 169-180.	1.2	58
26	Sensitive and Rapid UHPLC-MS/MS for the Analysis of Tomato Phenolics in Human Biological Samples. Molecules, 2015, 20, 20409-20425.	1.7	13
27	Characterization of the phenolic and antioxidant profiles of selected culinary herbs and spices: caraway, turmeric, dill, marjoram and nutmeg. Food Science and Technology, 2015, 35, 189-195.	0.8	73
28	The tomato sauce making process affects the bioaccessibility and bioavailability of tomato phenolics: A pharmacokinetic study. Food Chemistry, 2015, 173, 864-872.	4.2	75
29	Influence of olive oil on carotenoid absorption from tomato juice and effects on postprandial lipemia. Food Chemistry, 2015, 168, 203-210.	4.2	52
30	A comprehensive characterisation of beer polyphenols by high resolution mass spectrometry (LC‪ESI-LTQ-Orbitrap-MS). Food Chemistry, 2015, 169, 336-343.	4.2	163
31	Effects of alcohol and polyphenols from beer on atherosclerotic biomarkers in high cardiovascular risk men: A randomized feeding trial. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 36-45.	1.1	98
32	Improved Characterization of Polyphenols Using Liquid Chromatography. , 2014, , 261-292.		7
33	Differences in the carotenoid profile of commercially available organic and conventional tomato-based products. Journal of Berry Research, 2014, 4, 69-77.	0.7	7
34	The non-alcoholic fraction of beer increases stromal cell derived factor 1 and the number of circulating endothelial progenitor cells in high cardiovascular risk subjects: A randomized clinical trial. Atherosclerosis, 2014, 233, 518-524.	0.4	32
35	A comprehensive study on the phenolic profile of widely used culinary herbs and spices: Rosemary, thyme, oregano, cinnamon, cumin and bay. Food Chemistry, 2014, 154, 299-307.	4.2	290
36	Urinary Isoxanthohumol Is a Specific and Accurate Biomarker of Beer Consumptionce. Journal of Nutrition, 2014, 144, 484-488.	1.3	24

#	Article	IF	CITATIONS
37	Setup of a UHPLC–QqQ-MS Method for the Analysis of Phenolic Compounds in Cherry Tomatoes, Tomato Sauce, and Tomato Juice. Journal of Agricultural and Food Chemistry, 2013, 61, 8373-8380.	2.4	29
38	Analytical Condition Setting a Crucial Step in the Quantification of Unstable Polyphenols in Acidic Conditions: Analyzing Prenylflavanoids in Biological Samples by Liquid Chromatography–Electrospray Ionization Triple Quadruple Mass Spectrometry. Analytical Chemistry, 2013, 85, 5547-5554.	3.2	20
39	Validation of a New LC-MS/MS Method for the Detection and Quantification of Phenolic Metabolites from Tomato Sauce in Biological Samples. Journal of Agricultural and Food Chemistry, 2012, 60, 4542-4549.	2.4	23
40	Differences in the carotenoid content of ketchups and gazpachos through HPLC/ESI(Li ⁺)â€MS/MS correlated with their antioxidant capacity. Journal of the Science of Food and Agriculture, 2012, 92, 2043-2049.	1.7	26
41	Oil matrix effects on plasma exposure and urinary excretion of phenolic compounds from tomato sauces: Evidence from a human pilot study. Food Chemistry, 2012, 130, 581-590.	4.2	49
42	Phenolic Profile and Hydrophilic Antioxidant Capacity as Chemotaxonomic Markers of Tomato Varieties. Journal of Agricultural and Food Chemistry, 2011, 59, 3994-4001.	2.4	97
43	Determination of penicillins in milk using LCâ€UV, LCâ€MS and LCâ€MS/MS. Journal of Separation Science, 2009. 32. 2385-2393.	1.3	27