Amélia S F Santos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6058920/publications.pdf

Version: 2024-02-01

20 papers

336 citations

933447 10 h-index 18 g-index

21 all docs

21 docs citations

times ranked

21

537 citing authors

#	Article	IF	CITATIONS
1	Reuse of Natural Waste to Improve the Thermal Stability, Stiffness, and Toughness of Postconsumer Polypropylene Composites. Journal of Polymers and the Environment, 2021, 29, 538-551.	5.0	8
2	The effect of clay organophilization on wood plastic composite (WPC) based on recycled high density polyethylene (HDPE) and coir fiber. Progress in Rubber, Plastics and Recycling Technology, 2021, 37, 394-411.	1.8	2
3	Ações para reduzir a fração de resÃduos não comercializados em duas associações de catadores de materiais recicláveis de João Pessoa (PB), Brasil. Revista Tecnologia E Sociedade, 2020, 16, 139.	0.1	0
4	Antimicrobial coatings based on poly(dimethyl siloxane) and silver nanoparticles by solution blow spraying. Progress in Organic Coatings, 2019, 133, 19-26.	3.9	24
5	The effect of microcrystalline cellulose on poly(propylene) crystallization. An investigation of nonisothermal crystallization kinetics. Materials Research Express, 2019, 6, 065313.	1.6	3
6	Influence of morphology and dispersion stability of CNC modified with ethylene oxide derivatives on mechanical properties of PLAâ€based nanocomposites. Polymer Composites, 2019, 40, E399.	4.6	13
7	Characterization of wood plastic composite based on HDPE and cashew nutshells processed in a thermokinetic mixer. Polymer Composites, 2018, 39, 2662-2673.	4.6	8
8	Extraction and characterization of cellulose nanowhiskers from Mandacaru (Cereus jamacaru DC.) spines. Cellulose, 2017, 24, 119-129.	4.9	33
9	Soil Biodegradation of PLA/CNW Nanocomposites Modified with Ethylene Oxide Derivatives. Materials Research, 2017, 20, 899-904.	1.3	23
10	Reprocessability of PHB in extrusion: ATR-FTIR, tensile tests and thermal studies. Polimeros, 2017, 27, 122-128.	0.7	40
11	Evaluation of Accelerated Solvent Extraction (ASE) Followed by Post-condensation Step (SSP) to Extract Contaminants from PET Flakes. Progress in Rubber, Plastics and Recycling Technology, 2016, 32, 73-86.	1.8	O
12	Accelerated Sonochemical Extraction of Cellulose Nanowhiskers. Journal of Nanoscience and Nanotechnology, 2016, 16, 6535-6539.	0.9	6
13	Reprocessability of high impact polystyrene/clay nanocomposites in extrusion. Polymer Degradation and Stability, 2016, 125, 87-96.	5.8	15
14	TiO2/PDMS nanocomposites for use on self-cleaning surfaces. Surface and Coatings Technology, 2014, 239, 16-19.	4.8	53
15	Sacolas plásticas: destinações sustentáveis e alternativas de substituição. Polimeros, 2012, 22, 228-237.	0.7	14
16	The Influence of Organoclay on Polypropylene Composite Films for Synthetic Paper. Polymer-Plastics Technology and Engineering, 2011, 50, 1443-1451.	1.9	2
17	Evaluation of sub-critical water as an extraction fluid for model contaminants from recycled PET for reuse as food packaging material. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2010, 27, 567-573.	2.3	3
18	Response Surface Analysis for Competition between Thermooxidation and Polycondensation Reactions of PET Flakes. Part 1: Low Vacuum Atmosphere. Polymer-Plastics Technology and Engineering, 2010, 49, 254-259.	1.9	3

#	Article	IF	CITATIONS
19	Characterization of effluents through a typical plastic recycling process: An evaluation of cleaning performance and environmental pollution. Resources, Conservation and Recycling, 2005, 45, 159-171.	10.8	37
20	Degradation and stabilization of polyolefins from municipal plastic waste during multiple extrusions under different reprocessing conditions. Polymer Degradation and Stability, 2002, 77, 441-447.	5.8	43