
## Takashi Asahi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/605993/publications.pdf Version: 2024-02-01



Τλκλεμι Δελμι

#	Article	IF	CITATIONS
1	Foreign body granuloma around implantable pulse generator for deep brain stimulation: Two case reports. Parkinsonism and Related Disorders, 2021, 88, 60-61.	2.2	1
2	Bilateral Pallidal Stimulation with Directional Leads for Primary Focal Lingual Dystonia. Stereotactic and Functional Neurosurgery, 2021, 99, 207-211.	1.5	3
3	Improvement of Writer's Cramp from an Old Lesion in the Contralateral Hemisphere with Transient Gait Disturbance After Thalamotomy. World Neurosurgery, 2019, 127, 8-10.	1.3	0
4	Full recovery from drummer's dystonia with foot and arm symptoms after stereotactic ventro-oral thalamotomy: a case report. Acta Neurochirurgica, 2018, 160, 835-838.	1.7	10
5	Pilot Study of a Device to Induce the Hanger Reflex in Patients with Cervical Dystonia. Neurologia Medico-Chirurgica, 2018, 58, 206-211.	2.2	3
6	Improvement of TableÂTennis Dystonia by Stereotactic Ventro-Oral Thalamotomy: A Case Report. World Neurosurgery, 2017, 99, 810.e1-810.e4.	1.3	12
7	Rate of Hanger Reflex Occurrence: Unexpected Head Rotation on Fronto-temporal Head Compression. Neurologia Medico-Chirurgica, 2015, 55, 587-591.	2.2	4
8	Chronic Subdural Hematoma Infected by Propionibacterium Acnes: A Case Report. Case Reports in Neurology, 2015, 7, 6-14.	0.7	7
9	Alleviation of myoclonus after bilateral pallidal deep brain stimulation for Lance–Adams syndrome. Journal of Neurology, 2015, 262, 1581-1583.	3.6	18
10	Stereotactic Neurosurgery for Writer's Cramp: Report of Two Cases with an Overview of the Literature. Stereotactic and Functional Neurosurgery, 2014, 92, 405-411.	1.5	32
11	Neuronal Activity Topography Parameters as a Marker for Differentiating Vascular Cognitive Impairment in Carotid Stenosis. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2384-2390.	1.6	6
12	Alleviation of dysphagia after deep brain stimulation: results from a Parkinson's disease patient. Movement Disorders, 2012, 27, 325-326.	3.9	4
13	A method for accurate determination of stereotaxic coordinates in single-unit recording studies in monkeys by high-resolution three-dimensional magnetic resonance imaging. Neuroscience Research, 2003, 47, 255-260.	1.9	20
14	Malignant fibrous histiocytoma originating at the site of a previous fronto-temporal craniotomy. Journal of Clinical Neuroscience, 2002, 9, 704-708.	1.5	5
15	One-piece Pedunculated Frontotemporal Orbitozygomatic Craniotomy by Creation of a Subperiosteal Tunnel beneath the Temporal Muscle: Technical Note. Neurosurgery, 2002, 51, 1520-1524.	1.1	4
16	A Walking Stick for a Pure Akinesia Patient. Neurorehabilitation and Neural Repair, 2001, 15, 245-247.	2.9	2
17	Nontraumatic Convexity Intradiploic Arachnoid Cyst —Case Report—. Neurologia Medico-Chirurgica, 1998, 38, 374-376.	2.2	14