
## Sharlene Kaye

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6060086/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Major physical and psychological harms of methamphetamine use. Drug and Alcohol Review, 2008, 27, 253-262.	1.1	546
2	Methamphetamine and cardiovascular pathology: a review of the evidence. Addiction, 2007, 102, 1204-1211.	1.7	272
3	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: Results from an international multi-center study exploring DSM-IV and DSM-5 criteria. Drug and Alcohol Dependence, 2014, 134, 158-166.	1.6	150
4	Validity of the Adult ADHD Self-Report Scale (ASRS) as a screener for adult ADHD in treatment seeking substance use disorder patients. Drug and Alcohol Dependence, 2013, 132, 587-596.	1.6	135
5	Psychiatric comorbidity in treatmentâ€seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the <scp>IASP</scp> study. Addiction, 2014, 109, 262-272.	1.7	129
6	The diversion and misuse of pharmaceutical stimulants: what do we know and why should we care?. Addiction, 2012, 107, 467-477.	1.7	108
7	Determining a diagnostic cut-off on the Severity of Dependence Scale (SDS) for cocaine dependence. Addiction, 2002, 97, 727-731.	1.7	100
8	Rates, characteristics and circumstances of methamphetamineâ€related death in Australia: a national 7â€year study. Addiction, 2017, 112, 2191-2201.	1.7	92
9	Physical injecting sites among injecting drug users in Sydney, Australia. Drug and Alcohol Dependence, 2001, 62, 77-82.	1.6	91
10	Methamphetamineâ€related fatalities in Australia: demographics, circumstances, toxicology and major organ pathology. Addiction, 2008, 103, 1353-1360.	1.7	91
11	The emergence of potent forms of methamphetamine in Sydney, Australia: a case study of the IDRS as a strategic early warning system. Drug and Alcohol Review, 2002, 21, 341-348.	1.1	77
12	Prevalence and nature of cardiovascular disease in methamphetamine-related death: A national study. Drug and Alcohol Dependence, 2017, 179, 174-179.	1.6	77
13	Comparative rates of violent crime among regular methamphetamine and opioid users: offending and victimization. Addiction, 2010, 105, 916-919.	1.7	75
14	A comprehensive review of the effects of mixing caffeinated energy drinks with alcohol. Drug and Alcohol Dependence, 2015, 151, 15-30.	1.6	74
15	Systemic disease among cases of fatal opioid toxicity. Addiction, 2006, 101, 1299-1305.	1.7	73
16	Non-fatal cocaine overdose among injecting and non-injecting cocaine users in Sydney, Australia. Addiction, 2004, 99, 1315-1322.	1.7	61
17	Geographical injecting locations among injecting drug users in Sydney, Australia. Addiction, 2001, 96, 241-246.	1.7	58
18	Comparative cardiac pathology among deaths due to cocaine toxicity, opioid toxicity and non-drug-related causes. Addiction, 2006, 101, 1771-1777.	1.7	58

#	Article	IF	CITATIONS
19	Hair morphine concentrations of fatal heroin overdose cases and living heroin users. Addiction, 2002, 97, 977-984.	1.7	54
20	The International ADHD in Substance Use Disorders Prevalence (IASP) study: background, methods and study population. International Journal of Methods in Psychiatric Research, 2013, 22, 232-244.	1.1	53
21	Drug use and injection risk-taking among prison methadone maintenance patients. Addiction, 1998, 93, 1169-1175.	1.7	52
22	Cocaine-related fatalities in New South Wales, Australia 1993–2002. Drug and Alcohol Dependence, 2005, 77, 107-114.	1.6	51
23	Adapting the Illicit Drug Reporting System (IDRS) to examine the feasibility of monitoring trends in the markets for †party drugs'. Drug and Alcohol Dependence, 2004, 73, 189-197.	1.6	50
24	Antisocial personality disorder, psychopathy and injecting heroin use. Drug and Alcohol Dependence, 1998, 52, 63-69.	1.6	48
25	Attempted Suicide, Self-Harm, and Violent Victimization among Regular Illicit Drug Users. Suicide and Life-Threatening Behavior, 2010, 40, 587-596.	0.9	47
26	Comorbid attention deficit hyperactivity disorder and substance use disorder complexity and chronicity in treatmentâ€seeking adults. Drug and Alcohol Review, 2015, 34, 683-693.	1.1	47
27	Cocaine use in New South Wales, Australia, 1996–2000: 5 year monitoring of trends in price, purity, availability and use from the illicit drug reporting system. Drug and Alcohol Dependence, 2002, 67, 81-88.	1.6	45
28	Injecting and non-injecting cocaine use in Sydney, Australia: physical and psychological morbidity. Drug and Alcohol Review, 2004, 23, 391-398.	1.1	45
29	Comparative patterns of cognitive performance amongst opioid maintenance patients, abstinent opioid users and non-opioid users. Drug and Alcohol Dependence, 2012, 126, 309-315.	1.6	45
30	Methylenedioxymethamphetamine (MDMA)-related fatalities in Australia: Demographics, circumstances, toxicology and major organ pathology. Drug and Alcohol Dependence, 2009, 104, 254-261.	1.6	39
31	The onset of heroin use and criminal behaviour: does order make a difference?. Drug and Alcohol Dependence, 1998, 53, 79-86.	1.6	38
32	Attempted Suicide among Injecting and Noninjecting Cocaine Users in Sydney, Australia. Journal of Urban Health, 2004, 81, 505-515.	1.8	37
33	Completed Suicide Among Methamphetamine Users: A National Study. Suicide and Life-Threatening Behavior, 2019, 49, 328-337.	0.9	37
34	Deficits in social perception in opioid maintenance patients, abstinent opioid users and nonâ€opioid users. Addiction, 2013, 108, 566-574.	1.7	36
35	A comparison of the harms associated with the injection of heroin and amphetamines. Drug and Alcohol Dependence, 2000, 58, 189-195.	1.6	35
36	Regular Cocaine Use Is Associated with Increased Systolic Blood Pressure, Aortic Stiffness and Left Ventricular Mass in Young Otherwise Healthy Individuals. PLoS ONE, 2014, 9, e89710.	1.1	35

#	Article	IF	CITATIONS
37	Persistence and Subtype Stability of ADHD Among Substance Use Disorder Treatment Seekers. Journal of Attention Disorders, 2019, 23, 1438-1453.	1.5	34
38	Risk behaviours among substance use disorder treatment seekers with and without adult ADHD symptoms. Drug and Alcohol Dependence, 2014, 144, 70-77.	1.6	33
39	Attention deficit hyperactivity disorder ( <scp>ADHD</scp> ) among illicit psychostimulant users: a hidden disorder?. Addiction, 2013, 108, 923-931.	1.7	30
40	Increased prevalence of self-reported psychotic illness predicted by crystal methamphetamine use: Evidence from a high-risk population. International Journal of Drug Policy, 2016, 38, 16-20.	1.6	27
41	Transitions between the injection of heroin and amphetamines. Addiction, 1999, 94, 1795-1803.	1.7	26
42	Childhood trauma exposure in substance use disorder patients with and without ADHD. Addictive Behaviors, 2017, 65, 118-124.	1.7	26
43	Quantifying the societal cost of methamphetamine use to Australia. International Journal of Drug Policy, 2018, 62, 30-36.	1.6	26
44	Clinical Characteristics of Fatal Methamphetamineâ€related Stroke: A National Study. Journal of Forensic Sciences, 2018, 63, 735-739.	0.9	25
45	Comparative toxicology of fatal heroin overdose cases and morphine positive homicide victims. Addiction, 2007, 102, 1793-1797.	1.7	24
46	Adult ADHD Among NSW Prisoners. Journal of Attention Disorders, 2016, 20, 958-967.	1.5	22
47	Psychostimulant Use and Fatal Stroke in Young Adults. Journal of Forensic Sciences, 2019, 64, 1421-1426.	0.9	22
48	Contemporary cocaine use patterns and associated harms in Melbourne and Sydney, Australia. Drug and Alcohol Review, 2007, 26, 537-543.	1.1	21
49	Clinical and Autopsy Characteristics of Fatal Methamphetamine Toxicity in Australia. Journal of Forensic Sciences, 2018, 63, 1466-1471.	0.9	21
50	Non-medical prescription stimulant use to improve academic performance among Australian university students: prevalence and correlates of use. BMC Public Health, 2018, 18, 1270.	1.2	21
51	Patterns of psychological distress related to regular methamphetamine and opioid use. Addiction Research and Theory, 2011, 19, 121-127.	1.2	18
52	Attention deficit hyperactivity disorder and severity of substance use: The role of comorbid psychopathology Psychology of Addictive Behaviors, 2012, 26, 974-979.	1.4	18
53	Ageâ€related patterns of drug use initiation among polydrug using regular psychostimulant users. Drug and Alcohol Review, 2012, 31, 784-789.	1.1	18
54	The International Collaboration on ADHD and Substance Abuse (ICASA): Mission, Results, and Future Activities. European Addiction Research, 2020, 26, 173-178.	1.3	15

#	Article	IF	CITATIONS
55	Predisposed violent drug users versus drug users who commit violence: Does the order of onset translate to differences in the severity of violent offending?. Drug and Alcohol Review, 2012, 31, 558-565.	1.1	14
56	Anti-social personality disorder and response to methadone maintenance treatment. Drug and Alcohol Review, 1996, 15, 271-276.	1.1	13
57	Factor Structure of Psychopathy Among Methadone Maintenance Patients. Journal of Personality Disorders, 1998, 12, 162-171.	0.8	13
58	The efficacy of behavioural activation treatment for co-occurring depression and substance use disorder (the activate study): a randomized controlled trial. BMC Psychiatry, 2016, 16, 221.	1.1	12
59	Risk Factors for Borderline Personality Disorder in Treatment Seeking Patients with a Substance Use Disorder: An International Multicenter Study. European Addiction Research, 2015, 21, 188-194.	1.3	11
60	Attention Deficit/Hyperactivity Disorder and Global Severity Profiles in Treatment-Seeking Patients with Substance Use Disorders. European Addiction Research, 2020, 26, 201-210.	1.3	11
61	Methamphetamineâ€related death is an underâ€addressed public health problem. Addiction, 2017, 112, 2204-2205.	1.7	9
62	Conduct Disorder as a Risk Factor for Violent Victimization and Offending among Regular Illicit Drug Users. Journal of Drug Issues, 2011, 41, 25-43.	0.6	8
63	Prevalence and correlates of traumatic brain injury amongst heroin users. Addiction Research and Theory, 2012, 20, 522-528.	1.2	8
64	The association of earlyâ€life and substance use risks to violent offending among injecting drug users. Drug and Alcohol Review, 2015, 34, 10-17.	1.1	8
65	Attention Deficit Hyperactivity Disorder Increases Nicotine Addiction Severity in Adults Seeking Treatment for Substance Use Disorders: The Role of Personality Disorders. European Addiction Research, 2020, 26, 191-200.	1.3	8
66	Cardiovascular disease risk factors and symptoms among regular psychostimulant users. Drug and Alcohol Review, 2010, 29, 371-377.	1.1	7
67	Diversion and misuse of pharmaceutical stimulants among illicit drug users. Addiction Research and Theory, 2014, 22, 109-116.	1.2	6
68	Violent offending severity among injecting drug users: Examining risk factors and issues around classification. Addictive Behaviors, 2014, 39, 1773-1778.	1.7	6
69	Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. Revista De PsiquiatrÃa Y Salud Mental, 2020, , .	1.0	6
70	Early developmental, temperamental and educational problems in â€~substance use disorder' patients with and without ADHD. Does ADHD make a difference?. Addictive Behaviors Reports, 2015, 2, 13-18.	1.0	4
71	Investigating heterogeneity in violent offending liability among injection drug users from a developmental perspective. Addictive Behaviors, 2016, 60, 165-170.	1.7	4
72	Onset and Severity of Early Disruptive Behavioral Disorders in Treatment-Seeking Substance Use Disorder Patients with and without Attention-Deficit/Hyperactivity Disorder. European Addiction Research, 2020, 26, 211-222.	1.3	4

#	Article	IF	CITATIONS
73	Crystal methamphetamine use among young people entering custody: Prevalence, correlates and comorbidity. Drug and Alcohol Review, 2021, 40, 1266-1274.	1.1	4
74	An Australian Profile on Cocaine Supply. Howard Journal of Criminal Justice, 2008, 47, 67-80.	0.7	2
75	COMPULSIVE USE OF DOPAMINE REPLACEMENT THERAPY AMONG PARKINSON'S DISEASE PATIENTS: IF IT LOOKS LIKE A DUCK, SWIMS LIKE A DUCK AND QUACKS LIKE A DUCK $\hat{a} \in f. \hat{a} \in f. \hat{a} \in f.$ Addiction, 2012, 107, 251-2	53 <sup>1.7</sup>	2
76	First Steps in Estimating Population Prevalence of Combined Alcohol and Energy Drink Use. Alcoholism: Clinical and Experimental Research, 2015, 39, 1328-1329.	1.4	1
77	Feasibility of an Intervention Targeting Health through Exergaming as an Alternative to Routine Treatment (FIT HEART): protocol for a non-randomised two-armed pilot study. Pilot and Feasibility Studies, 2022, 8, .	0.5	1