

Sharlene Kaye

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6060086/publications.pdf>

Version: 2024-02-01

77
papers

3,650
citations

117453

34
h-index

138251

58
g-index

77
all docs

77
docs citations

77
times ranked

3639
citing authors

#	ARTICLE	IF	CITATIONS
1	Feasibility of an Intervention Targeting Health through Exergaming as an Alternative to Routine Treatment (FIT HEART): protocol for a non-randomised two-armed pilot study. <i>Pilot and Feasibility Studies</i> , 2022, 8, .	0.5	1
2	Crystal methamphetamine use among young people entering custody: Prevalence, correlates and comorbidity. <i>Drug and Alcohol Review</i> , 2021, 40, 1266-1274.	1.1	4
3	Onset and Severity of Early Disruptive Behavioral Disorders in Treatment-Seeking Substance Use Disorder Patients with and without Attention-Deficit/Hyperactivity Disorder. <i>European Addiction Research</i> , 2020, 26, 211-222.	1.3	4
4	Attention Deficit Hyperactivity Disorder Increases Nicotine Addiction Severity in Adults Seeking Treatment for Substance Use Disorders: The Role of Personality Disorders. <i>European Addiction Research</i> , 2020, 26, 191-200.	1.3	8
5	Attention Deficit/Hyperactivity Disorder and Global Severity Profiles in Treatment-Seeking Patients with Substance Use Disorders. <i>European Addiction Research</i> , 2020, 26, 201-210.	1.3	11
6	Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2020, , .	1.0	6
7	The International Collaboration on ADHD and Substance Abuse (ICASA): Mission, Results, and Future Activities. <i>European Addiction Research</i> , 2020, 26, 173-178.	1.3	15
8	Psychostimulant Use and Fatal Stroke in Young Adults. <i>Journal of Forensic Sciences</i> , 2019, 64, 1421-1426.	0.9	22
9	Persistence and Subtype Stability of ADHD Among Substance Use Disorder Treatment Seekers. <i>Journal of Attention Disorders</i> , 2019, 23, 1438-1453.	1.5	34
10	Completed Suicide Among Methamphetamine Users: A National Study. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 328-337.	0.9	37
11	Clinical and Autopsy Characteristics of Fatal Methamphetamine Toxicity in Australia. <i>Journal of Forensic Sciences</i> , 2018, 63, 1466-1471.	0.9	21
12	Clinical Characteristics of Fatal Methamphetamine-Related Stroke: A National Study. <i>Journal of Forensic Sciences</i> , 2018, 63, 735-739.	0.9	25
13	Non-medical prescription stimulant use to improve academic performance among Australian university students: prevalence and correlates of use. <i>BMC Public Health</i> , 2018, 18, 1270.	1.2	21
14	Quantifying the societal cost of methamphetamine use to Australia. <i>International Journal of Drug Policy</i> , 2018, 62, 30-36.	1.6	26
15	Rates, characteristics and circumstances of methamphetamine-related death in Australia: a national 7-year study. <i>Addiction</i> , 2017, 112, 2191-2201.	1.7	92
16	Prevalence and nature of cardiovascular disease in methamphetamine-related death: A national study. <i>Drug and Alcohol Dependence</i> , 2017, 179, 174-179.	1.6	77
17	Methamphetamine-related death is an under-addressed public health problem. <i>Addiction</i> , 2017, 112, 2204-2205.	1.7	9
18	Childhood trauma exposure in substance use disorder patients with and without ADHD. <i>Addictive Behaviors</i> , 2017, 65, 118-124.	1.7	26

#	ARTICLE	IF	CITATIONS
19	Increased prevalence of self-reported psychotic illness predicted by crystal methamphetamine use: Evidence from a high-risk population. <i>International Journal of Drug Policy</i> , 2016, 38, 16-20.	1.6	27
20	The efficacy of behavioural activation treatment for co-occurring depression and substance use disorder (the activate study): a randomized controlled trial. <i>BMC Psychiatry</i> , 2016, 16, 221.	1.1	12
21	Investigating heterogeneity in violent offending liability among injection drug users from a developmental perspective. <i>Addictive Behaviors</i> , 2016, 60, 165-170.	1.7	4
22	Adult ADHD Among NSW Prisoners. <i>Journal of Attention Disorders</i> , 2016, 20, 958-967.	1.5	22
23	First Steps in Estimating Population Prevalence of Combined Alcohol and Energy Drink Use. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 1328-1329.	1.4	1
24	Risk Factors for Borderline Personality Disorder in Treatment Seeking Patients with a Substance Use Disorder: An International Multicenter Study. <i>European Addiction Research</i> , 2015, 21, 188-194.	1.3	11
25	A comprehensive review of the effects of mixing caffeinated energy drinks with alcohol. <i>Drug and Alcohol Dependence</i> , 2015, 151, 15-30.	1.6	74
26	Comorbid attention deficit hyperactivity disorder and substance use disorder complexity and chronicity in treatment-seeking adults. <i>Drug and Alcohol Review</i> , 2015, 34, 683-693.	1.1	47
27	The association of early-life and substance use risks to violent offending among injecting drug users. <i>Drug and Alcohol Review</i> , 2015, 34, 10-17.	1.1	8
28	Early developmental, temperamental and educational problems in "substance use disorder"™ patients with and without ADHD. Does ADHD make a difference?. <i>Addictive Behaviors Reports</i> , 2015, 2, 13-18.	1.0	4
29	Diversion and misuse of pharmaceutical stimulants among illicit drug users. <i>Addiction Research and Theory</i> , 2014, 22, 109-116.	1.2	6
30	Psychiatric comorbidity in treatment-seeking substance use disorder patients with and without attention deficit hyperactivity disorder: results of the <sc>IASP</sc> study. <i>Addiction</i> , 2014, 109, 262-272.	1.7	129
31	Risk behaviours among substance use disorder treatment seekers with and without adult ADHD symptoms. <i>Drug and Alcohol Dependence</i> , 2014, 144, 70-77.	1.6	33
32	Violent offending severity among injecting drug users: Examining risk factors and issues around classification. <i>Addictive Behaviors</i> , 2014, 39, 1773-1778.	1.7	6
33	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: Results from an international multi-center study exploring DSM-IV and DSM-5 criteria. <i>Drug and Alcohol Dependence</i> , 2014, 134, 158-166.	1.6	150
34	Regular Cocaine Use Is Associated with Increased Systolic Blood Pressure, Aortic Stiffness and Left Ventricular Mass in Young Otherwise Healthy Individuals. <i>PLoS ONE</i> , 2014, 9, e89710.	1.1	35
35	Validity of the Adult ADHD Self-Report Scale (ASRS) as a screener for adult ADHD in treatment seeking substance use disorder patients. <i>Drug and Alcohol Dependence</i> , 2013, 132, 587-596.	1.6	135
36	Attention deficit hyperactivity disorder (<sc>ADHD</sc>) among illicit psychostimulant users: a hidden disorder?. <i>Addiction</i> , 2013, 108, 923-931.	1.7	30

#	ARTICLE	IF	CITATIONS
37	The International ADHD in Substance Use Disorders Prevalence (IASP) study: background, methods and study population. <i>International Journal of Methods in Psychiatric Research</i> , 2013, 22, 232-244.	1.1	53
38	Deficits in social perception in opioid maintenance patients, abstinent opioid users and non-opioid users. <i>Addiction</i> , 2013, 108, 566-574.	1.7	36
39	Prevalence and correlates of traumatic brain injury amongst heroin users. <i>Addiction Research and Theory</i> , 2012, 20, 522-528.	1.2	8
40	Comparative patterns of cognitive performance amongst opioid maintenance patients, abstinent opioid users and non-opioid users. <i>Drug and Alcohol Dependence</i> , 2012, 126, 309-315.	1.6	45
41	Attention deficit hyperactivity disorder and severity of substance use: The role of comorbid psychopathology. <i>Psychology of Addictive Behaviors</i> , 2012, 26, 974-979.	1.4	18
42	COMPULSIVE USE OF DOPAMINE REPLACEMENT THERAPY AMONG PARKINSON'S DISEASE PATIENTS: IF IT LOOKS LIKE A DUCK, SWIMS LIKE A DUCK AND QUACKS LIKE A DUCK. <i>Addiction</i> , 2012, 107, 251-253.	1.7	2
43	The diversion and misuse of pharmaceutical stimulants: what do we know and why should we care?. <i>Addiction</i> , 2012, 107, 467-477.	1.7	108
44	Predisposed violent drug users versus drug users who commit violence: Does the order of onset translate to differences in the severity of violent offending?. <i>Drug and Alcohol Review</i> , 2012, 31, 558-565.	1.1	14
45	Age-related patterns of drug use initiation among polydrug using regular psychostimulant users. <i>Drug and Alcohol Review</i> , 2012, 31, 784-789.	1.1	18
46	Patterns of psychological distress related to regular methamphetamine and opioid use. <i>Addiction Research and Theory</i> , 2011, 19, 121-127.	1.2	18
47	Conduct Disorder as a Risk Factor for Violent Victimization and Offending among Regular Illicit Drug Users. <i>Journal of Drug Issues</i> , 2011, 41, 25-43.	0.6	8
48	Attempted Suicide, Self-Harm, and Violent Victimization among Regular Illicit Drug Users. <i>Suicide and Life-Threatening Behavior</i> , 2010, 40, 587-596.	0.9	47
49	Comparative rates of violent crime among regular methamphetamine and opioid users: offending and victimization. <i>Addiction</i> , 2010, 105, 916-919.	1.7	75
50	Cardiovascular disease risk factors and symptoms among regular psychostimulant users. <i>Drug and Alcohol Review</i> , 2010, 29, 371-377.	1.1	7
51	Methylenedioxymethamphetamine (MDMA)-related fatalities in Australia: Demographics, circumstances, toxicology and major organ pathology. <i>Drug and Alcohol Dependence</i> , 2009, 104, 254-261.	1.6	39
52	Major physical and psychological harms of methamphetamine use. <i>Drug and Alcohol Review</i> , 2008, 27, 253-262.	1.1	546
53	An Australian Profile on Cocaine Supply. <i>Howard Journal of Criminal Justice</i> , 2008, 47, 67-80.	0.7	2
54	Methamphetamine-related fatalities in Australia: demographics, circumstances, toxicology and major organ pathology. <i>Addiction</i> , 2008, 103, 1353-1360.	1.7	91

#	ARTICLE	IF	CITATIONS
55	Methamphetamine and cardiovascular pathology: a review of the evidence. <i>Addiction</i> , 2007, 102, 1204-1211.	1.7	272
56	Comparative toxicology of fatal heroin overdose cases and morphine positive homicide victims. <i>Addiction</i> , 2007, 102, 1793-1797.	1.7	24
57	Contemporary cocaine use patterns and associated harms in Melbourne and Sydney, Australia. <i>Drug and Alcohol Review</i> , 2007, 26, 537-543.	1.1	21
58	Systemic disease among cases of fatal opioid toxicity. <i>Addiction</i> , 2006, 101, 1299-1305.	1.7	73
59	Comparative cardiac pathology among deaths due to cocaine toxicity, opioid toxicity and non-drug-related causes. <i>Addiction</i> , 2006, 101, 1771-1777.	1.7	58
60	Cocaine-related fatalities in New South Wales, Australia 1993-2002. <i>Drug and Alcohol Dependence</i> , 2005, 77, 107-114.	1.6	51
61	Non-fatal cocaine overdose among injecting and non-injecting cocaine users in Sydney, Australia. <i>Addiction</i> , 2004, 99, 1315-1322.	1.7	61
62	Injecting and non-injecting cocaine use in Sydney, Australia: physical and psychological morbidity. <i>Drug and Alcohol Review</i> , 2004, 23, 391-398.	1.1	45
63	Attempted Suicide among Injecting and Noninjecting Cocaine Users in Sydney, Australia. <i>Journal of Urban Health</i> , 2004, 81, 505-515.	1.8	37
64	Adapting the Illicit Drug Reporting System (IDRS) to examine the feasibility of monitoring trends in the markets for "party drugs". <i>Drug and Alcohol Dependence</i> , 2004, 73, 189-197.	1.6	50
65	Cocaine use in New South Wales, Australia, 1996-2000: 5 year monitoring of trends in price, purity, availability and use from the illicit drug reporting system. <i>Drug and Alcohol Dependence</i> , 2002, 67, 81-88.	1.6	45
66	Determining a diagnostic cut-off on the Severity of Dependence Scale (SDS) for cocaine dependence. <i>Addiction</i> , 2002, 97, 727-731.	1.7	100
67	Hair morphine concentrations of fatal heroin overdose cases and living heroin users. <i>Addiction</i> , 2002, 97, 977-984.	1.7	54
68	The emergence of potent forms of methamphetamine in Sydney, Australia: a case study of the IDRS as a strategic early warning system. <i>Drug and Alcohol Review</i> , 2002, 21, 341-348.	1.1	77
69	Physical injecting sites among injecting drug users in Sydney, Australia. <i>Drug and Alcohol Dependence</i> , 2001, 62, 77-82.	1.6	91
70	Geographical injecting locations among injecting drug users in Sydney, Australia. <i>Addiction</i> , 2001, 96, 241-246.	1.7	58
71	A comparison of the harms associated with the injection of heroin and amphetamines. <i>Drug and Alcohol Dependence</i> , 2000, 58, 189-195.	1.6	35
72	Transitions between the injection of heroin and amphetamines. <i>Addiction</i> , 1999, 94, 1795-1803.	1.7	26

#	ARTICLE	IF	CITATIONS
73	Drug use and injection risk-taking among prison methadone maintenance patients. <i>Addiction</i> , 1998, 93, 1169-1175.	1.7	52
74	Antisocial personality disorder, psychopathy and injecting heroin use. <i>Drug and Alcohol Dependence</i> , 1998, 52, 63-69.	1.6	48
75	The onset of heroin use and criminal behaviour: does order make a difference?. <i>Drug and Alcohol Dependence</i> , 1998, 53, 79-86.	1.6	38
76	Factor Structure of Psychopathy Among Methadone Maintenance Patients. <i>Journal of Personality Disorders</i> , 1998, 12, 162-171.	0.8	13
77	Anti-social personality disorder and response to methadone maintenance treatment. <i>Drug and Alcohol Review</i> , 1996, 15, 271-276.	1.1	13