

# Jacques W M Lenders

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6060547/jacques-w-m-lenders-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

240  
papers

13,737  
citations

55  
h-index

113  
g-index

260  
ext. papers

16,200  
ext. citations

6  
avg, IF

6.18  
L-index

#	Paper	IF	Citations
240	Pheochromocytoma and paraganglioma: an endocrine society clinical practice guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, 1915-42	5.6	1415
239	Phaeochromocytoma. <i>Lancet, The</i> , <b>2005</b> , 366, 665-75	40	1229
238	Biochemical diagnosis of pheochromocytoma: which test is best?. <i>JAMA - Journal of the American Medical Association</i> , <b>2002</b> , 287, 1427-34	27.4	792
237	An immunohistochemical procedure to detect patients with paraganglioma and phaeochromocytoma with germline SDHB, SDHC, or SDHD gene mutations: a retrospective and prospective analysis. <i>Lancet Oncology, The</i> , <b>2009</b> , 10, 764-71	21.7	405
236	Biochemical diagnosis of pheochromocytoma: how to distinguish true- from false-positive test results. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 2656-66	5.6	370
235	Outcomes after adrenalectomy for unilateral primary aldosteronism: an international consensus on outcome measures and analysis of remission rates in an international cohort. <i>Lancet Diabetes and Endocrinology, the</i> , <b>2017</b> , 5, 689-699	18.1	355
234	An expert consensus statement on use of adrenal vein sampling for the subtyping of primary aldosteronism. <i>Hypertension</i> , <b>2014</b> , 63, 151-60	8.5	338
233	Plasma normetanephrine and metanephrine for detecting pheochromocytoma in von Hippel-Lindau disease and multiple endocrine neoplasia type 2. <i>New England Journal of Medicine</i> , <b>1999</b> , 340, 1872-9	59.2	291
232	Systematic review: diagnostic procedures to differentiate unilateral from bilateral adrenal abnormality in primary aldosteronism. <i>Annals of Internal Medicine</i> , <b>2009</b> , 151, 329-37	8	278
231	Superiority of fluorodeoxyglucose positron emission tomography to other functional imaging techniques in the evaluation of metastatic SDHB-associated pheochromocytoma and paraganglioma. <i>Journal of Clinical Oncology</i> , <b>2007</b> , 25, 2262-9	2.2	272
230	Plasma methoxytyramine: a novel biomarker of metastatic pheochromocytoma and paraganglioma in relation to established risk factors of tumour size, location and SDHB mutation status. <i>European Journal of Cancer</i> , <b>2012</b> , 48, 1739-49	7.5	228
229	Clinical presentations, biochemical phenotypes, and genotype-phenotype correlations in patients with succinate dehydrogenase subunit B-associated pheochromocytomas and paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 779-86	5.6	228
228	SDHAF2 mutations in familial and sporadic paraganglioma and phaeochromocytoma. <i>Lancet Oncology, The</i> , <b>2010</b> , 11, 366-72	21.7	227
227	MAX mutations cause hereditary and sporadic pheochromocytoma and paraganglioma. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 2828-37	12.9	226
226	Measurements of plasma methoxytyramine, normetanephrine, and metanephrine as discriminators of different hereditary forms of pheochromocytoma. <i>Clinical Chemistry</i> , <b>2011</b> , 57, 411-20	5.5	225
225	Pheochromocytomas in von Hippel-Lindau syndrome and multiple endocrine neoplasia type 2 display distinct biochemical and clinical phenotypes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 1999-2008	5.6	224
224	Plasma metanephrines are markers of pheochromocytoma produced by catechol-O-methyltransferase within tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1998</b> , 83, 2175-85	5.6	186

223	Plasma metanephrines in the diagnosis of pheochromocytoma. <i>Annals of Internal Medicine</i> , <b>1995</b> , 123, 101-9	8	174
222	Cardiovascular manifestations of phaeochromocytoma. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 2049-60	1.9	169
221	Pheochromocytoma catecholamine phenotypes and prediction of tumor size and location by use of plasma free metanephrines. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 735-44	5.5	145
220	Self-measurement of blood pressure at home reduces the need for antihypertensive drugs: a randomized, controlled trial. <i>Hypertension</i> , <b>2007</b> , 50, 1019-25	8.5	137
219	Adrenal vein sampling versus CT scan to determine treatment in primary aldosteronism: an outcome-based randomised diagnostic trial. <i>Lancet Diabetes and Endocrinology</i> , <b>2016</b> , 4, 739-746	18.1	135
218	Denervation of carotid baro- and chemoreceptors in humans. <i>Journal of Physiology</i> , <b>2003</b> , 553, 3-11	3.9	128
217	Catecholamine metabolomic and secretory phenotypes in phaeochromocytoma. <i>Endocrine-Related Cancer</i> , <b>2011</b> , 18, 97-111	5.7	127
216	Caffeine and theophylline attenuate adenosine-induced vasodilation in humans. <i>Clinical Pharmacology and Therapeutics</i> , <b>1990</b> , 48, 410-8	6.1	115
215	Genotype-Specific Steroid Profiles Associated With Aldosterone-Producing Adenomas. <i>Hypertension</i> , <b>2016</b> , 67, 139-45	8.5	100
214	Pheochromocytoma and pregnancy: a deceptive connection. <i>European Journal of Endocrinology</i> , <b>2012</b> , 166, 143-50	6.5	100
213	Mass Spectrometry-Based Adrenal and Peripheral Venous Steroid Profiling for Subtyping Primary Aldosteronism. <i>Clinical Chemistry</i> , <b>2016</b> , 62, 514-24	5.5	97
212	Long-term effects of carotid sinus denervation on arterial blood pressure in humans. <i>Circulation</i> , <b>2002</b> , 105, 1329-35	16.7	97
211	Orthostatic tolerance, cerebral oxygenation, and blood velocity in humans with sympathetic failure. <i>Stroke</i> , <b>2000</b> , 31, 1608-14	6.7	97
210	Is supine rest necessary before blood sampling for plasma metanephrines?. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 352-4	5.5	96
209	An LC-MS/MS method for steroid profiling during adrenal venous sampling for investigation of primary aldosteronism. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2015</b> , 145, 75-84	5.1	90
208	Biochemical diagnosis and localization of pheochromocytoma: can we reach a consensus?. <i>Annals of the New York Academy of Sciences</i> , <b>2006</b> , 1073, 332-47	6.5	90
207	Plasma metadrenalines: do they provide useful information about sympatho-adrenal function and catecholamine metabolism?. <i>Clinical Science</i> , <b>1995</b> , 88, 533-42	6.5	84
206	Is the excess cardiovascular morbidity in pheochromocytoma related to blood pressure or to catecholamines?. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 1100-6	5.6	79

205	Reference intervals for plasma free metanephrines with an age adjustment for normetanephrine for optimized laboratory testing of pheochromocytoma. <i>Annals of Clinical Biochemistry</i> , <b>2013</b> , 50, 62-9	2.2	77
204	Biochemical diagnosis of pheochromocytoma using plasma-free normetanephrine, metanephrine and methoxytyramine: importance of supine sampling under fasting conditions. <i>Clinical Endocrinology</i> , <b>2014</b> , 80, 478-86	3.4	77
203	Update on Modern Management of Pheochromocytoma and Paraganglioma. <i>Endocrinology and Metabolism</i> , <b>2017</b> , 32, 152-161	3.5	72
202	Reference intervals for plasma concentrations of adrenal steroids measured by LC-MS/MS: Impact of gender, age, oral contraceptives, body mass index and blood pressure status. <i>Clinica Chimica Acta</i> , <b>2017</b> , 470, 115-124	6.2	70
201	Biochemical Diagnosis of Chromaffin Cell Tumors in Patients at High and Low Risk of Disease: Plasma versus Urinary Free or Deconjugated -Methylated Catecholamine Metabolites. <i>Clinical Chemistry</i> , <b>2018</b> , 64, 1646-1656	5.5	67
200	Age at diagnosis of pheochromocytoma differs according to catecholamine phenotype and tumor location. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, 375-84	5.6	65
199	Pheochromocytoma as an endocrine emergency. <i>Reviews in Endocrine and Metabolic Disorders</i> , <b>2003</b> , 4, 121-8	10.5	65
198	Does it matter whether blood pressure measurements are taken with subjects sitting or supine?. <i>Journal of Hypertension</i> , <b>1998</b> , 16, 263-8	1.9	64
197	Baroreflex and chemoreflex function after bilateral carotid body tumor resection. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 591-9	1.9	63
196	Genetics, diagnosis, management and future directions of research of pheochromocytoma and paraganglioma: a position statement and consensus of the Working Group on Endocrine Hypertension of the European Society of Hypertension. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 1443-1456	1.9	62
195	Role of the wrist cuff in forearm plethysmography. <i>Clinical Science</i> , <b>1991</b> , 80, 413-7	6.5	62
194	Quality of Life in Primary Aldosteronism: A Comparative Effectiveness Study of Adrenalectomy and Medical Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 16-24	5.6	62
193	Accuracy of recommended sampling and assay methods for the determination of plasma-free and urinary fractionated metanephrines in the diagnosis of pheochromocytoma and paraganglioma: a systematic review. <i>Endocrine</i> , <b>2017</b> , 56, 495-503	4	59
192	Subclinical pheochromocytoma. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 26, 507-15	6.5	59
191	New advances in the biochemical diagnosis of pheochromocytoma: moving beyond catecholamines. <i>Annals of the New York Academy of Sciences</i> , <b>2002</b> , 970, 29-40	6.5	59
190	Somatic SDHB mutation in an extraadrenal pheochromocytoma. <i>New England Journal of Medicine</i> , <b>2007</b> , 357, 306-8	59.2	58
189	The optimal scheme of self blood pressure measurement as determined from ambulatory blood pressure recordings. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 1541-8	1.9	58
188	Plasma methoxytyramine: clinical utility with metanephrines for diagnosis of pheochromocytoma and paraganglioma. <i>European Journal of Endocrinology</i> , <b>2017</b> , 177, 103-113	6.5	57

187	Plasma metanephrines in renal failure. <i>Kidney International</i> , <b>2005</b> , 67, 668-77	9.9	57
186	Screening for Endocrine Hypertension: An Endocrine Society Scientific Statement. <i>Endocrine Reviews</i> , <b>2017</b> , 38, 103-122	27.2	55
185	The pathophysiology of the vasovagal response. <i>Heart Rhythm</i> , <b>2018</b> , 15, 921-929	6.7	54
184	Opposing effects of HIF1 $\alpha$ and HIF2 $\alpha$ on chromaffin cell phenotypic features and tumor cell proliferation: Insights from MYC-associated factor X. <i>International Journal of Cancer</i> , <b>2014</b> , 135, 2054-64	7.5	54
183	Correlation between in vivo 18F-FDG PET and immunohistochemical markers of glucose uptake and metabolism in pheochromocytoma and paraganglioma. <i>Journal of Nuclear Medicine</i> , <b>2014</b> , 55, 1253-9	8.9	52
182	Plasma metanephrine for assessing the selectivity of adrenal venous sampling. <i>Hypertension</i> , <b>2013</b> , 62, 1152-7	8.5	52
181	Pheochromocytoma - update on disease management. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , <b>2012</b> , 3, 11-26	4.5	52
180	Stability of urinary fractionated metanephrines and catecholamines during collection, shipment, and storage of samples. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 268-72	5.5	52
179	Influence of body and arm position on blood pressure readings: an overview. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 237-41	1.9	52
178	Plasma Metanephrines Are Markers of Pheochromocytoma Produced by Catechol-O-Methyltransferase Within Tumors		52
177	Gene expression profiling of benign and malignant pheochromocytoma. <i>Annals of the New York Academy of Sciences</i> , <b>2006</b> , 1073, 541-56	6.5	50
176	Reproducibility of ambulatory blood pressure monitoring in daily practice. <i>Journal of Human Hypertension</i> , <b>1999</b> , 13, 303-8	2.6	48
175	Somatostatin analog octreotide (SMS 201-995) prevents the decrease in blood pressure after oral glucose loading in the elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1989</b> , 68, 752-6	5.6	48
174	Differential expression of the regulated catecholamine secretory pathway in different hereditary forms of pheochromocytoma. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2008</b> , 295, E1223-33	6	47
173	Emergencies caused by pheochromocytoma, neuroblastoma, or ganglioneuroma. <i>Endocrinology and Metabolism Clinics of North America</i> , <b>2006</b> , 35, 699-724, viii	5.5	47
172	Pregnancy-related hemangioblastoma progression and complications in von Hippel-Lindau disease. <i>Neurology</i> , <b>2012</b> , 79, 793-6	6.5	44
171	Long-term effects of unilateral carotid endarterectomy on arterial baroreflex function. <i>Clinical Autonomic Research</i> , <b>2004</b> , 14, 72-9	4.3	44
170	Effect of chronic smoking on endothelium-dependent vascular relaxation in humans. <i>Clinical Science</i> , <b>1993</b> , 85, 51-5	6.5	44

169	Presynaptic inhibition of norepinephrine release from sympathetic nerve endings by endogenous adenosine. <i>Hypertension</i> , <b>1996</b> , 27, 933-8	8.5	42
168	International Histopathology Consensus for Unilateral Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, 42-54	5.6	42
167	The Primary Aldosteronism Surgical Outcome Score for the Prediction of Clinical Outcomes After Adrenalectomy for Unilateral Primary Aldosteronism. <i>Annals of Surgery</i> , <b>2020</b> , 272, 1125-1132	7.8	40
166	Mutations associated with succinate dehydrogenase D-related malignant paragangliomas. <i>Clinical Endocrinology</i> , <b>2008</b> , 68, 561-6	3.4	39
165	Genotype-specific abnormalities in mitochondrial function associate with distinct profiles of energy metabolism and catecholamine content in pheochromocytoma and paraganglioma. <i>Clinical Cancer Research</i> , <b>2013</b> , 19, 3787-95	12.9	38
164	Biochemical diagnosis of pheochromocytoma. <i>Frontiers of Hormone Research</i> , <b>2004</b> , 31, 76-106	3.5	38
163	Metabologenomics of Pheochromocytoma and Paraganglioma: An Integrated Approach for Personalised Biochemical and Genetic Testing. <i>Clinical Biochemist Reviews</i> , <b>2017</b> , 38, 69-100	7.3	38
162	Plasma metanephrines: a novel and cost-effective test for pheochromocytoma. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2000</b> , 33, 1157-69	2.8	37
161	Immunohistopathology and Steroid Profiles Associated With Biochemical Outcomes After Adrenalectomy for Unilateral Primary Aldosteronism. <i>Hypertension</i> , <b>2018</b> , 72, 650-657	8.5	36
160	Metabolome-guided genomics to identify pathogenic variants in isocitrate dehydrogenase, fumarate hydratase, and succinate dehydrogenase genes in pheochromocytoma and paraganglioma. <i>Genetics in Medicine</i> , <b>2019</b> , 21, 705-717	8.1	36
159	Stability of plasma free metanephrines during collection and storage as assessed by an optimized HPLC method with electrochemical detection. <i>Clinical Chemistry</i> , <b>2003</b> , 49, 1951-3	5.5	35
158	MANAGEMENT OF ENDOCRINE DISEASE: Recurrence or new tumors after complete resection of pheochromocytomas and paragangliomas: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , <b>2016</b> , 175, R135-45	6.5	35
157	Cardiovascular responses to stress after carotid baroreceptor denervation in humans. <i>Annals of the New York Academy of Sciences</i> , <b>2004</b> , 1018, 515-9	6.5	34
156	Efficacy of $\beta$ Blockers on Hemodynamic Control during Pheochromocytoma Resection: A Randomized Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	34
155	Prevalence of the white-coat effect at multiple visits before and during treatment. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 2357-63	1.9	32
154	Pheochromocytoma and paraganglioma: clinical feature-based disease probability in relation to catecholamine biochemistry and reason for disease suspicion. <i>European Journal of Endocrinology</i> , <b>2019</b> , 181, 409-420	6.5	32
153	Do we need to evaluate diastolic blood pressure in patients with suspected orthostatic hypotension?. <i>Clinical Autonomic Research</i> , <b>2017</b> , 27, 167-173	4.3	31
152	Prospective evaluation of non-pharmacological treatment in vasovagal syncope. <i>Europace</i> , <b>2010</b> , 12, 567-73	3.9	31

151	Clinical pharmacokinetics and efficacy of renin inhibitors. <i>Clinical Pharmacokinetics</i> , <b>1995</b> , 29, 6-14	6.2	31
150	Integrative multi-omics analysis identifies a prognostic miRNA signature and a targetable miR-21-3p/TSC2/mTOR axis in metastatic pheochromocytoma/paraganglioma. <i>Theranostics</i> , <b>2019</b> , 9, 4946-4958	12.1	30
149	Baroreflex control of muscle sympathetic nerve activity after carotid body tumor resection. <i>Hypertension</i> , <b>2003</b> , 42, 143-9	8.5	29
148	DIAGNOSIS OF ENDOCRINE DISEASE: 18-Oxocortisol and 18-hydroxycortisol: is there clinical utility of these steroids?. <i>European Journal of Endocrinology</i> , <b>2018</b> , 178, R1-R9	6.5	28
147	Influence of the arm position on intra-arterial blood pressure measurement. <i>Journal of Human Hypertension</i> , <b>1998</b> , 12, 157-60	2.6	28
146	The influence of age and blood pressure on the hemodynamic and humoral response to head-up tilt. <i>Journal of the American Geriatrics Society</i> , <b>1989</b> , 37, 528-32	5.6	27
145	Reference intervals for LC-MS/MS measurements of plasma free, urinary free and urinary acid-hydrolyzed deconjugated normetanephrine, metanephrine and methoxytyramine. <i>Clinica Chimica Acta</i> , <b>2019</b> , 490, 46-54	6.2	27
144	Pheochromocytoma and gastrointestinal stromal tumors in patients with neurofibromatosis type I. <i>American Journal of Medicine</i> , <b>2013</b> , 126, 174-80	2.4	26
143	Neurocognitive function in dopamine- $\beta$ -hydroxylase deficiency. <i>Neuropsychopharmacology</i> , <b>2011</b> , 36, 1608-19	8.7	25
142	Subtype diagnosis, treatment, complications and outcomes of primary aldosteronism and future direction of research: a position statement and consensus of the Working Group on Endocrine Hypertension of the European Society of Hypertension. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 1929-1936	1.9	25
141	Pheochromocytoma and Pregnancy. <i>Endocrinology and Metabolism Clinics of North America</i> , <b>2019</b> , 48, 605-617	5.5	24
140	Primary Aldosteronism and Obstructive Sleep Apnea: Is This A Bidirectional Relationship?. <i>Hormone and Metabolic Research</i> , <b>2017</b> , 49, 969-976	3.1	24
139	Choice of biochemical test for diagnosis of pheochromocytoma: validation of plasma metanephrines. <i>Current Hypertension Reports</i> , <b>2002</b> , 4, 250-5	4.7	24
138	Arm position is important for blood pressure measurement. <i>Journal of Human Hypertension</i> , <b>1999</b> , 13, 105-9	2.6	24
137	Prevalence of primary aldosteronism in primary care: a cross-sectional study. <i>British Journal of General Practice</i> , <b>2018</b> , 68, e114-e122	1.6	23
136	The position of the arm during blood pressure measurement in sitting position. <i>Blood Pressure Monitoring</i> , <b>2006</b> , 11, 309-13	1.3	23
135	Arterial baroreflex and peripheral chemoreflex function after radiotherapy for laryngeal or pharyngeal cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2002</b> , 53, 1203-10	4	23
134	Antihypertensive treatment and postprandial blood pressure reduction in the elderly. <i>Gerontology</i> , <b>1987</b> , 33, 363-8	5.5	23

133	Pharmacological treatment of aldosterone excess. <i>Pharmacology &amp; Therapeutics</i> , <b>2015</b> , 154, 120-33	13.9	22
132	Should every patient diagnosed with a pheochromocytoma have a $^{123}\text{I}$ -MIBG scintigraphy?. <i>Clinical Endocrinology</i> , <b>2014</b> , 81, 329-33	3.4	22
131	Classification of microadenomas in patients with primary aldosteronism by steroid profiling. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2019</b> , 189, 274-282	5.1	22
130	Subtyping of Patients with Primary Aldosteronism: An Update. <i>Hormone and Metabolic Research</i> , <b>2017</b> , 49, 922-928	3.1	21
129	Low sensitivity of glucagon provocative testing for diagnosis of pheochromocytoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 238-45	5.6	21
128	Sympathoadrenal activation and the dumping syndrome after gastric surgery. <i>Clinical Autonomic Research</i> , <b>2000</b> , 10, 301-8	4.3	21
127	Accuracy and reproducibility of 30 devices for self-measurement of arterial blood pressure. <i>American Journal of Hypertension</i> , <b>1993</b> , 6, 873-9	2.3	21
126	Reduced imprecision of the radioenzymatic assay of plasma catecholamines by improving the stability of the internal standards. <i>Clinica Chimica Acta</i> , <b>1986</b> , 156, 221-5	6.2	21
125	Genotype-Dependent Brown Adipose Tissue Activation in Patients With Pheochromocytoma and Paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 224-32	5.6	21
124	Pathophysiology and diagnosis of disorders of the adrenal medulla: focus on pheochromocytoma. <i>Comprehensive Physiology</i> , <b>2014</b> , 4, 691-713	7.7	20
123	Side effects of ambulatory blood pressure monitoring. <i>Blood Pressure Monitoring</i> , <b>2005</b> , 10, 151-5	1.3	20
122	Influence of different supine body positions on blood pressure: consequences for night blood pressure/dipper-status. <i>Journal of Hypertension</i> , <b>2000</b> , 18, 1731-6	1.9	20
121	Semiquantitative $^{123}\text{I}$ -Metaiodobenzylguanidine Scintigraphy to Distinguish Pheochromocytoma and Paraganglioma from Physiologic Adrenal Uptake and Its Correlation with Genotype-Dependent Expression of Catecholamine Transporters. <i>Journal of Nuclear Medicine</i> , <b>2015</b> , 56, 839-46	8.9	19
120	Seasonal variation in plasma free normetanephrine concentrations: implications for biochemical diagnosis of pheochromocytoma. <i>European Journal of Endocrinology</i> , <b>2014</b> , 170, 349-57	6.5	19
119	Sympathoinhibition by atorvastatin in hypertensive patients. <i>Circulation Journal</i> , <b>2010</b> , 74, 2622-6	2.9	19
118	Sympathoinhibitory effect of statins in chronic heart failure. <i>Clinical Autonomic Research</i> , <b>2010</b> , 20, 73-8	4.3	19
117	Insulin stimulates epinephrine release under euglycemic conditions in humans. <i>Metabolism: Clinical and Experimental</i> , <b>1998</b> , 47, 243-9	12.7	19
116	Different relationships of spillover to release of norepinephrine in human heart, kidneys, and forearm. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>1998</b> , 275, R165-73	3.2	19



115	Value of the plasma norepinephrine/3,4-dihydroxyphenylglycol ratio for the diagnosis of pheochromocytoma. <i>American Journal of Medicine</i> , <b>1992</b> , 92, 147-52	2.4	19
114	Efficacy and tolerability of the renin inhibitor Ro 42-5892 in patients with hypertension. <i>Clinical Pharmacology and Therapeutics</i> , <b>1993</b> , 54, 567-77	6.1	19
113	A test of the "epinephrine hypothesis" in humans. <i>Hypertension</i> , <b>1999</b> , 33, 36-43	8.5	18
112	Differential effects of low- and high-intensity lower body negative pressure on noradrenaline and adrenaline kinetics in humans. <i>Clinical Science</i> , <b>1996</b> , 90, 337-43	6.5	18
111	Adrenomedullary secretion of epinephrine is increased in mild essential hypertension. <i>Hypertension</i> , <b>1997</b> , 29, 1303-8	8.5	18
110	Adrenal Vein Sampling Is the Preferred Method to Select Patients With Primary Aldosteronism for Adrenalectomy: Con Side of the Argument. <i>Hypertension</i> , <b>2018</b> , 71, 10-14	8.5	18
109	Effects of Treating Primary Aldosteronism on Renal Function. <i>Journal of Clinical Hypertension</i> , <b>2017</b> , 19, 290-295	2.3	17
108	Intricacies of the Molecular Machinery of Catecholamine Biosynthesis and Secretion by Chromaffin Cells of the Normal Adrenal Medulla and in Pheochromocytoma and Paraganglioma. <i>Cancers</i> , <b>2019</b> , 11,	6.6	16
107	The effect of crossing legs on blood pressure. <i>Blood Pressure Monitoring</i> , <b>2007</b> , 12, 189-93	1.3	16
106	Use of Steroid Profiling Combined With Machine Learning for Identification and Subtype Classification in Primary Aldosteronism. <i>JAMA Network Open</i> , <b>2020</b> , 3, e2016209	10.4	16
105	Plasma-free vs deconjugated metanephrines for diagnosis of phaeochromocytoma. <i>Clinical Endocrinology</i> , <b>2013</b> , 79, 476-83	3.4	15
104	The acute effect of cigarette smoking on the high-sensitivity CRP and fibrinogen biomarkers in chronic obstructive pulmonary disease patients. <i>Biomarkers in Medicine</i> , <b>2013</b> , 7, 211-9	2.3	15
103	Risk of catecholaminergic crisis following glucocorticoid administration in patients with an adrenal mass: a literature review. <i>Clinical Endocrinology</i> , <b>2015</b> , 83, 622-8	3.4	14
102	Central and cerebrovascular effects of leg crossing in humans with sympathetic failure. <i>Clinical Science</i> , <b>2010</b> , 118, 573-81	6.5	14
101	Prevalence and persistence of masked hypertension in treated hypertensive patients. <i>American Journal of Hypertension</i> , <b>2007</b> , 20, 1258-65	2.3	14
100	Approach to the Patient: Perioperative Management of the Patient with Pheochromocytoma or Sympathetic Paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	13
99	Lack of utility of SDHB mutation testing in adrenergic metastatic phaeochromocytoma. <i>European Journal of Endocrinology</i> , <b>2015</b> , 172, 89-95	6.5	13
98	Biochemical diagnosis of pheochromocytoma and paraganglioma. <i>Annales D'Endocrinologie</i> , <b>2009</b> , 70, 161-5	1.7	13

97	Antecedent adrenaline attenuates the responsiveness to but not the release of counterregulatory hormones during subsequent hypoglycemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 5462-7	5.6	13
96	Plasma metanephrines and prospective prediction of tumor location, size and mutation type in patients with pheochromocytoma and paraganglioma. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 59, 353-363	5.9	13
95	Health-Related Quality of Life and Mental Health in Primary Aldosteronism: A Systematic Review. <i>Hormone and Metabolic Research</i> , <b>2017</b> , 49, 943-950	3.1	12
94	International consensus on initial screening and follow-up of asymptomatic SDHx mutation carriers. <i>Nature Reviews Endocrinology</i> , <b>2021</b> , 17, 435-444	15.2	12
93	Hydrochlorothiazide treatment increases the abundance of the NaCl cotransporter in urinary extracellular vesicles of essential hypertensive patients. <i>American Journal of Physiology - Renal Physiology</i> , <b>2017</b> , 312, F1063-F1072	4.3	11
92	Impact of 123 I-MIBG scintigraphy on clinical decision making in pheochromocytoma and paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> ,	5.6	11
91	Hypertensive crisis in pregnancy due to a metamorphosing pheochromocytoma with postdelivery Cushing's syndrome. <i>Gynecological Endocrinology</i> , <b>2018</b> , 34, 20-24	2.4	11
90	Sympathetic nervous system function in HIV-associated adipose redistribution syndrome. <i>Aids</i> , <b>2006</b> , 20, 773-5	3.5	11
89	The role of carotid chemoreceptors in the sympathetic activation by adenosine in humans. <i>Clinical Science</i> , <b>2004</b> , 106, 75-82	6.5	11
88	Comparison of blood pressure response to exogenous epinephrine in hypertensive men and women. <i>American Journal of Cardiology</i> , <b>1988</b> , 61, 1288-91	3	11
87	Data set for the reporting of pheochromocytoma and paraganglioma: explanations and recommendations of the guidelines from the International Collaboration on Cancer Reporting. <i>Human Pathology</i> , <b>2021</b> , 110, 83-97	3.7	11
86	Computational analysis of liquid chromatography-tandem mass spectrometric steroid profiling in NCI H295R cells following angiotensin II, forskolin and abiraterone treatment. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2016</b> , 155, 67-75	5.1	10
85	Plasma metanephrine levels are decreased in type 1 diabetic patients with a severely impaired epinephrine response to hypoglycemia, indicating reduced adrenomedullary stores of epinephrine. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 2057-61	5.6	10
84	Pitfall in HPLC assay for urinary metanephrines: an unusual type of interference caused by methenamine intake. <i>Clinical Chemistry</i> , <b>2004</b> , 50, 1097-9	5.5	10
83	Catecholamine phenotyping: clues to the diagnosis, treatment, and pathophysiology of neurogenetic disorders. <i>Journal of Neurochemistry</i> , <b>1996</b> , 67, 1781-90	6	10
82	Disparate effects of mental stress on plasma noradrenaline in young normotensive and hypertensive subjects. <i>Journal of Hypertension</i> , <b>1989</b> , 7, 317-324	1.9	10
81	Adrenoceptors on blood cells in patients with essential hypertension before and after mental stress. <i>Journal of Hypertension</i> , <b>1989</b> , 7, 519-24	1.9	10
80	Supine or Sitting? Economic and other considerations for use of plasma metanephrines for diagnosis of pheochromocytoma. <i>Clinical Endocrinology</i> , <b>2015</b> , 82, 463-4	3.4	9

79	Rapid circulatory clearances and half-lives of plasma free metanephrines. <i>Clinical Endocrinology</i> , <b>2012</b> , 77, 484-5; author reply 485-6	3.4	9
78	Compliance with periodic surveillance for Von-Hippel-Lindau disease. <i>Genetics in Medicine</i> , <b>2011</b> , 13, 519-27	3.7	9
77	Haemodynamic actions of insulin. <i>Current Opinion in Nephrology and Hypertension</i> , <b>1998</b> , 7, 99-106	3.5	9
76	Optimized Reference Intervals for Plasma Free Metanephrines in Patients With CKD. <i>American Journal of Kidney Diseases</i> , <b>2018</b> , 72, 907-909	7.4	8
75	Genetic deficiencies of monoamine oxidase enzymes: a key to understanding the function of the enzymes in humans. <i>Advances in Pharmacology</i> , <b>1998</b> , 42, 297-301	5.7	8
74	Ephedrine improves microcirculation in the diabetic neuropathic foot. <i>Angiology</i> , <b>1989</b> , 40, 1030-4	2.1	8
73	Fatal hepatitis after treatment with isoniazid and rifampicin in a patient on anticonvulsant therapy. <i>Tubercle</i> , <b>1983</b> , 64, 125-8		8
72	Leg vasoconstriction during head-up tilt in patients with autonomic failure is not abolished. <i>Journal of Applied Physiology</i> , <b>2011</b> , 110, 416-22	3.7	7
71	A study of longer-time stability of plasma free metanephrines. <i>Annals of Clinical Biochemistry</i> , <b>2011</b> , 48, 270-1	2.2	7
70	Acute intrarenal administration of cortisol has no effect on renal blood flow in hypertensive individuals. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 2275-83	1.9	7
69	Reproducibility of haemodynamic and plasma catecholamine responses to isometric exercise and mental arithmetic in normo- and hyper-tensive subjects. <i>Clinical Science</i> , <b>1988</b> , 75, 615-9	6.5	7
68	Clinical presentation and long-term follow-up of dopamine beta hydroxylase deficiency. <i>Journal of Inherited Metabolic Disease</i> , <b>2021</b> , 44, 554-565	5.4	7
67	Interaction in COPD experiment (ICE): a hazardous combination of cigarette smoking and bronchodilation in chronic obstructive pulmonary disease. <i>Medical Hypotheses</i> , <b>2010</b> , 74, 277-80	3.8	6
66	Bromide as marker for drug adherence in hypertensive patients. <i>British Journal of Clinical Pharmacology</i> , <b>2008</b> , 65, 733-6	3.8	6
65	Effect of glycyrrhetic acid on 11 beta-hydroxysteroid dehydrogenase activity in normotensive and hypertensive subjects. <i>Clinical Science</i> , <b>2002</b> , 102, 203-11	6.5	6
64	Should blood pressure be measured with the cuff on a bare arm?. <i>Blood Pressure Monitoring</i> , <b>2015</b> , 20, 320-4	1.3	5
63	Which physiological mechanism is responsible for the increase in blood pressure during leg crossing?. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 433-7	1.9	5
62	Transport within the interstitial space, rather than membrane permeability, determines norepinephrine recovery in microdialysis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2006</b> , 319, 840-6	4.7	5

61	Intravenous instrumentation alters the autonomic state in humans. <i>European Journal of Applied Physiology and Occupational Physiology</i> , <b>1996</b> , 73, 113-6		5
60	Atrial natriuretic factor potentiates the human forearm vasoconstrictor response to sympathetic stimulation. <i>Clinical Science</i> , <b>1994</b> , 86, 275-83	6.5	5
59	Cardiovascular responsiveness to norepinephrine in mild essential hypertension. <i>American Journal of Cardiology</i> , <b>1989</b> , 63, 1231-4	3	5
58	The influence of intrinsic sympathomimetic activity and beta-1 receptor selectivity on the recovery of finger skin temperature after finger cooling in normotensive subjects. <i>Clinical Pharmacology and Therapeutics</i> , <b>1986</b> , 39, 353-7	6.1	5
57	Missed clinical clues in patients with pheochromocytoma/paraganglioma discovered by imaging. <i>Endocrine Connections</i> , <b>2018</b> ,	3.5	5
56	A disease-specific Quality of Life questionnaire for primary aldosteronism. <i>Endocrine Connections</i> , <b>2019</b> , 8, 389-397	3.5	5
55	Overnight/first-morning urine free metanephrines and methoxytyramine for diagnosis of pheochromocytoma and paraganglioma: is this an option?. <i>European Journal of Endocrinology</i> , <b>2020</b> , 182, 499-509	6.5	5
54	Long-term beta 1-adrenergic blockade restores adrenomedullary activity in primary hypertension. <i>Journal of Cardiovascular Pharmacology</i> , <b>1997</b> , 30, 338-42	3.1	5
53	Primary aldosteronism is highly prevalent in patients with hypertension and moderate to severe obstructive sleep apnea. <i>Journal of Clinical Sleep Medicine</i> , <b>2021</b> , 17, 629-637	3.1	5
52	Adrenomedullary function, obesity and permissive influences of catecholamines on body mass in patients with chromaffin cell tumours. <i>International Journal of Obesity</i> , <b>2019</b> , 43, 263-275	5.5	5
51	Mass spectrometry reveals misdiagnosis of primary aldosteronism with scheduling for adrenalectomy due to immunoassay interference. <i>Clinica Chimica Acta</i> , <b>2020</b> , 507, 98-103	6.2	5
50	Pregnancy and phaeochromocytoma/paraganglioma: clinical clues affecting diagnosis and outcome - a systematic review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2021</b> , 128, 1264-1272	3.7	5
49	The saline infusion test for primary aldosteronism: implications of immunoassay inaccuracy.. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> ,	5.6	5
48	Adrenal Vein Catecholamine Levels and Ratios: Reference Intervals Derived from Patients with Primary Aldosteronism. <i>Hormone and Metabolic Research</i> , <b>2017</b> , 49, 418-423	3.1	4
47	Single versus duplicate blood samples in ACTH stimulated adrenal vein sampling. <i>Clinica Chimica Acta</i> , <b>2013</b> , 423, 15-7	6.2	4
46	Comparison of two indices for forearm noradrenaline release in humans. <i>Clinical Science</i> , <b>2000</b> , 99, 363	6.5	4
45	Adenosine attenuates the vasoconstrictor response to the cold pressor test in humans. <i>Journal of Cardiovascular Pharmacology</i> , <b>1991</b> , 17, 1019-22	3.1	4
44	Pacing in vasovagal syncope: A physiological paradox?. <i>Heart Rhythm</i> , <b>2020</b> , 17, 813-820	6.7	4

43	Low Quality of Reports on Blood Pressure in Patients Adrenalectomized for Unilateral Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	4
42	Biochemical Diagnosis of Pheochromocytoma, a Rediscovered Catecholamine-Metabolizing Tumor. <i>Clinical Chemistry</i> , <b>2018</b> , 64, 1780-1781	5.5	4
41	Assessing outcomes after adrenalectomy for unilateral primary aldosteronism. <i>Surgery</i> , <b>2019</b> , 166, 1199-1200	3.00	3
40	Patient characteristics do not predict the individual response to antihypertensive medication: a cross-over trial. <i>Family Practice</i> , <b>2018</b> , 35, 67-73	1.9	3
39	Cigarette smoke retention and bronchodilation in patients with COPD. A controlled randomized trial. <i>Respiratory Medicine</i> , <b>2013</b> , 107, 112-9	4.6	3
38	Bronchodilation and smoking interaction in COPD: a cohort pilot study to assess cardiovascular risk. <i>Respiration</i> , <b>2012</b> , 83, 125-32	3.7	3
37	Clues to the diagnosis of pheochromocytoma from the differential tissue metabolism of catecholamines. <i>Advances in Pharmacology</i> , <b>1998</b> , 42, 374-7	5.7	3
36	Pheochromocytoma and Paraganglioma <b>2019</b> , 523-531		3
35	Catecholamines <b>2018</b> , 21-24		2
34	A pedunculated aldosterone-producing adenoma drained by an extra vein causing puzzling results of adrenal vein sampling. <i>Clinical Endocrinology</i> , <b>2018</b> , 89, 242-244	3.4	2
33	A method to study the effect of bronchodilators on smoke retention in COPD patients: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2011</b> , 12, 37	2.8	2
32	CD56 immunohistochemistry does not discriminate between cortisol-producing and aldosterone-producing adrenal cortical adenomas. <i>Histopathology</i> , <b>2011</b> , 58, 994-6	7.3	2
31	Occam's razor; anaemia and orthostatic hypotension. <i>Lancet, The</i> , <b>2003</b> , 362, 1282	4.0	2
30	A prediction model for primary aldosteronism when the salt loading test is inconclusive. <i>Endocrine Connections</i> , <b>2018</b> , 7, 1308-1314	3.5	2
29	Differences in clinical presentation and management between pre- and postsurgical diagnoses of urinary bladder paraganglioma: is there clinical relevance? A systematic review. <i>World Journal of Urology</i> , <b>2021</b> ,	4	2
28	Left Ventricular Structural and Functional Alterations in Patients With Pheochromocytoma/Paraganglioma Before and After Surgery. <i>JACC: Cardiovascular Imaging</i> , <b>2020</b> , 13, 2498-2509	8.4	2
27	Retinal arterial remodeling in patients with pheochromocytoma or paraganglioma and its reversibility following surgical treatment. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 1551-1558	1.9	2
26	A steady state system for in vitro evaluation of steroidogenic pathway dynamics: Application for CYP11B1, CYP11B2 and CYP17 inhibitors. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , <b>2019</b> , 188, 38-47	5.1	2

25	Normetanephrine and Metanephrine <b>2017</b> , 420-424		1
24	Endocrine Hypertensive Emergencies <b>2018</b> , 355-374		1
23	Short-acting anticholinergic bronchodilation does not increase cardiovascular events in smokers with mild to moderate pulmonary obstruction. <i>Respirology</i> , <b>2013</b> , 18, 663-8	3.6	1
22	PHEOCHROMOCYTOMA CONCEALED BY CHRONIC METHAMPHETAMINE ABUSE. <i>AACE Clinical Case Reports</i> , <b>2020</b> , 6, e212-e216	0.7	1
21	Metastatic pheochromocytoma and paraganglioma: signs and symptoms related to catecholamine secretion.. <i>Discover Oncology</i> , <b>2021</b> , 12, 9		1
20	Resection of Pheochromocytoma in a Patient Requiring Coronary Artery Bypass Grafting: First Things First. <i>AACE Clinical Case Reports</i> , <b>2016</b> , 2, e25-e29	0.7	1
19	Optimized procedures for testing plasma metanephrines in patients on hemodialysis. <i>Scientific Reports</i> , <b>2021</b> , 11, 14706	4.9	1
18	Current Trends in Genetics of Pheochromocytoma30-40		1
17	Catecholamines and Adrenergic Receptors41-71		1
16	Current Trends in Biochemical Diagnosis of Pheochromocytoma72-92		1
15	Current Trends in Localization of Pheochromocytoma93-108		1
14	Determinants of disease-specific survival in patients with and without metastatic pheochromocytoma and paraganglioma.. <i>European Journal of Cancer</i> , <b>2022</b> , 169, 32-41	7.5	0
13	Response to implementation of rapid cortisol during adrenal vein sampling. <i>Hypertension</i> , <b>2014</b> , 63, e89 8.5		
12	Treatment of Pheochromocytoma109-113		
11	Orthostatic Hypotension Due to Arterial Baroreflex Failure141-143		
10	Normetanephrine and Metanephrine <b>2004</b> , 387-390		
9	Moet tussen twee bloeddrukmetingen de manchet worden losgemaakt? <b>2006</b> , 2325-2326		
8	Hoe betrouwbaar zijn de bloeddrukbepalingen met elektronische apparatuur? <b>2006</b> , 2381-2383		

7	Is the plasma aldosterone-to-renin ratio associated with blood pressure response to treatment in general practice?. <i>Family Practice</i> , <b>2019</b> , 36, 154-161	1.9
6	Paroxysmal Hypertension: Pheochromocytoma. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2018</b> , 541-560	0.1
5	Response to Letter to the Editor: "Approach to the Patient: Perioperative Management of the Patient With Pheochromocytoma or Sympathetic Paraganglioma". <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6
4	Intrarenal hemodynamics and kidney function in pheochromocytoma and paraganglioma before and after surgical treatment. <i>Blood Pressure</i> , <b>2021</b> , 30, 172-179	1.7
3	Circulating adrenomedullin and B-type natriuretic peptide do not predict blood pressure fluctuations during pheochromocytoma resection: a cross-sectional study. <i>European Journal of Endocrinology</i> , <b>2021</b> , 185, 507-514	6.5
2	Future Trends and Perspectives114-119	
1	Clinical Presentation of Pheochromocytoma8-29	