## Veli C Ozalp

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6061082/publications.pdf Version: 2024-02-01



VELLC OZALD

| #  | Article  | lF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Identification of bacterial communities of fermented cereal beverage Boza by metagenomic analysis.<br>LWT - Food Science and Technology, 2022, 153, 112465.  | 2.5 | 10        |
| 2  | Surface plasmon resonance aptasensor for Brucella detection in milk. Talanta, 2022, 239, 123074.   | 2.9 | 21        |
| 3  | High-efficiency application of CTS-Co NPs mimicking peroxidase enzyme on TMB(ox). Chemosphere, 2022, 292, 133429.  | 4.2 | 17        |
| 4  | Determination of bacterial community structure of Turkish kefir beverages via metagenomic approach.<br>International Dairy Journal, 2022, 129, 105337.   | 1.5 | 10        |
| 5  | Surface microbiota and associated staphylococci of houseflies (Musca domestica) collected from different environmental sources. Microbial Pathogenesis, 2022, 164, 105439.   | 1.3 | 5         |
| 6  | Surface plasmon resonance aptasensor for soluble ICAM-1 protein in blood samples. Analyst, The, 2022, 147, 1663-1668.  | 1.7 | 3         |
| 7  | Determination of the effect of glucose, sucrose and sodium chloride addition in different culture<br>media on biofilm formation of methicillin resistant Staphylococcus aureus. Anatolian Current<br>Medical Journal:, 2022, 4, 152-157. | 0.1 | 0         |
| 8  | Detection of viruses by probe-gated silica nanoparticles directly from swab samples. Talanta, 2022,<br>246, 123429.  | 2.9 | 5         |
| 9  | Development of electrochemical aptasensors detecting phosphate ions on TMB substrate with epoxy-based mesoporous silica nanoparticles. Chemosphere, 2022, 297, 134077.   | 4.2 | 13        |
| 10 | Metagenomic and chemical analysis of Tarhana during traditional fermentation process. Food<br>Bioscience, 2021, 39, 100824.  | 2.0 | 12        |
| 11 | Antibiotic administration in targeted nanoparticles protects the faecal microbiota of mice. RSC<br>Medicinal Chemistry, 2021, 12, 380-383.   | 1.7 | 6         |
| 12 | Bacterial surface, biofilm and virulence properties of Listeriamonocytogenes strains isolated from smoked salmon and fish food contact surfaces. Food Bioscience, 2021, 41, 101021.  | 2.0 | 11        |
| 13 | Microbial community of soda Lake Van as obtained from direct and enriched water, sediment and fish samples. Scientific Reports, 2021, 11, 18364.   | 1.6 | 9         |
| 14 | Targeted mesoporous silica nanoparticles for improved inhibition of disinfectant resistant Listeria<br>monocytogenes and lower environmental pollution. Journal of Hazardous Materials, 2021, 418, 126364.                               | 6.5 | 10        |
| 15 | 16S Bacterial Metagenomic Analysis of Herby Cheese (Otlu Peynir) Microbiota. , 2021, 47, 188-196.  |     | 3         |
| 16 | Inhibitory effects of aptamer targeted teicoplanin encapsulated PLGA nanoparticles for<br>Staphylococcus aureus strains. World Journal of Microbiology and Biotechnology, 2020, 36, 69.  | 1.7 | 31        |
| 17 | Fibrous polymer functionalized magnetic biocatalysts for improved performance. Methods in Enzymology, 2020, 630, 111-132.  | 0.4 | 7         |
| 18 | Investigation of Fosfomycin and Chloramphenicol Susceptibility of Carbapenemase-Producing<br>Klebsiella pneumoniae Strains. Klimik Dergisi, 2020, 33, 15-18.   | 0.1 | 0         |

| #  | Article   | lF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Antioxidant Activity and Hemocompatibility Study of Quercetin Loaded Plga Nanoparticles. Iranian<br>Journal of Pharmaceutical Research, 2020, 19, 424-435.  | 0.3 | 3         |
| 20 | Design of an aptamer-based magnetic adsorbent and biosensor systems for selective and sensitive separation and detection of thrombin. Talanta, 2019, 191, 59-66.  | 2.9 | 58        |
| 21 | Label-free lateral flow assay for Listeria monocytogenes by aptamer-gated release of signal molecules.<br>Analytical Biochemistry, 2019, 587, 113449.   | 1.1 | 42        |
| 22 | Rapid and label-free detection of Brucella melitensis in milk and milk products using an aptasensor.<br>Talanta, 2019, 200, 263-271.  | 2.9 | 67        |
| 23 | Enhanced antitumor activity of carbendazim on HeLa cervical cancer cells by aptamer mediated controlled release. RSC Advances, 2019, 9, 36005-36010.  | 1.7 | 8         |
| 24 | Fast and Sensitive Detection of <i>Salmonella</i> in Milk Samples Using Aptamer-Functionalized<br>Magnetic Silica Solid Phase and MCM-41-Aptamer Gate System. ACS Biomaterials Science and<br>Engineering, 2018, 4, 1437-1444.            | 2.6 | 41        |
| 25 | Hierarchically porous polymer derived ceramics: A promising platform for multidrug delivery systems. Materials and Design, 2018, 140, 37-44.  | 3.3 | 44        |
| 26 | Removal of Disperse Red 60 dye from aqueous solution using free and composite fungal biomass of<br>Lentinus concinnus. Water Science and Technology, 2017, 75, 366-377.   | 1.2 | 21        |
| 27 | Genotyping of single nucleotide polymorphism by probe-gated silica nanoparticles. Analytical<br>Biochemistry, 2017, 537, 78-83.   | 1.1 | 9         |
| 28 | Improvement stability and performance of invertase via immobilization on to silanized and polymer brush grafted magnetic nanoparticles. Food Chemistry, 2017, 221, 1442-1450.   | 4.2 | 49        |
| 29 | Kerstersia gyiorum: An Unusual Pathogen Causing Chronic Suppurative Otitis Media. Klimik Dergisi,<br>2017, 30, 158-160.   | 0.1 | 1         |
| 30 | Nuclease activity as a specific biomarker for breast cancer. Chemical Communications, 2016, 52, 12346-12349.  | 2.2 | 11        |
| 31 | Staphylococcus aureus detection in blood samples by silica nanoparticle-oligonucleotides conjugates. Biosensors and Bioelectronics, 2016, 86, 27-32.  | 5.3 | 64        |
| 32 | Small molecule detection by lateral flow strips via aptamer-gated silica nanoprobes. Analyst, The, 2016,<br>141, 2595-2599.   | 1.7 | 26        |
| 33 | A facile and efficient method of enzyme immobilization on silica particles via Michael acceptor film<br>coatings: immobilized catalase in a plug flow reactor. Bioprocess and Biosystems Engineering, 2016, 39,<br>871-881.               | 1.7 | 18        |
| 34 | Selection of Aptamers for Metabolite Sensing and Construction of Optical Nanosensors. Methods in<br>Molecular Biology, 2016, 1380, 3-19.  | 0.4 | 7         |
| 35 | Comparison of a Novel Test (ODAK Brucella Coombs Gel Test) with Commonly Used Serological Tests in Human Brucellosis. Clinical Laboratory, 2016, 62, 1671-1674.   | 0.2 | 4         |
| 36 | Lysozyme specific aptamer immobilized MCM-41 silicate for single-step purification and quartz crystal microbalance (QCM)-based determination of lysozyme from chicken egg white. Microporous and Mesoporous Materials, 2015, 207, 95-104. | 2.2 | 34        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Immobilized lipase on micro-porous biosilica for enzymatic transesterification of algal oil. Chemical<br>Engineering Research and Design, 2015, 95, 12-21.  | 2.7 | 67        |
| 38 | DNA-aptamer gating membranes. Chemical Communications, 2015, 51, 5471-5474.   | 2.2 | 8         |
| 39 | Fibrous polymer grafted magnetic chitosan beads with strong poly(cation-exchange) groups for<br>single step purification of lysozyme. Journal of Chromatography B: Analytical Technologies in the<br>Biomedical and Life Sciences, 2015, 990, 84-95.            | 1.2 | 27        |
| 40 | Antibiotic loaded nanocapsules functionalized with aptamer gates for targeted destruction of pathogens. Chemical Communications, 2015, 51, 8492-8495.   | 2.2 | 73        |
| 41 | Magnetic silica nanoparticle–Taq polymerase hybrids for multiple uses in polymerase chain reaction.<br>RSC Advances, 2015, 5, 87672-87678.  | 1.7 | 8         |
| 42 | Development of a paperâ€ŧype tyrosinase biosensor for detection of phenolic compounds.<br>Biotechnology and Applied Biochemistry, 2015, 62, 132-136.  | 1.4 | 13        |
| 43 | Pathogen detection in complex samples by quartz crystal microbalance sensor coupled to aptamer<br>functionalized core–shell type magnetic separation. Analytica Chimica Acta, 2015, 853, 533-540.   | 2.6 | 110       |
| 44 | Aptamers: Molecular Tools for Medical Diagnosis. Current Topics in Medicinal Chemistry, 2015, 15, 1125-1137.  | 1.0 | 35        |
| 45 | In Situ Monitoring of DNAâ€Aptavalve Gating Function on Mesoporous Silica Nanoparticles. Particle<br>and Particle Systems Characterization, 2014, 31, 161-167.  | 1.2 | 19        |
| 46 | Examination of fabrication conditions of acrylate-based hydrogel formulations for doxorubicin<br>release and efficacy test for hepatocellular carcinoma cell. Journal of Biomaterials Science, Polymer<br>Edition, 2014, 25, 657-678.                           | 1.9 | 6         |
| 47 | DNA Aptamers are Functional Molecular Recognition Sensors in Protic Ionic Liquids. Chemistry - A<br>European Journal, 2014, 20, 11820-11825.  | 1.7 | 12        |
| 48 | Preparation and characterization of mixed-mode magnetic adsorbent with p-amino-benzamidine ligand:<br>Operated in a magnetically stabilized fluidized bed reactor for purification of trypsin from bovine<br>pancreas. Process Biochemistry, 2014, 49, 520-528. | 1.8 | 12        |
| 49 | Pathogen detection by core–shell type aptamer-magnetic preconcentration coupled to real-time PCR.<br>Analytical Biochemistry, 2014, 447, 119-125.   | 1.1 | 42        |
| 50 | NanoKeepers: stimuli responsive nanocapsules for programmed specific targeting and drug delivery.<br>Chemical Communications, 2014, 50, 9489-9492.  | 2.2 | 20        |
| 51 | Magnetic Polymeric Beads Functionalized with Different Mixed-Mode Ligands for Reversible<br>Immobilization of Trypsin. Industrial & Engineering Chemistry Research, 2014, 53, 132-140.  | 1.8 | 32        |
| 52 | Adsorption and separation of immunoglobulins by novel affinity core–shell beads decorated with<br>Protein L and l-histidine. Journal of Chromatography B: Analytical Technologies in the Biomedical and<br>Life Sciences, 2013, 936, 1-9.                       | 1.2 | 11        |
| 53 | Design of a core–shell type immuno-magnetic separation system and multiplex PCR for rapid detection of pathogens from food samples. Applied Microbiology and Biotechnology, 2013, 97, 9541-9551.  | 1.7 | 17        |
| 54 | Targeting cancer cells with controlled release nanocapsules based on a single aptamer. Chemical Communications, 2013, 49, 1285.   | 2.2 | 48        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Nanoparticle embedded enzymes for improved lateral flow sensors. Analyst, The, 2013, 138, 4255.   | 1.7 | 11        |
| 56 | Antimicrobial aptamers for detection and inhibition of microbial pathogen growth. Future Microbiology, 2013, 8, 387-401.  | 1.0 | 23        |
| 57 | Portable Bioactive Paper-Based Sensor for Quantification of Pesticides. Journal of Analytical Methods in Chemistry, 2013, 2013, 1-8.  | 0.7 | 34        |
| 58 | An experimental study of the regulation of glycolytic oscillations in yeast. FEBS Journal, 2013, 280, 6033-6044.  | 2.2 | 18        |
| 59 | Characterization of structural changes in aptamer films for controlled release nanodevices.<br>Chemical Communications, 2012, 48, 10087.  | 2.2 | 40        |
| 60 | Measurements of intracellularATP provide new insight into the regulation of glycolysis in the yeast<br>Saccharomyces cerevisiae. Integrative Biology (United Kingdom), 2012, 4, 99-107. | 0.6 | 25        |
| 61 | Graphene and Other Nanomaterial-Based Electrochemical Aptasensors. Biosensors, 2012, 2, 1-14.   | 2.3 | 82        |
| 62 | Dual-polarization interferometry for quantification of small molecules using aptamers. Analytical and Bioanalytical Chemistry, 2012, 402, 799-804.                                      | 1.9 | 19        |
| 63 | Acoustic quantification of ATP using a quartz crystal microbalance with dissipation. Analyst, The, 2011, 136, 5046.   | 1.7 | 34        |
| 64 | Aptamer-Gated Nanoparticles for Smart Drug Delivery. Pharmaceuticals, 2011, 4, 1137-1157.   | 1.7 | 68        |
| 65 | Aptamerâ€Based Switchable Nanovalves for Stimuliâ€Responsive Drug Delivery. Chemistry - A European<br>Journal, 2011, 17, 9893-9896.   | 1.7 | 89        |
| 66 | Cystic fibrosis: a label-free detection approach based on thermally modulated electrochemical impedance spectroscopy. Analytical and Bioanalytical Chemistry, 2010, 396, 2565-2574.     | 1.9 | 12        |
| 67 | An Aptamerâ€Based Nanobiosensor for Realâ€∓ime Measurements of ATP Dynamics. ChemBioChem, 2010, 11, 2538-2541.  | 1.3 | 26        |
| 68 | Melting temperature of surface-tethered DNA. Analytical Biochemistry, 2010, 406, 34-40.   | 1.1 | 21        |
| 69 | Time-resolved Measurements of Intracellular ATP in the Yeast Saccharomyces cerevisiae using a New<br>Type of Nanobiosensor. Journal of Biological Chemistry, 2010, 285, 37579-37588.    | 1.6 | 97        |
| 70 | Aptamers Embedded in Polyacrylamide Nanoparticles: A Tool for <i>in Vivo</i> Metabolite Sensing. ACS<br>Nano, 2010, 4, 4361-4370.   | 7.3 | 83        |
| 71 | Label free optical sensor for Avidin based on single gold nanoparticles functionalized with aptamers.<br>Journal of Biophotonics, 2009, 2, 227-231.                                     | 1.1 | 33        |
| 72 | Real-time apta-PCR for 20 000-fold improvement in detection limit. Molecular BioSystems, 2009, 5, 548.  | 2.9 | 53        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Aptamers: molecular tools for analytical applications. Analytical and Bioanalytical Chemistry, 2008, 390, 989-1007.  | 1.9 | 510       |
| 74 | Fluorescent resonance energy transfer (FRET) based detection of a multiplex ligation-dependent probe<br>amplification assay (MLPA) product. Molecular BioSystems, 2008, 4, 950.                                  | 2.9 | 4         |
| 75 | Lab-on-chip for the Isolation and Characterization of Circulating Tumor Cells. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 6447-9.                      | 0.5 | 1         |
| 76 | Single-Step Purification of Recombinant Thermus aquaticus DNA Polymerase Using DNA-Aptamer<br>Immobilized Novel Affinity Magnetic Beads. Biotechnology Progress, 2007, 23, 146-154.                              | 1.3 | 69        |
| 77 | Identification of Membrane-Contacting Loops of the Catalytic Domain of Cytochrome P450 2C2 by<br>Tryptophan Fluorescence Scanning. Biochemistry, 2006, 45, 4629-4637.  | 1.2 | 27        |
| 78 | BIMOLECULAR FLUORESCENCE COMPLEMENTATION ANALYSIS OF CYTOCHROME P450 2C2, 2E1, AND NADPH-CYTOCHROME P450 REDUCTASE MOLECULAR INTERACTIONS IN LIVING CELLS. Drug Metabolism and Disposition, 2005, 33, 1382-1390. | 1.7 | 55        |
| 79 | Ligand-activated Pregnane X Receptor Interferes with HNF-4 Signaling by Targeting a Common<br>Coactivator PGC-11±. Journal of Biological Chemistry, 2004, 279, 45139-45147.                                      | 1.6 | 194       |
| 80 | Expression of a cauliflower tonoplast aquaporin tagged with GFP in tobacco suspension cells correlates with an increase in cell size. Plant Molecular Biology, 2003, 52, 387-400.                                | 2.0 | 49        |
| 81 | Photosystem II and cellular membrane stability evaluation in hexaploid wheat seedlings under salt stress conditions. Journal of Plant Nutrition, 2000, 23, 275-283.  | 0.9 | 9         |
| 82 | Salt induced synthesis of new proteins in the roots of rice varieties. Journal of Plant Nutrition, 1995, 18, 1121-1137.  | 0.9 | 5         |
| 83 | Two-dimensional electrophoresis of proteins with a different approach to isoelectric focusing.<br>Analyst, The, 1994, 119, 1341-1344.  | 1.7 | 13        |
| 84 | Investigation of Isepamicin, Chloramphenicol and Minocycline Sensitivity in Carbapenem-Resistant<br>Enterobacteriaceae. Klimik Dergisi, 0, , 50-55.  | 0.1 | 1         |