

David French

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6063057/david-french-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

200
papers

9,253
citations

47
h-index

92
g-index

222
ext. papers

11,663
ext. citations

4.7
avg, IF

6.57
L-index

#	Paper	IF	Citations
200	Women's health behaviour change after receiving breast cancer risk estimates with tailored screening and prevention recommendations.. <i>BMC Cancer</i> , 2022 , 22, 69	4.8	2
199	Developing theory-based text messages to support retention in clinical trials: A mixed methods approach. <i>Research Methods in Medicine & Health Sciences</i> , 2022 , 3, 22-31	5	
198	Supporting People With Type 2 Diabetes in the Effective Use of Their Medicine Through Mobile Health Technology Integrated With Clinical Care to Reduce Cardiovascular Risk: Protocol for an Effectiveness and Cost-effectiveness Randomized Controlled Trial.. <i>JMIR Research Protocols</i> , 2022 , 11, e30058	2	
197	Effects of Using a Text Message Intervention on Psychological Constructs and the Association Between Changes to Psychological Constructs and Medication Adherence in People With Type 2 Diabetes: Results From a Randomized Controlled Feasibility Study.. <i>JMIR Formative Research</i> , 2022 , 4, e30058	2.5	1
196	Fidelity to Program Specification of the National Health Service Digital Diabetes Prevention Program Behavior Change Technique Content and Underpinning Theory: Document Analysis.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e34253	7.6	0
195	The feasibility of implementing risk stratification into a national breast cancer screening programme: a focus group study investigating the perspectives of healthcare personnel responsible for delivery.. <i>BMC Women's Health</i> , 2022 , 22, 142	2.9	1
194	Study protocol comparing the ethical, psychological and socio-economic impact of personalised breast cancer screening to that of standard screening in the "My Personal Breast Screening" (MyPeBS) randomised clinical trial.. <i>BMC Cancer</i> , 2022 , 22, 507	4.8	2
193	Does receiving high or low breast cancer risk estimates produce a reduction in subsequent breast cancer screening attendance? Cohort study.. <i>Breast</i> , 2022 , 64, 47-49	3.6	0
192	Assessing and ensuring fidelity of the nationally implemented English NHS diabetes prevention programme: lessons learned for the implementation of large-scale behaviour change programmes. <i>Health Psychology and Behavioral Medicine</i> , 2022 , 10, 498-513	2.2	0
191	Older adults' construal of sedentary behaviour: Implications for reducing sedentary behaviour in older adult populations. <i>Journal of Health Psychology</i> , 2021 , 26, 2186-2199	3.1	2
190	The Acceptability of Physical Activity to Older Adults Living in Lower Socioeconomic Status Areas: A Multi-Perspective Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
189	How is the Behavior Change Technique Content of the NHS Diabetes Prevention Program Understood by Participants? A Qualitative Study of Fidelity, With a Focus on Receipt. <i>Annals of Behavioral Medicine</i> , 2021 ,	4.5	3
188	Extending screening intervals for women at low risk of breast cancer: do they find it acceptable?. <i>BMC Cancer</i> , 2021 , 21, 637	4.8	0
187	The theoretical basis of a nationally implemented type 2 diabetes prevention programme: how is the programme expected to produce changes in behaviour?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 64	8.4	5
186	Understanding acceptability in the context of text messages to encourage medication adherence in people with type 2 diabetes. <i>BMC Health Services Research</i> , 2021 , 21, 608	2.9	1
185	How Does the Understanding, Experience, and Enactment of Self-Regulation Behaviour Change Techniques Vary with Age? A Thematic Analysis. <i>Applied Psychology: Health and Well-Being</i> , 2021 , 13, 239-260	6.8	1
184	The development of a digital intervention to increase influenza vaccination amongst pregnant women. <i>Digital Health</i> , 2021 , 7, 20552076211012128	4	1

183	Impact of a low-cost urban green space intervention on wellbeing behaviours in older adults: A natural experimental study. <i>Wellbeing, Space and Society</i> , 2021 , 2, 100029	1.1	4
182	An evaluation of goal setting in the NHS England diabetes prevention programme. <i>Psychology and Health</i> , 2021 , 1-20	2.9	7
181	Is the NHS Diabetes Prevention Programme Intervention Delivered as Planned? An Observational Study of Fidelity of Intervention Delivery. <i>Annals of Behavioral Medicine</i> , 2021 , 55, 1104-1115	4.5	9
180	The Fidelity of Training in Behaviour Change Techniques to Intervention Design in a National Diabetes Prevention Programme. <i>International Journal of Behavioral Medicine</i> , 2021 , 28, 671-682	2.6	7
179	Breast Cancer Risk Assessment and Primary Prevention Advice in Primary Care: A Systematic Review of Provider Attitudes and Routine Behaviours. <i>Cancers</i> , 2021 , 13,	6.6	3
178	Framework for the development and evaluation of complex interventions: gap analysis, workshop and consultation-informed update. <i>Health Technology Assessment</i> , 2021 , 25, 1-132	4.4	36
177	A new framework for developing and evaluating complex interventions: update of Medical Research Council guidance. <i>BMJ, The</i> , 2021 , 374, n2061	5.9	147
176	Reducing bias in trials from reactions to measurement: the MERIT study including developmental work and expert workshop. <i>Health Technology Assessment</i> , 2021 , 25, 1-72	4.4	6
175	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. <i>Journal of Clinical Epidemiology</i> , 2021 , 139, 130-139	5.7	8
174	A natural experimental study of improvements along an urban canal: impact on canal usage, physical activity and other wellbeing behaviours. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 19	8.4	2
173	Enhancing the translation of health behaviour change research into practice: a selective conceptual review of the synergy between implementation science and health psychology. <i>Health Psychology Review</i> , 2021 , 1-28	7.1	8
172	Introducing a low-risk breast screening pathway into the NHS Breast Screening Programme: Views from healthcare professionals who are delivering risk-stratified screening. <i>Women's Health</i> , 2021 , 17, 17455065211009746	3	2
171	Testing a breast cancer prevention and a multiple disease prevention weight loss programme amongst women within the UK NHS breast screening programme-a randomised feasibility study.. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 220	1.9	0
170	Personalized early detection and prevention of breast cancer: ENVISION consensus statement. <i>Nature Reviews Clinical Oncology</i> , 2020 , 17, 687-705	19.4	64
169	How can use of the Theoretical Domains Framework be optimized in qualitative research? A rapid systematic review. <i>British Journal of Health Psychology</i> , 2020 , 25, 677-694	8.3	29
168	What are the benefits and harms of risk stratified screening as part of the NHS breast screening Programme? Study protocol for a multi-site non-randomised comparison of BC-predict versus usual screening (NCT04359420). <i>BMC Cancer</i> , 2020 , 20, 570	4.8	16
167	Why young women gain weight: A narrative review of influencing factors and possible solutions. <i>Obesity Reviews</i> , 2020 , 21, e13002	10.6	13
166	Asking questions changes health-related behavior: an updated systematic review and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020 , 123, 59-68	5.7	11

165	The introduction of risk stratified screening into the NHS breast screening Programme: views from British-Pakistani women. <i>BMC Cancer</i> , 2020 , 20, 452	4.8	6
164	Use of Brief Messages Based on Behavior Change Techniques to Encourage Medication Adherence in People With Type 2 Diabetes: Developmental Studies. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15989	7.6	7
163	Mechanisms of physical activity behavior change in an incentive-based intervention: Mediation analysis. <i>Health Psychology</i> , 2020 , 39, 281-297	5	1
162	Engagement barriers and service inequities in the NHS Breast Screening Programme: Views from British-Pakistani women. <i>Journal of Medical Screening</i> , 2020 , 27, 130-137	1.4	10
161	Does the design of the NHS Diabetes Prevention Programme intervention have fidelity to the programme specification? A document analysis. <i>Diabetic Medicine</i> , 2020 , 37, 1357-1366	3.5	11
160	Translating a walking intervention for health professional delivery within primary care: A mixed-methods treatment fidelity assessment. <i>British Journal of Health Psychology</i> , 2020 , 25, 17-38	8.3	12
159	How acceptable is a weight maintenance programme for healthy weight young women who are at increased risk of breast cancer?. <i>Psychology and Health</i> , 2020 , 35, 854-871	2.9	0
158	Optimising the value of the critical appraisal skills programme (CASP) tool for quality appraisal in qualitative evidence synthesis. <i>Research Methods in Medicine & Health Sciences</i> , 2020 , 1, 31-42	5	61
157	Method for Observing pHysical Activity and Wellbeing (MOHAWk): validation of an observation tool to assess physical activity and other wellbeing behaviours in urban spaces. <i>Cities and Health</i> , 2020 , 1-15	2.8	2
156	Risk stratified breast cancer screening: UK healthcare policy decision-making stakeholders' views on a low-risk breast screening pathway. <i>BMC Cancer</i> , 2020 , 20, 680	4.8	7
155	Self-Efficacy Interventions 2020 , 461-478		7
154	The NHS Diabetes Prevention Programme: an observational study of service delivery and patient experience. <i>BMC Health Services Research</i> , 2020 , 20, 1098	2.9	12
153	Long-Term Evaluation of Women Referred to a Breast Cancer Family History Clinic (Manchester UK 1987-2020). <i>Cancers</i> , 2020 , 12,	6.6	2
152	Do marketing and alcohol treatment/public health experts think televised alcohol advertisements abide by regulatory guidelines?. <i>Journal of Health Psychology</i> , 2020 , 25, 1657-1668	3.1	1
151	Implementing behaviour change theory and techniques to increase physical activity and prevent functional decline among adults aged 61-70: The PreventIT project. <i>Progress in Cardiovascular Diseases</i> , 2019 , 62, 147-156	8.5	18
150	How Acceptable is Reducing Sedentary Behavior to Older Adults? Perceptions and Experiences Across Diverse Socioeconomic Areas. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 642-652	1.6	6
149	"I Would Never Come Here Because I've Got My Own Garden": Older Adults' Perceptions of Small Urban Green Spaces. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	9
148	Protocol for the PreventIT feasibility randomised controlled trial of a lifestyle-integrated exercise intervention in young older adults. <i>BMJ Open</i> , 2019 , 9, e023526	3	19

147	Development and delivery of the BOOST (Better Outcomes for Older adults with Spinal Trouble) intervention for older adults with neurogenic claudication. <i>Physiotherapy</i> , 2019 , 105, 262-274	3	2
146	How do women experience a false-positive test result from breast screening? A systematic review and thematic synthesis of qualitative studies. <i>British Journal of Cancer</i> , 2019 , 121, 351-358	8.7	14
145	What do people with type 2 diabetes want from a brief messaging system to support medication adherence?. <i>Patient Preference and Adherence</i> , 2019 , 13, 1629-1640	2.4	7
144	Identifying Brief Message Content for Interventions Delivered via Mobile Devices to Improve Medication Adherence in People With Type 2 Diabetes Mellitus: A Rapid Systematic Review. <i>Journal of Medical Internet Research</i> , 2019 , 21, e10421	7.6	17
143	Predicting Outcomes from Engagement With Specific Components of an Internet-Based Physical Activity Intervention With Financial Incentives: Process Analysis of a Cluster Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2019 , 21, e11394	7.6	6
142	A loyalty scheme to encourage physical activity in office workers: a cluster RCT. <i>Public Health Research</i> , 2019 , 7, 1-114	1.7	1
141	Supporting people with type 2 diabetes in effective use of their medicine through mobile health technology integrated with clinical care (SuMMiT-D Feasibility): a randomised feasibility trial protocol. <i>BMJ Open</i> , 2019 , 9, e033504	3	5
140	Breast cancer risk status influences uptake, retention and efficacy of a weight loss programme amongst breast cancer screening attendees: two randomised controlled feasibility trials. <i>BMC Cancer</i> , 2019 , 19, 1089	4.8	10
139	Behavior Change Techniques Associated With Changes in Postintervention and Maintained Changes in Self-Efficacy For Physical Activity: A Systematic Review With Meta-analysis. <i>Annals of Behavioral Medicine</i> , 2019 , 53, 801-815	4.5	66
138	Factors influencing multiple sclerosis disease-modifying treatment prescribing decisions in the United Kingdom: A qualitative interview study. <i>Multiple Sclerosis and Related Disorders</i> , 2019 , 27, 378-382 ⁴		12
137	Mediators of Behavior Change Maintenance in Physical Activity Interventions for Young and Middle-Aged Adults: A Systematic Review. <i>Annals of Behavioral Medicine</i> , 2018 , 52, 513-529	4.5	18
136	Self-Efficacy and Its Sources as Determinants of Physical Activity among Older People 2018 , 231-250		5
135	The acceptability and feasibility of lay-health led interventions for the prevention and early detection of cancer. <i>Psycho-Oncology</i> , 2018 , 27, 1291-1297	3.9	3
134	Psychosocial issues of a population approach to high genetic risk identification: Behavioural, emotional and informed choice issues. <i>Breast</i> , 2018 , 37, 148-153	3.6	11
133	How acceptable do older adults find the concept of being physically active? A systematic review and meta-synthesis. <i>International Review of Sport and Exercise Psychology</i> , 2018 , 11, 1-24	4.8	23
132	Are community-based health worker interventions an effective approach for early diagnosis of cancer? A systematic review and meta-analysis. <i>Psycho-Oncology</i> , 2018 , 27, 1089-1099	3.9	17
131	Psychological impact of providing women with personalised 10-year breast cancer risk estimates. <i>British Journal of Cancer</i> , 2018 , 118, 1648-1657	8.7	26
130	Promoting Early Detection and Screening for Disease 2018 , 533-563		

129	Conflating Time and Energy: Views From Older Adults in Lower Socioeconomic Status Areas on Physical Activity. <i>Journal of Aging and Physical Activity</i> , 2018 , 26, 506-513	1.6	5
128	Effectiveness and cost-effectiveness of a loyalty scheme for physical activity behaviour change maintenance: results from a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 127	8.4	7
127	Bias due to MEasurement Reactions In Trials to improve health (MERIT): protocol for research to develop MRC guidance. <i>Trials</i> , 2018 , 19, 653	2.8	12
126	Evaluating the impact of improvements in urban green space on older adults' physical activity and wellbeing: protocol for a natural experimental study. <i>BMC Public Health</i> , 2018 , 18, 923	4.1	12
125	Better Outcomes for Older people with Spinal Trouble (BOOST) Trial: a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication, a protocol. <i>BMJ Open</i> , 2018 , 8, e022205	3	9
124	Do interventions containing risk messages increase risk appraisal and the subsequent vaccination intentions and uptake? - A systematic review and meta-analysis. <i>British Journal of Health Psychology</i> , 2018 , 23, 1084-1106	8.3	10
123	Making Physical Activity Interventions Acceptable to Older People 2018 , 291-311		2
122	The impact of a panel of 18 SNPs on breast cancer risk in women attending a UK familial screening clinic: a case-control study. <i>Journal of Medical Genetics</i> , 2017 , 54, 111-113	5.8	42
121	Can Communicating Personalised Disease Risk Promote Healthy Behaviour Change? A Systematic Review of Systematic Reviews. <i>Annals of Behavioral Medicine</i> , 2017 , 51, 718-729	4.5	83
120	Do negative screening test results cause false reassurance? A systematic review. <i>British Journal of Health Psychology</i> , 2017 , 22, 958-977	8.3	13
119	Effectiveness of physical activity interventions in achieving behaviour change maintenance in young and middle aged adults: A systematic review and meta-analysis. <i>Social Science and Medicine</i> , 2017 , 192, 125-133	5.1	87
118	Midwives' experiences of referring obese women to either a community or home-based antenatal weight management service: Implications for service providers and midwifery practice. <i>Midwifery</i> , 2017 , 49, 102-109	2.8	10
117	Eliciting Salient Beliefs in Research on the Theory of Planned Behavior: The Effect of Question Wording 2017 , 63-84		
116	Effectiveness and cost-effectiveness of a physical activity loyalty scheme for behaviour change maintenance: a cluster randomised controlled trial. <i>BMC Public Health</i> , 2016 , 16, 618	4.1	12
115	The effect of changing the built environment on physical activity: a quantitative review of the risk of bias in natural experiments. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 107	8.4	54
114	How well does the theory of planned behaviour predict alcohol consumption? A systematic review and meta-analysis. <i>Health Psychology Review</i> , 2016 , 10, 148-67	7.1	239
113	Implementation intention and planning interventions in Health Psychology: Recommendations from the Synergy Expert Group for research and practice. <i>Psychology and Health</i> , 2016 , 31, 814-39	2.9	131
112	Physical activity in older age: perspectives for healthy ageing and frailty. <i>Biogerontology</i> , 2016 , 17, 567-80.5	8.5	458

111	Acceptability of a Weight Management Intervention for Pregnant and Postpartum Women with BMI ≥ 30 kg/m ² : A Qualitative Evaluation of an Individualized, Home-Based Service. <i>Maternal and Child Health Journal</i> , 2016 , 20, 88-96	2.4	17
110	The Impact of Automated Brief Messages Promoting Lifestyle Changes Delivered Via Mobile Devices to People with Type 2 Diabetes: A Systematic Literature Review and Meta-Analysis of Controlled Trials. <i>Journal of Medical Internet Research</i> , 2016 , 18, e86	7.6	99
109	The impact of communicating genetic risks of disease on risk-reducing health behaviour: systematic review with meta-analysis. <i>BMJ, The</i> , 2016 , 352, i1102	5.9	270
108	Commentary: The Impact of Asking Intention or Self-Prediction Questions on Subsequent Behavior: A Meta-Analysis. <i>Frontiers in Psychology</i> , 2016 , 7, 879	3.4	7
107	What do people think about running barefoot/with minimalist footwear? A thematic analysis. <i>British Journal of Health Psychology</i> , 2016 , 21, 451-68	8.3	5
106	Is pregnancy a teachable moment for diet and physical activity behaviour change? An interpretative phenomenological analysis of the experiences of women during their first pregnancy. <i>British Journal of Health Psychology</i> , 2016 , 21, 842-858	8.3	36
105	Predicting perceived safety to drive the morning after drinking: The importance of hangover symptoms. <i>Drug and Alcohol Review</i> , 2016 , 35, 442-6	3.2	5
104	Effects of interventions promoting monitoring of medication use and brief messaging on medication adherence for people with Type 2 diabetes: a systematic review of randomized trials. <i>Diabetic Medicine</i> , 2016 , 33, 565-79	3.5	56
103	Perceptions and experiences of taking oral medications for the treatment of Type 2 diabetes mellitus: a systematic review and meta-synthesis of qualitative studies. <i>Diabetic Medicine</i> , 2016 , 33, 1330-8	3.5	36
102	Breast cancer risk feedback to women in the UK NHS breast screening population. <i>British Journal of Cancer</i> , 2016 , 114, 1045-52	8.7	48
101	The acceptability of physical activity interventions to older adults: A systematic review and meta-synthesis. <i>Social Science and Medicine</i> , 2016 , 158, 14-23	5.1	144
100	How do environmental factors influence walking in groups? A walk-along study. <i>Journal of Health Psychology</i> , 2015 , 20, 1328-39	3.1	14
99	The question-behavior effect: genuine effect or spurious phenomenon? A systematic review of randomized controlled trials with meta-analyses. <i>Health Psychology</i> , 2015 , 34, 61-78	5	52
98	Do single and multiple behavior change interventions contain different behavior change techniques? A comparison of interventions targeting physical activity in obese populations. <i>Health Psychology</i> , 2015 , 34, 960-5	5	16
97	The role of walkers' needs and expectations in supporting maintenance of attendance at walking groups: a longitudinal multi-perspective study of walkers and walk group leaders. <i>PLoS ONE</i> , 2015 , 10, e0118754	3.7	11
96	Self-Efficacy and Health 2015 , 509-514		3
95	The effects of a brief intervention to promote walking on Theory of Planned Behavior constructs: a cluster randomized controlled trial in general practice. <i>Patient Education and Counseling</i> , 2015 , 98, 651-9	3.1	16
94	Theory of planned behaviour variables and objective walking behaviour do not show seasonal variation in a randomised controlled trial. <i>BMC Public Health</i> , 2014 , 14, 120	4.1	8

93	Which behaviour change techniques are most effective at increasing older adults' self-efficacy and physical activity behaviour? A systematic review. <i>Annals of Behavioral Medicine</i> , 2014 , 48, 225-34	4.5	302
92	Predicting maintenance of attendance at walking groups: testing constructs from three leading maintenance theories. <i>Health Psychology</i> , 2014 , 33, 752-6	5	33
91	Do UK television alcohol advertisements abide by the code of broadcast advertising rules regarding the portrayal of alcohol?. <i>Alcohol and Alcoholism</i> , 2014 , 49, 472-8	3.5	14
90	A study of automated self-assessment in a primary care student health centre setting. <i>Journal of Telemedicine and Telecare</i> , 2014 , 20, 123-7	6.8	13
89	Delay in seeking medical help following Transient Ischemic Attack (TIA) or "mini-stroke": a qualitative study. <i>PLoS ONE</i> , 2014 , 9, e104434	3.7	9
88	What are the most effective techniques in changing obese individuals' physical activity self-efficacy and behaviour: a systematic review and meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 29	8.4	344
87	Do interventions to promote walking in groups increase physical activity? A meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 18	8.4	96
86	Increasing young adults' condom use intentions and behaviour through changing chlamydia risk and coping appraisals: study protocol for a cluster randomised controlled trial of efficacy. <i>BMC Public Health</i> , 2013 , 13, 528	4.1	6
85	Which outcome expectancies are important in determining young adults' intentions to use condoms with casual sexual partners?: a cross-sectional study. <i>BMC Public Health</i> , 2013 , 13, 133	4.1	21
84	Predicting self-care behaviours of patients with type 2 diabetes: the importance of beliefs about behaviour, not just beliefs about illness. <i>Journal of Psychosomatic Research</i> , 2013 , 74, 327-33	4.1	36
83	Why don't many obese pregnant and post-natal women engage with a weight management service?. <i>Journal of Reproductive and Infant Psychology</i> , 2013 , 31, 245-256	2.9	22
82	Beliefs underlying chlamydia risk appraisals: the relationship with young adults' intentions to use condoms. <i>Journal of Risk Research</i> , 2013 , 16, 843-860	4.2	3
81	The systematic development of a brief intervention to increase walking in the general public using an "extended" theory of planned behavior. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 940-8	2.5	14
80	Expectations for consultations and antibiotics for respiratory tract infection in primary care: the RTI clinical iceberg. <i>British Journal of General Practice</i> , 2013 , 63, e429-36	1.6	111
79	Using the theory of planned behaviour to understand binge drinking: the importance of beliefs for developing interventions. <i>British Journal of Health Psychology</i> , 2012 , 17, 1-17	8.3	107
78	How do young adults perceive the risk of chlamydia infection? A qualitative study. <i>British Journal of Health Psychology</i> , 2012 , 17, 144-54	8.3	18
77	Comparative optimism for severity of negative health outcomes. <i>Psychology, Health and Medicine</i> , 2012 , 17, 417-26	2.1	5
76	An intervention to increase walking requires both motivational and volitional components: a replication and extension. <i>Psychology, Health and Medicine</i> , 2012 , 17, 127-35	2.1	23

75	Promoting healthy eating in pregnancy: what kind of support services do women say they want?. <i>Primary Health Care Research and Development</i> , 2012 , 13, 237-43	1.6	22
74	Have the public's expectations for antibiotics for acute uncomplicated respiratory tract infections changed since the H1N1 influenza pandemic? A qualitative interview and quantitative questionnaire study. <i>BMJ Open</i> , 2012 , 2, e000674	3	13
73	The views of pre- and post-natal women and health professionals regarding gestational weight gain: An exploratory study. <i>Sexual and Reproductive Healthcare</i> , 2011 , 2, 43-8	2.4	100
72	A refined taxonomy of behaviour change techniques to help people change their physical activity and healthy eating behaviours: the CALO-RE taxonomy. <i>Psychology and Health</i> , 2011 , 26, 1479-98	2.9	1053
71	The Brief IPQ does not have 'robust psychometrics': Why there is a need for further developmental work on the Brief IPQ, and why our study provides a useful start. <i>British Journal of Health Psychology</i> , 2011 , 16, 250-6	8.3	2
70	Experience of hypoglycaemia is associated with changes in beliefs about diabetes in patients with type 2 diabetes. <i>Diabetic Medicine</i> , 2011 , 28, 1395-400	3.5	2
69	Enhancing delivery of health behaviour change interventions in primary care: a meta-synthesis of views and experiences of primary care nurses. <i>Patient Education and Counseling</i> , 2011 , 85, 315-22	3.1	38
68	Predictors of anxiety and depression among people attending diabetes screening: a prospective cohort study embedded in the ADDITION (Cambridge) randomized control trial. <i>British Journal of Health Psychology</i> , 2011 , 16, 213-26	8.3	23
67	What do people think about when they answer the Brief Illness Perception Questionnaire? A 'think-aloud' study. <i>British Journal of Health Psychology</i> , 2011 , 16, 231-45	8.3	56
66	A cluster randomised controlled trial of the efficacy of a brief walking intervention delivered in primary care: study protocol. <i>BMC Family Practice</i> , 2011 , 12, 56	2.6	13
65	The role of context and timeframe in moderating relationships within the theory of planned behaviour. <i>Psychology and Health</i> , 2011 , 26, 1225-40	2.9	20
64	What are the most effective intervention techniques for changing physical activity self-efficacy and physical activity behaviour--and are they the same?. <i>Health Education Research</i> , 2011 , 26, 308-22	1.8	434
63	Wide variation in understanding about what constitutes Binge-drinking. <i>Drugs: Education, Prevention and Policy</i> , 2010 , 17, 762-775	1.2	15
62	Dancing to a different tune: The predictive utility of the theory of planned behaviour when the behaviour is constrained. <i>Psychology of Sport and Exercise</i> , 2010 , 11, 250-257	4.2	6
61	Effects of communicating DNA-based disease risk estimates on risk-reducing behaviours. <i>The Cochrane Library</i> , 2010 , CD007275	5.2	174
60	An intervention to promote walking amongst the general population based on an 'extended' theory of planned behaviour: a waiting list randomised controlled trial. <i>Psychology and Health</i> , 2010 , 25, 71-88	2.9	114
59	What is the best way to change self-efficacy to promote lifestyle and recreational physical activity? A systematic review with meta-analysis. <i>British Journal of Health Psychology</i> , 2010 , 15, 265-88	8.3	379
58	Reactivity of measurement in health psychology: how much of a problem is it? What can be done about it?. <i>British Journal of Health Psychology</i> , 2010 , 15, 453-68	8.3	122

57	Are people with negative diabetes screening tests falsely reassured? Parallel group cohort study embedded in the ADDITION (Cambridge) randomised controlled trial. <i>BMJ, The</i> , 2009 , 339, b4535	5.9	29
56	Assessing unrealistic optimism: impact of different approaches to measuring susceptibility to diabetes. <i>Journal of Health Psychology</i> , 2009 , 14, 372-7	3.1	12
55	Accessibility of salient beliefs about the outcomes of physical activity. <i>British Journal of Health Psychology</i> , 2009 , 14, 159-74	8.3	7
54	Completing a postal health questionnaire did not affect anxiety or related measures: randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 74-80	5.7	5
53	What sense do people make of a theory of planned behaviour questionnaire?: a think-aloud study. <i>Journal of Health Psychology</i> , 2009 , 14, 861-71	3.1	58
52	Do perceptions of vulnerability and worry mediate the effects of a smoking cessation intervention for women attending for a routine cervical smear test? An experimental study. <i>Health Psychology</i> , 2009 , 28, 258-63	5	17
51	Blood glucose self-monitoring in type 2 diabetes: a randomised controlled trial. <i>Health Technology Assessment</i> , 2009 , 13, iii-iv, ix-xi, 1-50	4.4	84
50	Self-monitoring of blood glucose changed non-insulin-treated Type 2 diabetes patients' beliefs about diabetes and self-monitoring in a randomized trial. <i>Diabetic Medicine</i> , 2008 , 25, 1218-28	3.5	33
49	Different measures of risk perceptions and distress yield different patterns of results: the importance of specificity in measurement and theory. <i>Psychology, Health and Medicine</i> , 2008 , 13, 591-6	2.1	6
48	Effects of communicating DNA-based disease risk estimates on risk-reducing behaviours 2008 ,		2
47	How well do the theory of reasoned action and theory of planned behaviour predict intentions and attendance at screening programmes? A meta-analysis. <i>Psychology and Health</i> , 2008 , 23, 745-65	2.9	196
46	What do people think about when answering questionnaires to assess unrealistic optimism about skin cancer? A think aloud study. <i>Psychology, Health and Medicine</i> , 2008 , 13, 63-74	2.1	30
45	Reasons for the use of mild analgesics among English students. <i>International Journal of Clinical Pharmacy</i> , 2008 , 30, 79-85		27
44	The development of the Self-Medicating Scale (SMS): a scale to measure people's beliefs about self-medication. <i>International Journal of Clinical Pharmacy</i> , 2008 , 30, 794-800		11
43	An exploration of walking behaviour--an interpretative phenomenological approach. <i>Social Science and Medicine</i> , 2007 , 65, 2172-83	5.1	54
42	Are beliefs elicited biased by question order? A theory of planned behaviour belief elicitation study about walking in the UK general population. <i>British Journal of Health Psychology</i> , 2007 , 12, 93-110	8.3	23
41	Using the affective priming paradigm to explore the attitudes underlying walking behaviour. <i>British Journal of Health Psychology</i> , 2007 , 12, 571-85	8.3	29
40	The theory of planned behaviour predicts self-reports of walking, but does not predict step count. <i>British Journal of Health Psychology</i> , 2007 , 12, 601-20	8.3	43

39	Psychological impact of screening for type 2 diabetes: controlled trial and comparative study embedded in the ADDITION (Cambridge) randomised controlled trial. <i>BMJ, The</i> , 2007 , 335, 486	5.9	100
38	Sociodemographic differences in myocardial infarction risk perceptions among people with coronary heart disease. <i>Journal of Health Psychology</i> , 2007 , 12, 316-29	3.1	12
37	Impact of self monitoring of blood glucose in the management of patients with non-insulin treated diabetes: open parallel group randomised trial. <i>BMJ, The</i> , 2007 , 335, 132	5.9	291
36	What do people think about when they answer theory of planned behaviour questionnaires? A 'think aloud' study. <i>Journal of Health Psychology</i> , 2007 , 12, 672-87	3.1	73
35	Personal and social comparison information about health risk: reaction to information and information search. <i>Journal of Health Psychology</i> , 2006 , 11, 497-510	3.1	12
34	Assessing Perceptions of Risks due to Multiple Hazards. <i>Journal of Risk Research</i> , 2006 , 9, 657-682	4.2	12
33	Illness perceptions predict attendance at cardiac rehabilitation following acute myocardial infarction: a systematic review with meta-analysis. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 757-67	4.1	189
32	Can genetic risk information enhance motivation for smoking cessation? An analogue study. <i>Health Psychology</i> , 2006 , 25, 740-52	5	42
31	The psychological costs of inadequate cervical smear test results: three-month follow-up. <i>Psycho-Oncology</i> , 2006 , 15, 498-508	3.9	22
30	Do illness perceptions predict attendance at cardiac rehabilitation and quality of life following myocardial infarction?. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 315-22	4.1	61
29	How valid are measures of beliefs about the causes of illness? The example of myocardial infarction. <i>Psychology and Health</i> , 2005 , 20, 615-635	2.9	8
28	Causal beliefs and behaviour change post-myocardial infarction: how are they related?. <i>British Journal of Health Psychology</i> , 2005 , 10, 167-82	8.3	18
27	The Importance of Affective Beliefs and Attitudes in the Theory of Planned Behavior: Predicting Intention to Increase Physical Activity1. <i>Journal of Applied Social Psychology</i> , 2005 , 35, 1824-1848	2.1	131
26	The purpose of attributing cause: beliefs about the causes of myocardial infarction. <i>Social Science and Medicine</i> , 2005 , 60, 1411-21	5.1	59
25	The DiGEM trial protocol—a randomised controlled trial to determine the effect on glycaemic control of different strategies of blood glucose self-monitoring in people with type 2 diabetes [ISRCTN47464659]. <i>BMC Family Practice</i> , 2005 , 6, 25	2.6	28
24	Explaining differences in causal attributions of patient and non-patient samples. <i>Psychology, Health and Medicine</i> , 2004 , 9, 259-272	2.1	9
23	Using the theory of planned behaviour to predict screening uptake in two contexts. <i>Psychology and Health</i> , 2004 , 19, 705-718	2.9	20
22	Psychological costs of inadequate cervical smear test results. <i>British Journal of Cancer</i> , 2004 , 91, 1887-928.7	5.0	50

21	The impact of personal and social comparison information about health risk. <i>British Journal of Health Psychology</i> , 2004 , 9, 187-200	8.3	29
20	Different measures of risk perceptions yield different patterns of interaction for combinations of hazards: smoking, family history and cardiac events. <i>Journal of Behavioral Decision Making</i> , 2004 , 17, 381-393	2.4	9
19	Causal Attributions Following Serious Unexpected Negative Events: A Systematic Review. <i>Journal of Social and Clinical Psychology</i> , 2003 , 22, 515-536	1.6	47
18	The expectancy-value muddle in the theory of planned behaviour - and some proposed solutions. <i>British Journal of Health Psychology</i> , 2003 , 8, 37-55	8.3	57
17	Eliciting salient beliefs in research on the theory of planned behaviour: The effect of question wording. <i>Current Psychology</i> , 2003 , 22, 234-251		81
16	Measuring perceptions of synergistic circulatory disease risk due to smoking and the oral contraceptive pill. <i>Risk Analysis</i> , 2002 , 22, 1139-51	3.9	8
15	The structure of beliefs about the causes of heart attacks: A network analysis. <i>British Journal of Health Psychology</i> , 2002 , 7, 463-479	8.3	29
14	Eliciting Causal Beliefs about Heart Attacks: A Comparison of Implicit and Explicit Methods. <i>Journal of Health Psychology</i> , 2002 , 7, 433-44	3.1	8
13	Predictive genetic testing: mediators and moderators of anxiety. <i>International Journal of Behavioral Medicine</i> , 2002 , 9, 309-21	2.6	21
12	GP stress and patient dissatisfaction with nights on call: an exploratory study. GP stress and patient satisfaction. <i>Scandinavian Journal of Primary Health Care</i> , 2001 , 19, 170-3	2.7	15
11	Causal attributions for heart disease: A systematic review. <i>Psychology and Health</i> , 2001 , 16, 77-98	2.9	78
10	Communicating risk 2001 , 431-435		5
9	Perceptions of multiple risk factors for heart attacks. <i>Psychological Reports</i> , 2000 , 87, 681-7	1.6	22
8	Statistical guidelines for studies of the theory of reasoned action and the theory of planned behaviour. <i>Psychology and Health</i> , 2000 , 15, 151-161	2.9	81
7	PERCEPTIONS OF MULTIPLE RISK FACTORS FOR HEART ATTACKS. <i>Psychological Reports</i> , 2000 , 87, 681	1.6	9
6	Information recall in genetic counselling: a pilot study of its assessment. <i>Patient Education and Counseling</i> , 1997 , 32, 93-100	3.1	39
5	Comparison of out of hours care provided by patients' own general practitioners and commercial deputising services: a randomised controlled trial. I: The process of care. <i>BMJ: British Medical Journal</i> , 1997 , 314, 187-9		30
4	Comparison of out of hours care provided by patients' own general practitioners and commercial deputising services: a randomised controlled trial. II: The outcome of care. <i>BMJ: British Medical Journal</i> , 1997 , 314, 190-3		34

- | | | |
|---|--|-----|
| 3 | Reliability and validity of a new measure of patient satisfaction with out of hours primary medical care in the United Kingdom: development of a patient questionnaire. <i>BMJ: British Medical Journal</i> , 1997 , 314, 193-8 | 114 |
| 2 | Planning Research: Design, Sample, Measures83-103 | 2 |
| 1 | Use of Brief Messages Based on Behavior Change Techniques to Encourage Medication Adherence in People With Type 2 Diabetes: Developmental Studies (Preprint) | 1 |