

Matthew Semler

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6063558/matthew-semler-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

4,008
citations

30
h-index

62
g-index

132
ext. papers

5,725
ext. citations

8.8
avg, IF

5.41
L-index

#	Paper	IF	Citations
113	Balanced Crystalloids versus Saline in Critically Ill Adults. <i>New England Journal of Medicine</i> , 2018 , 378, 829-839	59.2	576
112	Factors Associated With Death in Critically Ill Patients With Coronavirus Disease 2019 in the US. <i>JAMA Internal Medicine</i> , 2020 , 180, 1436-1447	11.5	426
111	Balanced Crystalloids versus Saline in Noncritically Ill Adults. <i>New England Journal of Medicine</i> , 2018 , 378, 819-828	59.2	299
110	Association Between Early Treatment With Tocilizumab and Mortality Among Critically Ill Patients With COVID-19. <i>JAMA Internal Medicine</i> , 2021 , 181, 41-51	11.5	213
109	Effect of Hydroxychloroquine on Clinical Status at 14 Days in Hospitalized Patients With COVID-19: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 2165-2176	27.4	206
108	Effect of an Early Resuscitation Protocol on In-hospital Mortality Among Adults With Sepsis and Hypotension: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 1233-1240	27.4	190
107	Randomized Trial of Apneic Oxygenation during Endotracheal Intubation of the Critically Ill. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 193, 273-80	10.2	140
106	Dietary zinc alters the microbiota and decreases resistance to <i>Clostridium difficile</i> infection. <i>Nature Medicine</i> , 2016 , 22, 1330-1334	50.5	136
105	Severity scoring of lung oedema on the chest radiograph is associated with clinical outcomes in ARDS. <i>Thorax</i> , 2018 , 73, 840-846	7.3	134
104	Balanced Crystalloids versus Saline in the Intensive Care Unit. The SALT Randomized Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 195, 1362-1372	10.2	124
103	Early goal-directed therapy in severe sepsis and septic shock: insights and comparisons to ProCESS, ProMISe, and ARISE. <i>Critical Care</i> , 2016 , 20, 160	10.8	85
102	Bag-Mask Ventilation during Tracheal Intubation of Critically Ill Adults. <i>New England Journal of Medicine</i> , 2019 , 380, 811-821	59.2	83
101	Randomized trial of automated, electronic monitoring to facilitate early detection of sepsis in the intensive care unit*. <i>Critical Care Medicine</i> , 2012 , 40, 2096-101	1.4	81
100	2034 Effect of balanced crystalloids on renal outcomes among critically ill adults does not differ from 0.9% saline across baseline risk of renal outcomes. <i>Journal of Clinical and Translational Science</i> , 2018 , 2, 42-42	0.4	78
99	Liberal Versus Restrictive Intravenous Fluid Therapy for Early Septic Shock: Rationale for a Randomized Trial. <i>Annals of Emergency Medicine</i> , 2018 , 72, 457-466	2.1	74
98	A Multicenter, Randomized Trial of Ramped Position vs Sniffing Position During Endotracheal Intubation of Critically Ill Adults. <i>Chest</i> , 2017 , 152, 712-722	5.3	63
97	Randomized Trial of Video Laryngoscopy for Endotracheal Intubation of Critically Ill Adults. <i>Critical Care Medicine</i> , 2016 , 44, 1980-1987	1.4	57

96	Comparison of Etomidate and Ketamine for Induction During Rapid Sequence Intubation of Adult Trauma Patients. <i>Annals of Emergency Medicine</i> , 2017 , 69, 24-33.e2	2.1	52
95	Balanced Crystalloids versus Saline in Sepsis. A Secondary Analysis of the SMART Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 1487-1495	10.2	50
94	An Electronic Tool for the Evaluation and Treatment of Sepsis in the ICU: A Randomized Controlled Trial. <i>Critical Care Medicine</i> , 2015 , 43, 1595-602	1.4	47
93	Outcomes of Nurse Practitioner-Delivered Critical Care: A Prospective Cohort Study. <i>Chest</i> , 2016 , 149, 1146-54	5.3	44
92	Extracorporeal membrane oxygenation in patients with severe respiratory failure from COVID-19. <i>Intensive Care Medicine</i> , 2021 , 47, 208-221	14.5	44
91	Impact of Initial Central Venous Pressure on Outcomes of Conservative Versus Liberal Fluid Management in Acute Respiratory Distress Syndrome. <i>Critical Care Medicine</i> , 2016 , 44, 782-9	1.4	42
90	Flash mob research: a single-day, multicenter, resident-directed study of respiratory rate. <i>Chest</i> , 2013 , 143, 1740-1744	5.3	42
89	Thrombosis, Bleeding, and the Observational Effect of Early Therapeutic Anticoagulation on Survival in Critically Ill Patients With COVID-19. <i>Annals of Internal Medicine</i> , 2021 , 174, 622-632	8	41
88	Fluid Management in Sepsis. <i>Journal of Intensive Care Medicine</i> , 2019 , 34, 364-373	3.3	35
87	Sepsis Resuscitation: Fluid Choice and Dose. <i>Clinics in Chest Medicine</i> , 2016 , 37, 241-50	5.3	34
86	A Multicenter Randomized Trial of a Checklist for Endotracheal Intubation of Critically Ill Adults. <i>Chest</i> , 2018 , 153, 816-824	5.3	33
85	Saline Is Not the First Choice for Crystalloid Resuscitation Fluids. <i>Critical Care Medicine</i> , 2016 , 44, 1541-41.4	1.4	33
84	Balanced Crystalloid Solutions. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 199, 952-960	10.2	33
83	Balanced Crystalloids versus Saline in Critically Ill Adults. <i>New England Journal of Medicine</i> , 2018 , 378, 1951	59.2	27
82	Effect of a fluid bolus on cardiovascular collapse among critically ill adults undergoing tracheal intubation (PrePARE): a randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2019 , 7, 1039-1047	35.1	26
81	Identification of Major Adverse Kidney Events Within the Electronic Health Record. <i>Journal of Medical Systems</i> , 2016 , 40, 167	5.1	26
80	Efficacy and Outcomes After Vasopressin Guideline Implementation in Septic Shock. <i>Annals of Pharmacotherapy</i> , 2017 , 51, 13-20	2.9	24
79	Balanced crystalloids versus saline in the intensive care unit: study protocol for a cluster-randomized, multiple-crossover trial. <i>Trials</i> , 2017 , 18, 129	2.8	22

78	Risk Factors for and Prediction of Hypoxemia during Tracheal Intubation of Critically Ill Adults. <i>Annals of the American Thoracic Society</i> , 2018 , 15, 1320-1327	4.7	21
77	Identifying Clinical Research Priorities in Adult Pulmonary and Critical Care: NHLBI Working Group Report. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 ,	10.2	20
76	Low- Versus High-Chloride Content Intravenous Solutions for Critically Ill and Perioperative Adult Patients: A Systematic Review and Meta-analysis. <i>Anesthesia and Analgesia</i> , 2018 , 126, 513-521	3.9	19
75	Derivation and validation of a two-biomarker panel for diagnosis of ARDS in patients with severe traumatic injuries. <i>Trauma Surgery and Acute Care Open</i> , 2017 , 2, e000121	2.4	18
74	Clinical Effects of Balanced Crystalloids vs Saline in Adults With Diabetic Ketoacidosis: A Subgroup Analysis of Cluster Randomized Clinical Trials. <i>JAMA Network Open</i> , 2020 , 3, e2024596	10.4	18
73	Randomized Clinical Trial of an ICU Recovery Pilot Program for Survivors of Critical Illness. <i>Critical Care Medicine</i> , 2019 , 47, 1337-1345	1.4	18
72	Emulating a Novel Clinical Trial Using Existing Observational Data. Predicting Results of the PreVent Study. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 998-1007	4.7	16
71	B-Type Natriuretic Peptide, Aldosterone, and Fluid Management in ARDS. <i>Chest</i> , 2016 , 150, 102-111	5.3	15
70	Saline versus balanced crystalloids for intravenous fluid therapy in the emergency department: study protocol for a cluster-randomized, multiple-crossover trial. <i>Trials</i> , 2017 , 18, 178	2.8	14
69	Resuscitation fluids. <i>Current Opinion in Critical Care</i> , 2018 , 24, 512-518	3.5	14
68	Fluid Management in Acute Respiratory Distress Syndrome. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2019 , 40, 57-65	3.9	13
67	Rationale and Design of ORCHID: A Randomized Placebo-controlled Clinical Trial of Hydroxychloroquine for Adults Hospitalized with COVID-19. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 1144-1153	4.7	13
66	Preadmission Oral Corticosteroids Are Associated With Reduced Risk of Acute Respiratory Distress Syndrome in Critically Ill Adults With Sepsis. <i>Critical Care Medicine</i> , 2017 , 45, 774-780	1.4	11
65	Heterogeneity of Treatment Effect by Baseline Risk in a Trial of Balanced Crystalloids versus Saline. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 198, 810-813	10.2	8
64	Predicting Major Adverse Kidney Events among Critically Ill Adults Using the Electronic Health Record. <i>Journal of Medical Systems</i> , 2017 , 41, 156	5.1	8
63	Conservative Fluid Management After Sepsis Resuscitation: A Pilot Randomized Trial. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 1374-1382	3.3	8
62	Pneumomediastinum in Acute Respiratory Distress Syndrome from COVID-19. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 203, 237-238	10.2	8
61	Effect of Early Balanced Crystalloids Before ICU Admission on Sepsis Outcomes. <i>Chest</i> , 2021 , 159, 585-595	5.3	8

60	Effect of Use of a Bougie vs Endotracheal Tube With Stylet on Successful Intubation on the First Attempt Among Critically Ill Patients Undergoing Tracheal Intubation: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 ,	27.4	7
59	Balanced Crystalloids versus Saline in Critically Ill Adults DA Systematic Review with Meta-Analysis 2022 , 1,		6
58	Safety and Feasibility of a Protocolized Daily Assessment of Readiness for Liberation From Venovenous Extracorporeal Membrane Oxygenation. <i>Chest</i> , 2021 , 160, 1693-1703	5.3	6
57	Validation of a Sequential Organ Failure Assessment Score using Electronic Health Record Data. <i>Journal of Medical Systems</i> , 2018 , 42, 199	5.1	6
56	Leveraging Clinical Informatics in the Conduct of Clinical Trials. <i>Journal of Medical Systems</i> , 2015 , 39, 112	5.1	5
55	Bleeding, Thromboembolism, and Clinical Outcomes in Venovenous Extracorporeal Membrane Oxygenation 2020 , 2, e0267		5
54	Five-Year Experience of an Inpatient Palliative Care Unit at an Academic Referral Center. <i>American Journal of Hospice and Palliative Medicine</i> , 2018 , 35, 1057-1062	2.6	5
53	Best PEEP trials are dependent on tidal volume. <i>Critical Care</i> , 2018 , 22, 115	10.8	5
52	Risk Factors for Cardiovascular Collapse during Tracheal Intubation of Critically Ill Adults. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 1021-1024	4.7	5
51	Balanced Crystalloids versus Saline in Critically Ill Adults with Hyperkalemia or Acute Kidney Injury: Secondary Analysis of a Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 203, 1322-1325	10.2	5
50	Severity of illness scores at presentation predict ICU admission and mortality in COVID-19. <i>Journal of Emergency and Critical Care Medicine</i> , 2021 , 5,	0.6	5
49	Association Between Availability of ECMO and Mortality in COVID-19 Patients Eligible for ECMO: A Natural Experiment.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022 ,	10.2	5
48	Effect of Fluid Bolus Administration on Cardiovascular Collapse Among Critically Ill Patients Undergoing Tracheal Intubation. <i>JAMA - Journal of the American Medical Association</i> ,	27.4	5
47	Tranexamic acid for refractory gastrointestinal bleeds: A cohort study. <i>Journal of Critical Care</i> , 2018 , 43, 128-132	4	4
46	Manual ventilation to prevent hypoxaemia during endotracheal intubation of critically ill adults: protocol and statistical analysis plan for a multicentre randomised trial. <i>BMJ Open</i> , 2018 , 8, e022139	3	4
45	149. <i>Critical Care Medicine</i> , 2015 , 43, 38-39	1.4	4
44	Deconstructing Hyperlactatemia in Sepsis Using Central Venous Oxygen Saturation and Base Deficit. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 526-527	10.2	3
43	Protocolized Post-Extubation Respiratory Support to prevent reintubation: protocol and statistical analysis plan for a clinical trial. <i>BMJ Open</i> , 2019 , 9, e030476	3	3

42	Effect of Interhospital ICU Relocation on Patient Physiology and Clinical Outcomes. <i>Journal of Intensive Care Medicine</i> , 2019 , 34, 1010-1016	3.3	3
41	Time to First Culture Positivity Among Critically Ill Adults With Methicillin-Resistant Growth in Respiratory or Blood Cultures. <i>Annals of Pharmacotherapy</i> , 2020 , 54, 131-137	2.9	3
40	Effect of Early High-Dose Vitamin D3 Repletion on Cognitive Outcomes in Critically Ill Adults. <i>Chest</i> , 2021 , 160, 909-918	5.3	3
39	Oxygen Toxicity in Critically Ill Adults. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 204, 632-641	10.2	3
38	How I manage a difficult intubation. <i>Critical Care</i> , 2019 , 23, 177	10.8	2
37	A standing dilemma: autonomic failure preceding Hodgkin's lymphoma. <i>American Journal of Medicine</i> , 2014 , 127, 284-7	2.4	2
36	Protocol and statistical analysis plan for the PREventing cardiovascular collaPse with Administration of fluid RESuscitation during Induction and Intubation (PREPARE II) randomised clinical trial. <i>BMJ Open</i> , 2020 , 10, e036671	3	2
35	BOugie or stylet in patients UnderGoing Intubation Emergently (BOUGIE): protocol and statistical analysis plan for a randomised clinical trial. <i>BMJ Open</i> , 2021 , 11, e047790	3	2
34	Effect of balanced crystalloids versus saline on urinary biomarkers of acute kidney injury in critically ill adults. <i>BMC Nephrology</i> , 2021 , 22, 54	2.7	2
33	Beginning of the End? End-tidal Oxygen as an Outcome in Airway Management Research. <i>EClinicalMedicine</i> , 2019 , 13, 10-11	11.3	1
32	Bag-Mask Ventilation during Tracheal Intubation of Critically Ill Adults. Reply. <i>New England Journal of Medicine</i> , 2019 , 380, 2482	59.2	1
31	Ventilation before intubation: how to prevent hypoxaemia?. <i>Lancet Respiratory Medicine</i> , 2019 , 7, 284-285	35.1	1
30	Sodium bicarbonate for severe metabolic acidaemia. <i>Lancet, The</i> , 2019 , 393, 1414-1415	40	1
29	1078. <i>Critical Care Medicine</i> , 2013 , 41, A272	1.4	1
28	Balanced crystalloids versus saline in critically ill adults with low plasma bicarbonate: A secondary analysis of a clinical trial. <i>Journal of Critical Care</i> , 2021 , 63, 250-253	4	1
27	Charge Reductions Associated With Shorter Time to Recovery in Septic Shock. <i>Chest</i> , 2019 , 155, 315-321	5.3	1
26	What can a learning healthcare system teach us about improving outcomes?. <i>Current Opinion in Critical Care</i> , 2021 , 27, 527-536	3.5	1
25	Impact of Clinician Recognition of Acute Respiratory Distress Syndrome on Evidenced-Based Interventions in the Medical ICU 2021 , 3, e0457		1

24	Machine Learning Prediction of Death in Critically Ill Patients With Coronavirus Disease 2019 2021 , 3, e0515		1
23	Protocolized Postextubation Respiratory Support to Prevent Reintubation: A Randomized Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 204, 294-302	10.2	1
22	Balanced crystalloids compared to normal saline for fluid therapy in critically ill adult patients: Systematic review and meta-analysis protocol		1
21	Bag-Mask Ventilation Versus Apneic Oxygenation During Tracheal Intubation in Critically Ill Adults: A Secondary Analysis of 2 Randomized Trials.. <i>Journal of Intensive Care Medicine</i> , 2021 , 8850666211058648	3,3	1
20	Saline Compared to Balanced Crystalloid in Patients With Diabetic Ketoacidosis: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2022 , 4, e0613		0
19	Protocol and statistical analysis plan for the Pragmatic Investigation of optimal Oxygen Targets (PILOT) clinical trial. <i>BMJ Open</i> , 2021 , 11, e052013	3	0
18	Big Data for Clinical Trials: Automated Collection of SpO ₂ for a Trial of Oxygen Targets during Mechanical Ventilation. <i>Journal of Medical Systems</i> , 2020 , 44, 153	5.1	0
17	Respiratory Non-Invasive Venous Waveform Analysis for Assessment of Respiratory Distress in Coronavirus Disease 2019 Patients: An Observational Study 2021 , 3, e0539		0
16	The authors reply. <i>Critical Care Medicine</i> , 2017 , 45, e463	1.4	
15	The authors reply. <i>Critical Care Medicine</i> , 2017 , 45, e461	1.4	
14	Reply to Gueret and to Hammond. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 1163-1164	10.2	
13	Lung Recruitment and Positive End-Expiratory Pressure Titration in Patients With Acute Respiratory Distress Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 932-933	27.4	
12	Reply to Vincent and De Backer: We Do Not Appreciate SALT. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 1362	10.2	
11	Response. <i>Chest</i> , 2018 , 153, 1076-1077	5.3	
10	Response. <i>Chest</i> , 2018 , 153, 568-569	5.3	
9	Early Resuscitation for Adults With Sepsis in a Low-income Country-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 614-615	27.4	
8	Reply: Apneic Oxygenation Has Not Been Disproven. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 193, 1316-7	10.2	
7	694. <i>Critical Care Medicine</i> , 2014 , 42, A1527	1.4	

6	The authors reply. <i>Critical Care Medicine</i> , 2017 , 45, e326-e327	1.4
5	Response. <i>Chest</i> , 2017 , 152, 1351	5.3
4	Response. <i>Chest</i> , 2017 , 152, 1092-1093	5.3
3	Response. <i>Chest</i> , 2016 , 150, 746-7	5.3
2	Response. <i>Chest</i> , 2018 , 153, 1506	5.3
1	Intravenous Fluids-A Test Case for Learning Health Systems.. <i>JAMA Network Open</i> , 2022 , 5, e2210054	10.4