Ryotaro Matsuda

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6063932/ryotaro-matsuda-publications-by-year.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118 58 14,079 147 h-index g-index citations papers 6.44 9.8 15,095 159 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
147	Topochemical [2 + 2] Cycloaddition in a Two-Dimensional Metal-Organic Framework via SCSC Transformation Impacts HalogenHalogen Interactions <i>Inorganic Chemistry</i> , 2022 ,	5.1	3
146	Delicate and Fast Photochemical Surface Modification of 2D Photoresponsive Organosilicon Metal-Organic Frameworks <i>Angewandte Chemie - International Edition</i> , 2022 , e202204568	16.4	1
145	Heterobilayer membranes from isostructural metal-organic frameworks for efficient CO2 separation. <i>Microporous and Mesoporous Materials</i> , 2022 , 338, 111950	5.3	
144	Stabilization of radical active species in a MOF nanospace to exploit unique reaction pathways. <i>Chemical Communications</i> , 2021 , 57, 12115-12118	5.8	
143	Modulation of Self-Assembly Enhances the Catalytic Activity of Iron Porphyrin for CO Reduction. <i>Small</i> , 2021 , 17, e2006150	11	2
142	An Open-shell, Luminescent, Two-Dimensional Coordination Polymer with a Honeycomb Lattice and Triangular Organic Radical. <i>Journal of the American Chemical Society</i> , 2021 , 143, 4329-4338	16.4	21
141	Enhanced CO2 Adsorption by Insertion Reaction in the Nanospace of a Porphyrin-based MOF. <i>Chemistry Letters</i> , 2021 , 50, 640-643	1.7	
140	Triplet Carbene with Highly Enhanced Thermal Stability in the Nanospace of a Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2021 , 143, 8129-8136	16.4	3
139	Fabrication of a KagomEtype MOF Membrane by Seeded Growth on Amino-functionalized Porous Al O Substrate. <i>Chemistry - an Asian Journal</i> , 2021 , 16, 2018-2021	4.5	2
138	Carbon Dioxide Reduction: Modulation of Self-Assembly Enhances the Catalytic Activity of Iron Porphyrin for CO2 Reduction (Small 22/2021). <i>Small</i> , 2021 , 17, 2170110	11	
137	Molecular motion in the nanospace of MOFs upon gas adsorption investigated by in situ Raman spectroscopy. <i>Faraday Discussions</i> , 2021 , 225, 70-83	3.6	3
136	Trapping and Releasing of Oxygen in Liquid by Metal-Organic Framework with Light and Heat. <i>Small</i> , 2021 , 17, e2004351	11	2
135	Water Confined in MIL-101(Cr): Unique Sorption Desorption Behaviors Revealed by Diffuse Reflectance Infrared Spectroscopy and Molecular Dynamics Simulation. <i>Journal of Physical Chemistry C</i> , 2021, 125, 17786-17795	3.8	3
134	Direct observation of dimethyl sulfide trapped by MOF proving efficient removal of sulfur impurities <i>RSC Advances</i> , 2020 , 10, 4710-4714	3.7	4
133	Accelerated CH/CO Separation by a Se-Functionalized Porous Coordination Polymer with Low Binding Energy. <i>ACS Applied Materials & Samp; Interfaces</i> , 2020 , 12, 3764-3772	9.5	42
132	Pseudo-Gated Adsorption with Negligible Volume Change Evoked by Halogen-Bond Interaction in the Nanospace of MOFs. <i>Chemistry - A European Journal</i> , 2020 , 26, 2148-2153	4.8	11
131	Swift and Efficient Nuclear Spin Conversion of Molecular Hydrogen Confined in Prussian Blue Analogs. <i>Chemistry Letters</i> , 2020 , 49, 149-152	1.7	1

(2018-2020)

130	Molecular simulation study on the flexibility in the interpenetrated metal®rganic framework LMOF-201 using reactive force field. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 16385-16391	13	2
129	Augmenting the Carbon Dioxide Uptake and Selectivity of Metal-Organic Frameworks by Metal Substitution: Molecular Simulations of LMOF-202. <i>ACS Omega</i> , 2020 , 5, 17193-17198	3.9	3
128	Tuning Gate-Opening of a Flexible Metal-Organic Framework for Ternary Gas Sieving Separation. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 22756-22762	16.4	73
127	Tuning Gate-Opening of a Flexible Metal©rganic Framework for Ternary Gas Sieving Separation. <i>Angewandte Chemie</i> , 2020 , 132, 22944-22950	3.6	21
126	One-Step Synthesis of an Adaptive Nanographene MOF: Adsorbed Gas-Dependent Geometrical Diversity. <i>Journal of the American Chemical Society</i> , 2019 , 141, 15649-15655	16.4	14
125	Grafting Free Carboxylic Acid Groups onto the Pore Surface of 3D Porous Coordination Polymers for High Proton Conductivity. <i>Chemistry of Materials</i> , 2019 , 31, 8494-8503	9.6	26
124	Reversible low-temperature redox activity and selective oxidation catalysis derived from the concerted activation of multiple metal species on Cr and Rh-incorporated ceria catalysts. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 20868-20877	3.6	6
123	Dynamic Topochemical Reaction Tuned by Guest Molecules in the Nanospace of a Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2019 , 141, 15742-15746	16.4	28
122	Creation of MOFs with open metal sites by partial replacement of metal ions with different coordination numbers. <i>Dalton Transactions</i> , 2019 , 48, 2545-2548	4.3	12
121	Microwave-Assisted Hydrothermal Synthesis of [Al(OH)(1,4-NDC)] Membranes with Superior Separation Performances. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 2072-2076	4.5	9
120	CO2 Storage on Metal-Organic Frameworks. <i>Green Energy and Technology</i> , 2019 , 331-358	0.6	1
119	Selective Sensing of Fe3+ Ions Using a Water-stable Magnesium Coordination Polymer. <i>Chemistry Letters</i> , 2019 , 48, 156-158	1.7	5
118	Kinetics of Water Vapor Adsorption and Desorption in MIL-101 Metal Drganic Frameworks. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 387-398	3.8	18
117	Highly responsive nature of porous coordination polymer surfaces imaged by in situ atomic force microscopy. <i>Nature Chemistry</i> , 2019 , 11, 109-116	17.6	49
116	Generation of thiyl radicals in a zinc(ii) porous coordination polymer by light-induced post-synthetic deprotection. <i>Chemical Communications</i> , 2018 , 54, 4782-4785	5.8	10
115	Tetrametallic Ln(III) (Ln = Gd, Dy) phosphonate clusters: Spin cooler and single-molecule magnet. <i>Inorganica Chimica Acta</i> , 2018 , 482, 900-904	2.7	2
114	Switchable gate-opening effect in metal-organic polyhedra assemblies through solution processing. <i>Chemical Science</i> , 2018 , 9, 6463-6469	9.4	30
113	Purely Physisorption-Based CO-Selective Gate-Opening in Microporous Organically Pillared Layered Silicates. <i>Angewandte Chemie</i> , 2018 , 130, 573-577	3.6	4

112	Insights into inorganic buffer layer-assisted in situ fabrication of MOF films with controlled microstructures. <i>CrystEngComm</i> , 2018 , 20, 6995-7000	3.3	6
111	Gas-responsive porous magnet distinguishes the electron spin of molecular oxygen. <i>Nature Communications</i> , 2018 , 9, 5420	17.4	32
110	Theoretical Insight into Gate-Opening Adsorption Mechanism and Sigmoidal Adsorption Isotherm into Porous Coordination Polymer. <i>Journal of the American Chemical Society</i> , 2018 , 140, 13958-13969	16.4	38
109	Self-assembly of lattices with high structural complexity from a geometrically simple molecule. <i>Science</i> , 2018 , 361, 1242-1246	33.3	71
108	Purely Physisorption-Based CO-Selective Gate-Opening in Microporous Organically Pillared Layered Silicates. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 564-568	16.4	7
107	Constant Volume Gate-Opening by Freezing Rotational Dynamics in Microporous Organically Pillared Layered Silicates. <i>Journal of the American Chemical Society</i> , 2017 , 139, 904-909	16.4	23
106	Tuning the flexibility of interpenetrated frameworks by a small difference in the fluorene moiety. <i>Dalton Transactions</i> , 2017 , 46, 15200-15203	4.3	5
105	Density Gradation of Open Metal Sites in the Mesospace of Porous Coordination Polymers. <i>Journal of the American Chemical Society</i> , 2017 , 139, 11576-11583	16.4	90
104	Flexible interlocked porous frameworks allow quantitative photoisomerization in a crystalline solid. <i>Nature Communications</i> , 2017 , 8, 100	17.4	60
103	Characteristic Features of CO2 and CO Adsorptions to Paddle-Wheel-type Porous Coordination Polymer. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 19129-19139	3.8	10
102	Cooperative Bond Scission in a Soft Porous Crystal Enables Discriminatory Gate Opening for Ethylene over Ethane. <i>Journal of the American Chemical Society</i> , 2017 , 139, 18313-18321	16.4	47
101	Rhodium-Organic Cuboctahedra as Porous Solids with Strong Binding Sites. <i>Inorganic Chemistry</i> , 2016 , 55, 10843-10846	5.1	64
100	Electron Paramagnetic Resonance Study of Guest Molecule-Influenced Magnetism in Kagome Metal Drganic Framework. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 27462-27467	3.8	7
99	An Adsorbate Discriminatory Gate Effect in a Flexible Porous Coordination Polymer for Selective Adsorption of CO2 over C2H2. <i>Journal of the American Chemical Society</i> , 2016 , 138, 3022-30	16.4	278
98	New Developments of Molecular Separation Technology by Porous Coordination Compounds. <i>Membrane</i> , 2016 , 41, 160-164	О	
97	Metal-Organic Polyhedral Core as a Versatile Scaffold for Divergent and Convergent Star Polymer Synthesis. <i>Journal of the American Chemical Society</i> , 2016 , 138, 6525-31	16.4	71
96	Crystal Dynamics in Multi-stimuli-Responsive Entangled Metal-Organic Frameworks. <i>Chemistry - A European Journal</i> , 2016 , 22, 15864-15873	4.8	39
95	Remarkable Oxygen Intake/Release of BaYMn2O5+Wiewed from High-Temperature Crystal Structure. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 2356-2363	3.8	16

(2013-2015)

94	A Convenient Strategy for Designing a Soft Nanospace: An Atomic Exchange in a Ligand with Isostructural Frameworks. <i>Journal of the American Chemical Society</i> , 2015 , 137, 15825-32	16.4	30	
93	High CO /CH Selectivity of a Flexible Copper(II) Porous Coordination Polymer under Humid Conditions. <i>ChemPlusChem</i> , 2015 , 80, 1517-1524	2.8	15	
92	Porous coordination polymers with ubiquitous and biocompatible metals and a neutral bridging ligand. <i>Nature Communications</i> , 2015 , 6, 5851	17.4	78	
91	Materials chemistry: Selectivity from flexibility. <i>Nature</i> , 2014 , 509, 434-5	50.4	31	
90	A crystalline porous coordination polymer decorated with nitroxyl radicals catalyzes aerobic oxidation of alcohols. <i>Journal of the American Chemical Society</i> , 2014 , 136, 7543-6	16.4	91	
89	Highly proton conductive nanoporous coordination polymers with sulfonic acid groups on the pore surface. <i>Chemical Communications</i> , 2014 , 50, 1144-6	5.8	110	
88	Functional Hybrid Porous Coordination Polymers. <i>Chemistry of Materials</i> , 2014 , 26, 310-322	9.6	323	
87	Self-accelerating CO sorption in a soft nanoporous crystal. <i>Science</i> , 2014 , 343, 167-70	33.3	371	
86	The densely fluorinated nanospace of a porous coordination polymer composed of perfluorobutyl-functionalized ligands. <i>Chemical Communications</i> , 2014 , 50, 10861-3	5.8	15	
85	Amine-responsive adaptable nanospaces: fluorescent porous coordination polymer for molecular recognition. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 11772-7	16.4	153	
84	Catalytic glucose isomerization by porous coordination polymers with open metal sites. <i>Chemistry - an Asian Journal</i> , 2014 , 9, 2772-7	4.5	49	
83	Microporous structures having phenylene fin: Significance of substituent groups for rotational linkers in coordination polymers. <i>Microporous and Mesoporous Materials</i> , 2014 , 189, 83-90	5.3	7	
82	Coordination Programming in the Design of Porous Coordination Polymers: Tuning of the Electronic Activity of Frameworks for Selective Nitrogen Monoxide Trapping. <i>Chemistry Letters</i> , 2014 , 43, 890-892	1.7	7	
81	Amine-Responsive Adaptable Nanospaces: Fluorescent Porous Coordination Polymer for Molecular Recognition. <i>Angewandte Chemie</i> , 2014 , 126, 11966-11971	3.6	26	
80	In situ generation of functionality in a reactive haloalkane-based ligand for the design of new porous coordination polymers. <i>Inorganic Chemistry</i> , 2013 , 52, 10735-7	5.1	37	
79	CO2 superabsorption in a paddlewheel-type Ru dimer chain compound: gate-open performance dependent on inter-chain interactions. <i>Chemical Communications</i> , 2013 , 49, 1594-6	5.8	22	
78	Selective NO trapping in the pores of chain-type complex assemblies based on electronically activated paddlewheel-type [Ru2(II,II)]/[Rh2(II,II)] dimers. <i>Journal of the American Chemical Society</i> , 2013 , 135, 18469-80	16.4	38	
77	Reversible chemisorption of sulfur dioxide in a spin crossover porous coordination polymer. <i>Inorganic Chemistry</i> , 2013 , 52, 12777-83	5.1	61	

76	Spin-Dependent Molecular Orientation of O2D2Dimer Formed in the Nanoporous Coordination Polymer. <i>Journal of the Physical Society of Japan</i> , 2013 , 82, 084703	1.5	8
75	Design and Synthesis of Porous Coordination Polymers Showing Unique Guest Adsorption Behaviors. <i>Bulletin of the Chemical Society of Japan</i> , 2013 , 86, 1117-1131	5.1	27
74	Effect of functional groups in MIL-101 on water sorption behavior. <i>Microporous and Mesoporous Materials</i> , 2012 , 157, 89-93	5.3	210
73	Topological difference in 2D layers steers the formation of rigid and flexible 3D supramolecular isomers: impact on the adsorption properties. <i>Inorganic Chemistry</i> , 2012 , 51, 9141-3	5.1	36
72	Systematic mechanochemical preparation of a series of coordination pillared layer frameworks. <i>Dalton Transactions</i> , 2012 , 41, 3956-61	4.3	69
71	Photochemical cycloaddition on the pore surface of a porous coordination polymer impacts the sorption behavior. <i>Chemical Communications</i> , 2012 , 48, 7919-21	5.8	64
70	Inclusion and dielectric properties of a vinylidene fluoride oligomer in coordination nanochannels. <i>Dalton Transactions</i> , 2012 , 41, 4195-8	4.3	16
69	Guest-to-host transmission of structural changes for stimuli-responsive adsorption property. Journal of the American Chemical Society, 2012, 134, 4501-4	16.4	276
68	Selective CO2 uptake and inverse CO2/C2H2 selectivity in a dynamic bifunctional metalBrganic framework. <i>Chemical Science</i> , 2012 , 3, 2993	9.4	104
67	Highly rigid and stable porous Cu(I) metalBrganic framework with reversible single-crystal-to-single-crystal structural transformation. <i>CrystEngComm</i> , 2012 , 14, 4153	3.3	15
66	Gas detection by structural variations of fluorescent guest molecules in a flexible porous coordination polymer. <i>Nature Materials</i> , 2011 , 10, 787-93	27	351
65	Impact of metal-ion dependence on the porous and electronic properties of TCNQ-dianion-based porous coordination polymers. <i>Inorganic Chemistry</i> , 2011 , 50, 172-7	5.1	49
64	Highly Selective Guest Adsorption in the Nanospace of Porous Coordination Polymers. <i>Bulletin of Japan Society of Coordination Chemistry</i> , 2011 , 57, 45-56	0.3	1
63	Soft secondary building unit: dynamic bond rearrangement on multinuclear core of porous coordination polymers in gas media. <i>Journal of the American Chemical Society</i> , 2011 , 133, 9005-13	16.4	160
62	Cellulose hydrolysis by a new porous coordination polymer decorated with sulfonic acid functional groups. <i>Advanced Materials</i> , 2011 , 23, 3294-7	24	258
61	Relationship between channel and sorption properties in coordination polymers with interdigitated structures. <i>Chemistry - A European Journal</i> , 2011 , 17, 5138-44	4.8	71
60	A pillared-bilayer porous coordination polymer with a 1D channel and a 2D interlayer space, showing unique gas and vapor sorption. <i>Chemical Communications</i> , 2011 , 47, 8106-8	5.8	89
59	Selective sorption of oxygen and nitric oxide by an electron-donating flexible porous coordination polymer. <i>Nature Chemistry</i> , 2010 , 2, 633-7	17.6	277

(2009-2010)

58	Photoactivation of a nanoporous crystal for on-demand guest trapping and conversion. <i>Nature Materials</i> , 2010 , 9, 661-6	27	171
57	Chemistry of porous coordination polymers having multimodal nanospace and their multimodal functionality. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 3-20	1.3	25
56	Periodic molecular boxes in entangled enantiomorphic lcy nets. <i>Chemical Communications</i> , 2010 , 46, 4142-4	5.8	25
55	Flexibility of Porous Coordination Polymers Strongly Linked to Selective Sorption Mechanism. <i>Chemistry of Materials</i> , 2010 , 22, 4129-4131	9.6	36
54	Exceptional thermal stability in a supramolecular organic framework: porosity and gas storage. <i>Journal of the American Chemical Society</i> , 2010 , 132, 14457-69	16.4	281
53	Temperature responsive channel uniformity impacts on highly guest-selective adsorption in a porous coordination polymer. <i>Chemical Science</i> , 2010 , 1, 315	9.4	82
52	Modification of flexible part in Cu(2+) interdigitated framework for CH(4)/CO(2) separation. <i>Chemical Communications</i> , 2010 , 46, 9229-31	5.8	82
51	The RIKEN Materials Science Beamline at SPring-8: Towards Visualization of Electrostatic Interaction 2010 ,		66
50	Highly Porous and Stable Coordination Polymers as Water Sorption Materials. <i>Chemistry Letters</i> , 2010 , 39, 360-361	1.7	96
49	Systematic Construction of Porous Coordination Pillared-layer Structures and Their Sorption Properties. <i>Chemistry Letters</i> , 2010 , 39, 218-219	1.7	35
48	Magnetic properties of nitric oxide molecules physisorbed into nano-sized pores of MCM-41. <i>Microporous and Mesoporous Materials</i> , 2010 , 132, 464-469	5.3	7
47	Control of Interpenetration for Tuning Structural Flexibility Influences Sorption Properties. <i>Angewandte Chemie</i> , 2010 , 122, 7826-7830	3.6	38
46	Control of interpenetration for tuning structural flexibility influences sorption properties. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 7660-4	16.4	173
45	Incommensurate guest adsorption in bellows-shaped one-dimensional channels of porous coordination polymers. <i>Microporous and Mesoporous Materials</i> , 2010 , 129, 296-303	5.3	23
44	Hindered rotation of methane molecules in the one-dimensional nanochannel of a porous coordination polymer. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 69-76	1.3	4
43	Heterogeneously Hybridized Porous Coordination Polymer Crystals: Fabrication of Heterometallic CoreBhell Single Crystals with an In-Plane Rotational Epitaxial Relationship. <i>Angewandte Chemie</i> , 2009 , 121, 1798-1802	3.6	65
42	A porous coordination polymer with accessible metal sites and its complementary coordination action. <i>Chemistry - A European Journal</i> , 2009 , 15, 4985-9	4.8	49
41	Heterogeneously hybridized porous coordination polymer crystals: fabrication of heterometallic core-shell single crystals with an in-plane rotational epitaxial relationship. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 1766-70	16.4	256

40	Cover Picture: Heterogeneously Hybridized Porous Coordination Polymer Crystals: Fabrication of Heterometallic CoreBhell Single Crystals with an In-Plane Rotational Epitaxial Relationship (Angew. Chem. Int. Ed. 10/2009). <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 1697-1697	16.4	3
39	New Interpenetrated Copper Coordination Polymer Frameworks having Porous Properties. <i>Chemistry of Materials</i> , 2009 , 21, 5860-5866	9.6	88
38	Bistability of magnetization without spin-transition in a high-spin cobalt(II) complex due to angular momentum quenching. <i>Journal of the American Chemical Society</i> , 2009 , 131, 4560-1	16.4	56
37	A pillared-layer coordination polymer with a rotatable pillar acting as a molecular gate for guest molecules. <i>Journal of the American Chemical Society</i> , 2009 , 131, 12792-800	16.4	274
36	Nanochannels of two distinct cross-sections in a porous Al-based coordination polymer. <i>Journal of the American Chemical Society</i> , 2008 , 130, 13664-72	16.4	255
35	Magnetic and photo-magnetic properties of Co dinuclear complexes. <i>Inorganica Chimica Acta</i> , 2008 , 361, 3659-3662	2.7	7
34	Storage and sorption properties of acetylene in jungle-gym-like open frameworks. <i>Chemistry - an Asian Journal</i> , 2008 , 3, 1343-9	4.5	80
33	Photo-induced valence tautomerism in Co complexes. <i>Accounts of Chemical Research</i> , 2007 , 40, 361-9	24.3	177
32	Guest-specific function of a flexible undulating channel in a 7,7,8,8-tetracyano-p-quinodimethane dimer-based porous coordination polymer. <i>Journal of the American Chemical Society</i> , 2007 , 129, 10990-	1 ^{16.4}	158
31	A flexible interpenetrating coordination framework with a bimodal porous functionality. <i>Nature Materials</i> , 2007 , 6, 142-8	27	701
30	Three-dimensional porous coordination polymer functionalized with amide groups based on tridentate ligand: selective sorption and catalysis. <i>Journal of the American Chemical Society</i> , 2007 , 129, 2607-14	16.4	870
29	Chemistry of coordination space of porous coordination polymers. <i>Coordination Chemistry Reviews</i> , 2007 , 251, 2490-2509	23.2	800
28	Metastable sorption state of a metal-organic porous material determined by in situ synchrotron powder diffraction. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 4932-6	16.4	101
27	Dynamic motion of building blocks in porous coordination polymers. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 7226-30	16.4	216
26	Metastable Sorption State of a Metal Drganic Porous Material Determined by In Situ Synchrotron Powder Diffraction. <i>Angewandte Chemie</i> , 2006 , 118, 5054-5058	3.6	31
25	Dynamic Motion of Building Blocks in Porous Coordination Polymers. <i>Angewandte Chemie</i> , 2006 , 118, 7384-7388	3.6	46
24	Immobilization of sodium ions on the pore surface of a porous coordination polymer. <i>Journal of the American Chemical Society</i> , 2006 , 128, 4222-3	16.4	132
23	Chemical reaction-inspired crystal growth of a coordination polymer toward morphology design and control. <i>Journal of the American Chemical Society</i> , 2006 , 128, 15799-808	16.4	27

(2004-2006)

22	TCNQ dianion-based coordination polymer whose open framework shows charge-transfer type guest inclusion. <i>Journal of the American Chemical Society</i> , 2006 , 128, 16416-7	16.4	130
21	Guest-induced asymmetry in a metal-organic porous solid with reversible single-crystal-to-single-crystal structural transformation. <i>Journal of the American Chemical Society</i> , 2005 , 127, 17152-3	16.4	309
20	Formation and characterization of crystalline molecular arrays of gas molecules in a 1-dimensional ultramicropore of a porous copper coordination polymer. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 23378-85	3.4	63
19	Flexible microporous coordination polymers. <i>Journal of Solid State Chemistry</i> , 2005 , 178, 2420-2429	3.3	333
18	Highly controlled acetylene accommodation in a metal-organic microporous material. <i>Nature</i> , 2005 , 436, 238-41	50.4	1267
17	Direct observation of hydrogen molecules adsorbed onto a microporous coordination polymer. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 920-3	16.4	198
16	Cover Picture: Direct Observation of Hydrogen Molecules Adsorbed onto a Microporous Coordination Polymer (Angew. Chem. Int. Ed. 6/2005). <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 829-829	16.4	1
15	Direct Observation of Hydrogen Molecules Adsorbed onto a Microporous Coordination Polymer. <i>Angewandte Chemie</i> , 2005 , 117, 942-945	3.6	31
14	Titelbild: Direct Observation of Hydrogen Molecules Adsorbed onto a Microporous Coordination Polymer (Angew. Chem. 6/2005). <i>Angewandte Chemie</i> , 2005 , 117, 851-851	3.6	2
13	Magnetic Properties of Molecular Oxygen Adsorbed in Micro-Porous Metal-Organic Solids. <i>Progress of Theoretical Physics Supplement</i> , 2005 , 159, 271-279		24
12	Dynamics of guests in microporous coordination polymers studied by solid state NMR and X-ray analysis. <i>Studies in Surface Science and Catalysis</i> , 2005 , 156, 725-732	1.8	20
11	Immobilization of a metallo schiff base into a microporous coordination polymer. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 2684-7	16.4	319
10	Expanding and shrinking porous modulation based on pillared-layer coordination polymers showing selective guest adsorption. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 3269-72	16.4	363
9	Cover Picture: Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption (Angew. Chem. Int. Ed. 25/2004). <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 3205-3205	16.4	
8	Immobilization of a Metallo Schiff Base into a Microporous Coordination Polymer. <i>Angewandte Chemie</i> , 2004 , 116, 2738-2741	3.6	64
7	Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption. <i>Angewandte Chemie</i> , 2004 , 116, 3331-3334	3.6	91
6	Titelbild: Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption (Angew. Chem. 25/2004). <i>Angewandte Chemie</i> , 2004 , 116, 3267-3267	3.6	
5	Motion of methanol adsorbed in porous coordination polymer with paramagnetic metal ions. <i>Chemical Communications</i> , 2004 , 2152-3	5.8	29

4	Guest shape-responsive fitting of porous coordination polymer with shrinkable framework. <i>Journal of the American Chemical Society</i> , 2004 , 126, 14063-70	16.4	274
3	Rational design and crystal structure determination of a 3-D metal-organic jungle-gym-like open framework. <i>Inorganic Chemistry</i> , 2004 , 43, 6522-4	5.1	194
2	Novel Crystalline Porous Compounds Based on Metal Complexes-Structures and Functions. <i>Nihon Kessho Gakkaishi</i> , 2004 , 46, 53-58	О	1
1	Synthetic Strategy for Incorporating Carboxylate Ligands into Coordination Polymers under a Solvent-Free Reaction. <i>Crystal Growth and Design</i> ,	3.5	3