

# Eeva-Riitta Savolainen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6064345/publications.pdf>

Version: 2024-02-01

20  
papers

223  
citations

1040056

9  
h-index

1058476

14  
g-index

20  
all docs

20  
docs citations

20  
times ranked

445  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neutrophil CD64, C-reactive protein, and procalcitonin in the identification of sepsis in the ICU – Post-test probabilities. <i>Journal of Critical Care</i> , 2018, 43, 139-142.	2.2	36
2	ERCC6L2 defines a novel entity within inherited acute myeloid leukemia. <i>Blood</i> , 2019, 133, 2724-2728.	1.4	35
3	The fat mass and obesity-associated (FTO) gene variant rs9939609 predicts long-term incidence of cardiovascular disease and related death independent of the traditional risk factors. <i>Annals of Medicine</i> , 2015, 47, 655-663.	3.8	19
4	The IL-8, VEGF, and CFH Polymorphisms and Bevacizumab in Age-related Macular Degeneration. <i>Ophthalmology</i> , 2014, 121, 973-974.e2.	5.2	16
5	An extracellular matrix signature in leukemia precursor cells and acute myeloid leukemia. <i>Haematologica</i> , 2017, 102, e245-e248.	3.5	16
6	Autograft cellular composition and outcome in NHL patients: results of the prospective multicenter GOA study. <i>Leukemia and Lymphoma</i> , 2020, 61, 2082-2092.	1.3	12
7	Autograft cellular composition and outcome in myeloma patients: Results of the prospective multicenter GOA study. <i>Transfusion</i> , 2021, 61, 1830-1844.	1.6	11
8	Thromboelastography Values Remain Hypercoagulative 6 Months After Obesity Surgery: a Pilot Study. <i>Obesity Surgery</i> , 2018, 28, 3943-3949.	2.1	10
9	Cost analysis of a randomized stem cell mobilization study in multiple myeloma. <i>Annals of Hematology</i> , 2016, 95, 1653-1659.	1.8	9
10	Expression of a specific extracellular matrix signature is a favorable prognostic factor in acute myeloid leukemia. <i>Leukemia Research Reports</i> , 2018, 9, 9-13.	0.4	9
11	CD34+ cell mobilization, blood graft composition, and posttransplant recovery in myeloma patients compared to non-Hodgkin's lymphoma patients: results of the prospective multicenter GOA study. <i>Transfusion</i> , 2020, 60, 1519-1528.	1.6	9
12	Vanin 1 ( <i>VNN1</i> ) levels predict poor outcome in acute myeloid leukemia. <i>American Journal of Hematology</i> , 2018, 93, E4-E7.	4.1	8
13	Blood graft composition and post-transplant recovery in myeloma patients mobilized with plerixafor: a prospective multicenter study. <i>Leukemia and Lymphoma</i> , 2019, 60, 453-461.	1.3	8
14	Monocyte and lymphocyte surface molecules in severe sepsis and non-septic critically ill Patients. <i>Apmis</i> , 2017, 125, 536-543.	2.0	7
15	Hyperthermic intraperitoneal chemotherapy enhances blood coagulation perioperatively evaluated by thromboelastography: a pilot study. <i>International Journal of Hyperthermia</i> , 2020, 37, 293-300.	2.5	6
16	TIM-family molecules in embryonic hematopoiesis: Fetal liver TIM-4 <sup>lo</sup> cells have myeloid potential. <i>Experimental Hematology</i> , 2014, 42, 230-240.	0.4	5
17	The impact of sample site and storage on thromboelastography values. <i>American Journal of Hematology</i> , 2017, 92, E160-E162.	4.1	5
18	The Standard Point-of-Care Hemochron Jr. ACT+ Test in Monitoring Heparin Administration for Cardiopulmonary Bypass in Severe Factor XII Deficiency. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, , .	1.3	1

#	ARTICLE	IF	CITATIONS
19	Nordic CML Study Group Quality and Standardization Rounds for Quantitative RT-PCR of BCR-ABL To Facilitate Reporting on the International Scale.. Blood, 2007, 110, 4559-4559.	1.4	1
20	Acute Lymphoblastic Leukemia with "Normal" Karyotype is not without Genomic Aberrations.. Blood, 2008, 112, 1491-1491.	1.4	0