

Anders Lindroth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6065973/publications.pdf>

Version: 2024-02-01

186
papers

19,744
citations

16411

64
h-index

12233

133
g-index

211
all docs

211
docs citations

211
times ranked

15982
citing authors

#	ARTICLE	IF	CITATIONS
1	Large carbon-sink potential by Kyoto forests in Sweden—a case study on willow plantations. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 59, 910.	0.8	16
2	Environmental controls on the CO ₂ exchange in north European mires. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 59, 812.	0.8	75
3	Spring initiation and autumn cessation of boreal coniferous forest CO ₂ exchange assessed by meteorological and biological variables. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 61, 701.	0.8	31
4	Methane exchange in a boreal forest estimated by gradient method. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 67, 26688.	0.8	16
5	Tundra permafrost thaw causes significant shifts in energy partitioning. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 68, 30467.	0.8	15
6	Impacts of stump harvesting on carbon dioxide, methane and nitrous oxide fluxes. <i>IForest</i> , 2022, 15, 148-162.	0.5	1
7	Accounting for all territorial emissions and sinks is important for development of climate mitigation policies. <i>Carbon Balance and Management</i> , 2021, 16, 10.	1.4	4
8	Boreal forest soil carbon fluxes one year after a wildfire: Effects of burn severity and management. <i>Global Change Biology</i> , 2021, 27, 4181-4195.	4.2	16
9	Global transpiration data from sap flow measurements: the SAPFLUXNET database. <i>Earth System Science Data</i> , 2021, 13, 2607-2649.	3.7	65
10	The Net Landscape Carbon Balance—Integrating terrestrial and aquatic carbon fluxes in a managed boreal forest landscape in Sweden. <i>Global Change Biology</i> , 2020, 26, 2353-2367.	4.2	28
11	Impacts of Clear-Cutting of a Boreal Forest on Carbon Dioxide, Methane and Nitrous Oxide Fluxes. <i>Forests</i> , 2020, 11, 961.	0.9	16
12	Effects of drought and meteorological forcing on carbon and water fluxes in Nordic forests during the dry summer of 2018. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190516.	1.8	35
13	Increasing contribution of peatlands to boreal evapotranspiration in a warming climate. <i>Nature Climate Change</i> , 2020, 10, 555-560.	8.1	106
14	The biophysical climate mitigation potential of boreal peatlands during the growing season. <i>Environmental Research Letters</i> , 2020, 15, 104004.	2.2	31
15	Covariations between plant functional traits emerge from constraining parameterization of a terrestrial biosphere model. <i>Global Ecology and Biogeography</i> , 2019, 28, 1351-1365.	2.7	22
16	Time shift between net and gross CO ₂ uptake and growth derived from tree rings in pine and spruce. <i>Trees - Structure and Function</i> , 2019, 33, 765-776.	0.9	12
17	Verification of a One-Dimensional Model of CO ₂ Atmospheric Transport Inside and Above a Forest Canopy Using Observations at the Norunda Research Station. <i>Boundary-Layer Meteorology</i> , 2018, 168, 103-126.	1.2	1
18	Impact of CO ₂ storage flux sampling uncertainty on net ecosystem exchange measured by eddy covariance. <i>Agricultural and Forest Meteorology</i> , 2018, 248, 228-239.	1.9	30

#	ARTICLE	IF	CITATIONS
19	Standardisation of chamber technique for CO ₂ , N ₂ O and CH ₄ fluxes measurements from terrestrial ecosystems. <i>International Agrophysics</i> , 2018, 32, 569-587.	0.7	76
20	Prediction of photosynthesis in Scots pine ecosystems across Europe by a needle-level theory. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 13321-13328.	1.9	0
21	Quantifying the effect of forest age in annual net forest carbon balance. <i>Environmental Research Letters</i> , 2018, 13, 124018.	2.2	67
22	Methane and carbon dioxide fluxes over a lake: comparison between eddy covariance, floating chambers and boundary layer method. <i>Biogeosciences</i> , 2018, 15, 429-445.	1.3	81
23	Effects of low thinning on carbon dioxide fluxes in a mixed hemiboreal forest. <i>Agricultural and Forest Meteorology</i> , 2018, 262, 59-70.	1.9	35
24	Towards long-term standardised carbon and greenhouse gas observations for monitoring Europe's terrestrial ecosystems: a review. <i>International Agrophysics</i> , 2018, 32, 439-455.	0.7	55
25	Standardisation of eddy-covariance flux measurements of methane and nitrous oxide. <i>International Agrophysics</i> , 2018, 32, 517-549.	0.7	66
26	ICOS eddy covariance flux-station site setup: a review. <i>International Agrophysics</i> , 2018, 32, 471-494.	0.7	59
27	Early snowmelt significantly enhances boreal springtime carbon uptake. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11081-11086.	3.3	84
28	Two years with extreme and little snowfall: effects on energy partitioning and surface energy exchange in a high-Arctic tundra ecosystem. <i>Cryosphere</i> , 2016, 10, 1395-1413.	1.5	32
29	Calibration and validation of a semi-empirical flux ecosystem model for coniferous forests in the Boreal region. <i>Ecological Modelling</i> , 2016, 341, 37-52.	1.2	39
30	Do the energy fluxes and surface conductance of boreal coniferous forests in Europe scale with leaf area?. <i>Global Change Biology</i> , 2016, 22, 4096-4113.	4.2	39
31	Assessment and simulation of global terrestrial latent heat flux by synthesis of CMIP5 climate models and surface eddy covariance observations. <i>Agricultural and Forest Meteorology</i> , 2016, 223, 151-167.	1.9	25
32	Studying the spatial variability of methane flux with five eddy covariance towers of varying height. <i>Agricultural and Forest Meteorology</i> , 2015, 214-215, 456-472.	1.9	27
33	Interpreting canopy development and physiology using a European phenology camera network at flux sites. <i>Biogeosciences</i> , 2015, 12, 5995-6015.	1.3	98
34	The importance of micrometeorological variations for photosynthesis and transpiration in a boreal coniferous forest. <i>Biogeosciences</i> , 2015, 12, 237-256.	1.3	9
35	Upscaling of methane exchange in a boreal forest using soil chamber measurements and high-resolution LiDAR elevation data. <i>Agricultural and Forest Meteorology</i> , 2015, 214-215, 393-401.	1.9	8
36	Evaluating the performance of commonly used gas analysers for methane eddy covariance flux measurements: the InGOS inter-comparison field experiment. <i>Biogeosciences</i> , 2014, 11, 3163-3186.	1.3	38

#	ARTICLE	IF	CITATIONS
37	A 12-year record reveals pre-growing season temperature and water table level threshold effects on the net carbon dioxide exchange in a boreal fen. <i>Environmental Research Letters</i> , 2014, 9, 055006.	2.2	100
38	Differentiating moss from higher plants is critical in studying the carbon cycle of the boreal biome. <i>Nature Communications</i> , 2014, 5, 4270.	5.8	42
39	Latent heat exchange in the boreal and arctic biomes. <i>Global Change Biology</i> , 2014, 20, 3439-3456.	4.2	52
40	The Full Annual Carbon Balance of Boreal Forests Is Highly Sensitive to Precipitation. <i>Environmental Science and Technology Letters</i> , 2014, 1, 315-319.	3.9	65
41	Comparison of floating chamber and eddy covariance measurements of lake greenhouse gas fluxes. <i>Biogeosciences</i> , 2014, 11, 4225-4233.	1.3	66
42	Short-term effects of thinning, clear-cutting and stump harvesting on methane exchange in a boreal forest. <i>Biogeosciences</i> , 2014, 11, 6095-6105.	1.3	24
43	Estimation of winter leaf area index and sky view fraction for snow modelling in boreal coniferous forests: consequences on snow mass and energy balance. <i>Hydrological Processes</i> , 2013, 27, 2876-2891.	1.1	9
44	Soil surface CO ₂ efflux measurements in Norway spruce forests: Comparison between four different sites across Europe – from boreal to alpine forest. <i>Geoderma</i> , 2013, 192, 295-303.	2.3	53
45	Energy exchange and water budget partitioning in a boreal minerogenic mire. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2013, 118, 1-13.	1.3	94
46	A fertile peatland forest does not constitute a major greenhouse gas sink. <i>Biogeosciences</i> , 2013, 10, 7739-7758.	1.3	45
47	Effects of drought conditions on the carbon dioxide dynamics in a temperate peatland. <i>Environmental Research Letters</i> , 2012, 7, 045704.	2.2	91
48	Atmospheric methane removal by boreal plants. <i>Geophysical Research Letters</i> , 2012, 39, .	1.5	43
49	Thermal optimality of net ecosystem exchange of carbon dioxide and underlying mechanisms. <i>New Phytologist</i> , 2012, 194, 775-783.	3.5	111
50	Up-scaling of water use efficiency from leaf to canopy as based on leaf gas exchange relationships and the modeled in-canopy light distribution. <i>Agricultural and Forest Meteorology</i> , 2012, 152, 201-211.	1.9	49
51	Correction to “Global patterns of land-atmosphere fluxes of carbon dioxide, latent heat, and sensible heat derived from eddy covariance, satellite, and meteorological observations”. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	5
52	Modeling GPP in the Nordic forest landscape with MODIS time series data – Comparison with the MODIS GPP product. <i>Remote Sensing of Environment</i> , 2012, 126, 136-147.	4.6	40
53	Modelling Regional Surface Energy Exchange and Boundary Layer Development in Boreal Sweden – Comparison of Mesoscale Model (RAMS) Simulations with Aircraft and Tower Observations. <i>Atmosphere</i> , 2012, 3, 537-556.	1.0	0
54	Land-atmosphere exchange of methane from soil thawing to soil freezing in a high-arctic wet tundra ecosystem. <i>Global Change Biology</i> , 2012, 18, 1928-1940.	4.2	89

#	ARTICLE	IF	CITATIONS
55	Quantification of C uptake in subarctic birch forest after setback by an extreme insect outbreak. <i>Geophysical Research Letters</i> , 2011, 38, n/a-n/a.	1.5	42
56	Global patterns of land-atmosphere fluxes of carbon dioxide, latent heat, and sensible heat derived from eddy covariance, satellite, and meteorological observations. <i>Journal of Geophysical Research</i> , 2011, 116, .	3.3	933
57	Redefinition and global estimation of basal ecosystem respiration rate. <i>Global Biogeochemical Cycles</i> , 2011, 25, n/a-n/a.	1.9	43
58	Assessing parameter variability in a photosynthesis model within and between plant functional types using global Fluxnet eddy covariance data. <i>Agricultural and Forest Meteorology</i> , 2011, 151, 22-38.	1.9	135
59	Thermal adaptation of net ecosystem exchange. <i>Biogeosciences</i> , 2011, 8, 1453-1463.	1.3	30
60	Hydrology and Biogeochemistry of Boreal Forests. <i>Ecological Studies</i> , 2011, , 321-339.	0.4	0
61	Variability in exchange of CO ₂ across 12 northern peatland and tundra sites. <i>Global Change Biology</i> , 2010, 16, 2436-2448.	4.2	144
62	Assimilation exceeds respiration sensitivity to drought: A FLUXNET synthesis. <i>Global Change Biology</i> , 2010, 16, 657-670.	4.2	238
63	Heat storage in forest biomass improves energy balance closure. <i>Biogeosciences</i> , 2010, 7, 301-313.	1.3	120
64	Climate control of terrestrial carbon exchange across biomes and continents. <i>Environmental Research Letters</i> , 2010, 5, 034007.	2.2	137
65	Terrestrial Gross Carbon Dioxide Uptake: Global Distribution and Covariation with Climate. <i>Science</i> , 2010, 329, 834-838.	6.0	2,056
66	Spatiotemporal evolution of CO ₂ concentration, temperature, and wind field during stable nights at the Norunda forest site. <i>Agricultural and Forest Meteorology</i> , 2010, 150, 692-701.	1.9	30
67	Direct advection measurements do not help to solve the night-time CO ₂ closure problem: Evidence from three different forests. <i>Agricultural and Forest Meteorology</i> , 2010, 150, 655-664.	1.9	126
68	Past, Present, and Future Controls on Levels of Persistent Organic Pollutants in the Global Environment. <i>Environmental Science & Technology</i> , 2010, 44, 6526-6531.	4.6	214
69	A young afforestation area in Iceland was a moderate sink to CO ₂ only a decade after scarification and establishment. <i>Biogeosciences</i> , 2009, 6, 2895-2906.	1.3	13
70	Effects of N and P fertilization on the greenhouse gas exchange in two northern peatlands with contrasting N deposition rates. <i>Biogeosciences</i> , 2009, 6, 2135-2144.	1.3	68
71	Estimating Net Primary Production of Swedish Forest Landscapes by Combining Mechanistic Modeling and Remote Sensing. <i>Ambio</i> , 2009, 38, 316-324.	2.8	8
72	Applicability of leaf area index products for boreal regions of Sweden. <i>International Journal of Remote Sensing</i> , 2009, 30, 5619-5632.	1.3	12

#	ARTICLE	IF	CITATIONS
73	Available energy and energy balance closure at four coniferous forest sites across Europe. <i>Theoretical and Applied Climatology</i> , 2009, 98, 397-412.	1.3	58
74	Storms can cause Europe-wide reduction in forest carbon sink. <i>Global Change Biology</i> , 2009, 15, 346-355.	4.2	178
75	Air-Boreal Forest Transfer and Processing of Polychlorinated Biphenyls. <i>Environmental Science & Technology</i> , 2009, 43, 5282-5289.	4.6	41
76	Use of Depuration Compounds in Passive Air Samplers: Results from Active Sampling-Supported Field Deployment, Potential Uses, and Recommendations. <i>Environmental Science & Technology</i> , 2009, 43, 3227-3232.	4.6	76
77	A new mass conservation approach to the study of CO ₂ advection in an alpine forest. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	69
78	Water use efficiency as a measure to assess forest carbon uptake for different management strategies. <i>IOP Conference Series: Earth and Environmental Science</i> , 2009, 6, 082015.	0.2	0
79	Pools and fluxes of carbon in three Norway spruce ecosystems along a climatic gradient in Sweden. <i>Biogeochemistry</i> , 2008, 89, 7-25.	1.7	99
80	Measurement of net ecosystem exchange, productivity and respiration in three spruce forests in Sweden shows unexpectedly large soil carbon losses. <i>Biogeochemistry</i> , 2008, 89, 43-60.	1.7	54
81	Bayesian calibration method used to elucidate carbon turnover in forest on drained organic soil. <i>Biogeochemistry</i> , 2008, 89, 61-79.	1.7	38
82	Biophysical controls on CO ₂ fluxes of three Northern forests based on long-term eddy covariance data. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2008, 60, 143-152.	0.8	53
83	H ₂ O and CO ₂ fluxes at the floor of a boreal pine forest. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2008, 60, 167-178.	0.8	43
84	Net carbon dioxide losses of northern ecosystems in response to autumn warming. <i>Nature</i> , 2008, 451, 49-52.	13.7	930
85	Magnani et al. reply. <i>Nature</i> , 2008, 451, E3-E4.	13.7	20
86	Leaf area index is the principal scaling parameter for both gross photosynthesis and ecosystem respiration of Northern deciduous and coniferous forests. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2008, 60, 129-142.	0.8	75
87	Developing an empirical model of stand GPP with the LUE approach: analysis of eddy covariance data at five contrasting conifer sites in Europe. <i>Global Change Biology</i> , 2008, 14, 92-108.	4.2	132
88	Contemporary carbon accumulation in a boreal oligotrophic minerogenic mire – a significant sink after accounting for all C-fluxes. <i>Global Change Biology</i> , 2008, 14, 2317-2332.	4.2	299
89	Bayesian calibration of a model describing carbon, water and heat fluxes for a Swedish boreal forest stand. <i>Ecological Modelling</i> , 2008, 213, 331-344.	1.2	54
90	Annual CO ₂ exchange between a nutrient-poor, minerotrophic, boreal mire and the atmosphere. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	86

#	ARTICLE	IF	CITATIONS
91	Comparison of horizontal and vertical advective CO ₂ fluxes at three forest sites. <i>Agricultural and Forest Meteorology</i> , 2008, 148, 12-24.	1.9	136
92	Thinning effects on pine-spruce forest transpiration in central Sweden. <i>Forest Ecology and Management</i> , 2008, 255, 2312-2323.	1.4	77
93	Gas transfer rate and CO ₂ flux between an unproductive lake and the atmosphere in northern Sweden. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	77
94	Towards operational remote sensing of forest carbon balance across Northern Europe. <i>Biogeosciences</i> , 2008, 5, 817-832.	1.3	51
95	Assessing seasonality of biochemical CO ₂ exchange model parameters from micrometeorological flux observations at boreal coniferous forest. <i>Biogeosciences</i> , 2008, 5, 1625-1639.	1.3	31
96	Biophysical controls on CO ₂ fluxes of three Northern forests based on long-term eddy covariance data. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2008, 60, .	0.8	1
97	Determinants of terrestrial ecosystem carbon balance inferred from European eddy covariance flux sites. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	223
98	A catchment-scale carbon and greenhouse gas budget of a subarctic landscape. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2007, 365, 1643-1656.	1.6	76
99	Evidence for soil water control on carbon and water dynamics in European forests during the extremely dry year: 2003. <i>Agricultural and Forest Meteorology</i> , 2007, 143, 123-145.	1.9	509
100	Estimating net primary production for Scandinavian forests using data from Terra/MODIS. <i>Advances in Space Research</i> , 2007, 39, 125-130.	1.2	46
101	The effect of water availability on stand-level productivity, transpiration, water use efficiency and radiation use efficiency of field-grown willow clones. <i>Biomass and Bioenergy</i> , 2007, 31, 460-468.	2.9	88
102	The human footprint in the carbon cycle of temperate and boreal forests. <i>Nature</i> , 2007, 447, 849-851.	13.7	868
103	CO ₂ balance of boreal, temperate, and tropical forests derived from a global database. <i>Global Change Biology</i> , 2007, 13, 2509-2537.	4.2	863
104	The likely impact of elevated [CO ₂], nitrogen deposition, increased temperature and management on carbon sequestration in temperate and boreal forest ecosystems: a literature review. <i>New Phytologist</i> , 2007, 173, 463-480.	3.5	579
105	Estimate of annual carbon balance of a young Siberian larch (<i>Larix sibirica</i>) plantation in Iceland. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2007, 59, 891-899.	0.8	7
106	Annual CO ₂ balance of a temperate bog. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2007, 59, 804-811.	0.8	62
107	Vertical variability and effect of stability on turbulence characteristics down to the floor of a pine forest. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2007, 59, 919-936.	0.8	64
108	Current Carbon Balance of the Forested Area in Sweden and its Sensitivity to Global Change as Simulated by Biome-BGC. <i>Ecosystems</i> , 2006, 9, 894-908.	1.6	32

#	ARTICLE	IF	CITATIONS
109	Net primary production and light use efficiency in a mixed coniferous forest in Sweden. <i>Plant, Cell and Environment</i> , 2005, 28, 412-423.	2.8	85
110	Estimating LAI in deciduous forest stands. <i>Agricultural and Forest Meteorology</i> , 2005, 129, 27-37.	1.9	60
111	Variation in sapflow and stem growth in relation to tree size, competition and thinning in a mixed forest of pine and spruce in Sweden. <i>Forest Ecology and Management</i> , 2004, 188, 51-63.	1.4	40
112	Comparison of different chamber techniques for measuring soil CO ₂ efflux. <i>Agricultural and Forest Meteorology</i> , 2004, 123, 159-176.	1.9	420
113	Turbulence characteristics and dispersion in a forest—tests of Thomson's random-flight model. <i>Agricultural and Forest Meteorology</i> , 2004, 127, 203-222.	1.9	21
114	Comparison between tower and aircraft-based eddy covariance fluxes in five European regions. <i>Agricultural and Forest Meteorology</i> , 2004, 127, 1-16.	1.9	91
115	Air temperature triggers the recovery of evergreen boreal forest photosynthesis in spring. <i>Global Change Biology</i> , 2003, 9, 1410-1426.	4.2	273
116	A Calibration System for Soil Carbon Dioxide Efflux Measurement Chambers. <i>Soil Science Society of America Journal</i> , 2003, 67, 327-334.	1.2	33
117	Coniferous Forests (Scots and Maritime Pine): Carbon and Water Fluxes, Balances, Ecological and Ecophysiological Determinants. <i>Ecological Studies</i> , 2003, , 71-97.	0.4	8
118	Boreal Forest Surface Parameterization in the ECMWF Model—1D Test with NOPEX Long-Term Data. <i>Journal of Applied Meteorology and Climatology</i> , 2003, 42, 95-112.	1.7	10
119	A Calibration System for Soil Carbon Dioxide-Efflux Measurement Chambers. <i>Soil Science Society of America Journal</i> , 2003, 67, 327.	1.2	29
120	Energy partitioning between latent and sensible heat flux during the warm season at FLUXNET sites. <i>Water Resources Research</i> , 2002, 38, 30-1-30-11.	1.7	169
121	Transpiration response to soil moisture in pine and spruce trees in Sweden. <i>Agricultural and Forest Meteorology</i> , 2002, 112, 67-85.	1.9	154
122	Stand transpiration and sapflow density in relation to weather, soil moisture and stand characteristics. <i>Basic and Applied Ecology</i> , 2002, 3, 229-243.	1.2	58
123	Dependence of k_B^{-1} factor on roughness Reynolds number for barley and pasture. <i>Agricultural and Forest Meteorology</i> , 2001, 106, 147-152.	1.9	12
124	Carbon Balance Gradient in European Forests: Should We Doubt 'Surprising' Results? A Reply to Piovesan & Adams. <i>Journal of Vegetation Science</i> , 2001, 12, 145.	1.1	1
125	Evaluation of heat balance and heat dissipation methods for sapflow measurements in pine and spruce. <i>Annals of Forest Science</i> , 2001, 58, 625-638.	0.8	86
126	Water-use efficiency as a means of modelling net assimilation in boreal forests. <i>Trees - Structure and Function</i> , 2001, 15, 67-74.	0.9	23

#	ARTICLE	IF	CITATIONS
127	Productivity overshadows temperature in determining soil and ecosystem respiration across European forests. <i>Global Change Biology</i> , 2001, 7, 269-278.	4.2	843
128	Simulation of willow short-rotation forest evaporation using a modified Shuttleworth-Wallace approach. <i>Hydrological Processes</i> , 2001, 15, 97-113.	1.1	15
129	Carbon balance gradient in European forests: should we doubt "surprising" results? A reply to Piovesan & Adams. <i>Journal of Vegetation Science</i> , 2001, 12, 145-150.	1.1	24
130	Carbon dioxide exchange in Norway spruce at the shoot, tree and ecosystem scale. <i>Tree Physiology</i> , 2001, 21, 969-976.	1.4	57
131	Water Vapor, CO ₂ , and Temperature Profiles in and above a Forest—Accuracy Assessment of an Unattended Measurement System. <i>Journal of Atmospheric and Oceanic Technology</i> , 2000, 17, 417-425.	0.5	20
132	Respiration as the main determinant of carbon balance in European forests. <i>Nature</i> , 2000, 404, 861-865.	13.7	1,438
133	Branch transpiration of pine and spruce scaled to tree and canopy using needle biomass distributions. <i>Trees - Structure and Function</i> , 2000, 14, 384-397.	0.9	27
134	CO ₂ exchange at the floor of a boreal forest. <i>Agricultural and Forest Meteorology</i> , 2000, 101, 1-14.	1.9	119
135	Experimental determination of the roughness length for temperature over a field of tall grass in central sweden. <i>Geografiska Annaler, Series A: Physical Geography</i> , 1999, 81, 87-100.	0.6	8
136	Assessment of regional willow coppice yield in Sweden on basis of water availability. <i>Forest Ecology and Management</i> , 1999, 121, 57-65.	1.4	122
137	Continuous long-term measurements of soil-plant-atmosphere variables at a forest site. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 53-73.	1.9	78
138	Regional-scale CO ₂ fluxes over central Sweden by a boundary layer budget method. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 169-180.	1.9	50
139	A new land-surface treatment for HIRLAM " comparisons with NOPEX measurements. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 239-256.	1.9	13
140	Long-term measurements of stand water uptake in Swedish boreal forest. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 547-554.	1.9	29
141	Seasonal variation of boreal forest surface conductance and evaporation. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 563-578.	1.9	73
142	Evaporation and storage of intercepted rain analysed by comparing two models applied to a boreal forest. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 595-604.	1.9	28
143	Test of a modified Shuttleworth-Wallace estimate of boreal forest evaporation. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 605-619.	1.9	47
144	Flux-profile relationships over a boreal forest " roughness sublayer corrections. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 645-658.	1.9	128

#	ARTICLE	IF	CITATIONS
145	Thermal roughness length of a boreal forest. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 659-670.	1.9	26
146	Scale aggregation " comparison of flux estimates from NOPEX. <i>Agricultural and Forest Meteorology</i> , 1999, 98-99, 103-119.	1.9	24
147	Analysis of carbon and water fluxes from the NOPEX boreal forest: comment. <i>Journal of Hydrology</i> , 1999, 218, 92-94.	2.3	2
148	Long-term measurements of boreal forest carbon balance reveal large temperature sensitivity. <i>Global Change Biology</i> , 1998, 4, 443-450.	4.2	327
149	Analysis of carbon and water fluxes from the NOPEX boreal forest: comparison of measurements with FOREST-BGC simulations. <i>Journal of Hydrology</i> , 1998, 212-213, 62-78.	2.3	45
150	Water flux in boreal forest during two hydrologically contrasting years; species specific regulation of canopy conductance and transpiration. <i>Annales Des Sciences ForestiÁres</i> , 1998, 55, 47-61.	1.1	56
151	Open ventilated chamber system for measurements of H ₂ O and CO ₂ fluxes from the soil surface. <i>Soil and Tillage Research</i> , 1997, 10, 169-184.	0.4	32
152	Evaporation components of a boreal forest: variations during the growing season. <i>Journal of Hydrology</i> , 1997, 197, 70-87.	2.3	114
153	Canopy transpiration from a boreal forest in Sweden during a dry year. <i>Agricultural and Forest Meteorology</i> , 1997, 86, 157-167.	1.9	78
154	Energy partitioning in relation to leaf area development of short-rotation willow coppice. <i>Agricultural and Forest Meteorology</i> , 1996, 81, 119-130.	1.9	22
155	Will rising levels of atmospheric CO ₂ and temperature lead to enhanced or suppressed rates of evapotranspiration? A comment. <i>Weather</i> , 1996, 51, 285-288.	0.6	4
156	Eddy-correlation system for long-term monitoring of fluxes of heat, water vapour and CO ₂ . <i>Global Change Biology</i> , 1996, 2, 297-307.	4.2	109
157	Water use efficiency of short-rotation <i>Salix viminalis</i> at leaf, tree and stand scales. <i>Tree Physiology</i> , 1996, 16, 257-262.	1.4	68
158	Gas-exchange and sap flow measurements of <i>Salix viminalis</i> trees in short-rotation forest. <i>Trees - Structure and Function</i> , 1995, 9, 289-294.	0.9	23
159	Gas-exchange and sap flow measurements of <i>Salix viminalis</i> trees in short-rotation forest. <i>Trees - Structure and Function</i> , 1995, 9, 295-301.	0.9	33
160	Sap flow by the heat balance method applied to small size <i>Salix</i> trees in a short-rotation forest. <i>Biomass and Bioenergy</i> , 1995, 8, 7-15.	2.9	49
161	Individual variation of sap-flow rate in large pine and spruce trees and stand transpiration: a pilot study at the central NOPEX site. <i>Journal of Hydrology</i> , 1995, 168, 17-27.	2.3	101
162	Measuring water use efficiency of Eucalypt trees with chambers and micrometeorological techniques " comment. <i>Journal of Hydrology</i> , 1995, 169, 281-283.	2.3	5

#	ARTICLE	IF	CITATIONS
163	Simulated and measured water uptake by picea abies under non-limiting soil water conditions. Agricultural and Forest Meteorology, 1994, 71, 147-164.	1.9	44
164	Water-use efficiency of willow: Variation with season, humidity and biomass allocation. Journal of Hydrology, 1994, 156, 1-19.	2.3	75
165	Simulating evaporation from short-rotation forest: variations within and between seasons. Journal of Hydrology, 1994, 156, 21-45.	2.3	75
166	Night-time evaporation from a short-rotation willow stand. Journal of Hydrology, 1994, 157, 235-245.	2.3	25
167	The effects of water availability on transpiration, water potential and growth of Picea abies during a growing season. Journal of Hydrology, 1994, 155, 57-71.	2.3	72
168	Flow Distortion by a Solent Sonic Anemometer: Wind Tunnel Calibration and Its Assessment for Flux Measurements over Forest and Field. Journal of Atmospheric and Oceanic Technology, 1994, 11, 1529-1542.	0.5	67
169	Aerodynamic and canopy resistance of short-rotation forest in relation to leaf area index and climate. Boundary-Layer Meteorology, 1993, 66, 265-279.	1.2	59
170	Surface energy budget dynamics of short-rotation willow forest. Theoretical and Applied Climatology, 1993, 47, 175-185.	1.3	26
171	Errors in Net Radiometry: Comparison and Evaluation of Six Radiometer Designs. Journal of Atmospheric and Oceanic Technology, 1992, 9, 762-783.	0.5	106
172	Assessment of transpiration estimates for Picea abies trees during a growing season. Trees - Structure and Function, 1992, 6, 121-127.	0.9	56
173	Reduced Loss in Precipitation Measurements Using a New Wind Shield for Raingages. Journal of Atmospheric and Oceanic Technology, 1991, 8, 444-451.	0.5	11
174	Gradient measurements with fixed and reversing temperature and humidity sensors above a thin forest. Agricultural and Forest Meteorology, 1990, 53, 81-103.	1.9	24
175	Water use by intensively cultivated willow using estimated stomatal parameter values. Hydrological Processes, 1989, 3, 51-63.	1.1	50
176	Turbulent exchange above a pine forest, I: Fluxes and gradients. Boundary-Layer Meteorology, 1989, 49, 197-217.	1.2	74
177	Willow production related to climatic variations in Southern Sweden. Scandinavian Journal of Forest Research, 1987, 2, 99-110.	0.5	5
178	Synoptic evapotranspiration model applied to two northern forests of different density. Journal of Hydrology, 1987, 95, 185-201.	2.3	12
179	Numerical analysis of pine forest evaporation and surface resistance. Agricultural and Forest Meteorology, 1986, 38, 59-79.	1.9	41
180	Pine forest microclimate simulation using different diffusivities. Boundary-Layer Meteorology, 1986, 35, 103-123.	1.2	27

#	ARTICLE	IF	CITATIONS
181	Canopy Conductance of Coniferous Forests Related to Climate. <i>Water Resources Research</i> , 1985, 21, 297-304.	1.7	86
182	Seasonal and diurnal variation of energy budget components in coniferous forests. <i>Journal of Hydrology</i> , 1985, 82, 1-15.	2.3	48
183	Gradient distributions and flux profile relations above a rough forest. <i>Quarterly Journal of the Royal Meteorological Society</i> , 1984, 110, 553-563.	1.0	16
184	Simple calculation of extinction coefficient of forest stands. <i>Agricultural Meteorology</i> , 1981, 25, 97-110.	0.7	27
185	Evapotranspiration Measurements in J�rdras, Instrumentation, Data Gathering and Processing. <i>Developments in Agricultural and Managed-forest Ecology</i> , 1979, 9, 15-26.	0.2	4
186	Discrepancy between Energy and Water Balance Estimates of Evapotranspiration. <i>Developments in Agricultural and Managed-forest Ecology</i> , 1979, 9, 237-255.	0.2	10