

Wei Wu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6067447/wei-wu-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

9,220
citations

46
h-index

93
g-index

155
ext. papers

10,668
ext. citations

6.5
avg, IF

6.96
L-index

#	Paper	IF	Citations
151	Fully Printed Stretchable and Multifunctional E-Textiles for Aesthetic Wearable Electronic Systems.. <i>Small</i> , 2022 , e2107298	11	9
150	Blue-to-green manipulation of carbon dots from fluorescence to ultralong room-temperature phosphorescence for high-level anti-counterfeiting. <i>Chinese Chemical Letters</i> , 2021 , 32, 3907-3907	8.1	6
149	Combinations of Superior Inorganic Phosphors for Level-Tunable Information Hiding and Encoding. <i>Advanced Optical Materials</i> , 2021 , 9, 2100281	8.1	11
148	Plasmonic dye-sensitized solar cells through collapsible gold nanofingers. <i>Nanotechnology</i> , 2021 , 32,	3.4	1
147	Printed flexible supercapacitor: Ink formulation, printable electrode materials and applications. <i>Applied Physics Reviews</i> , 2021 , 8, 021319	17.3	22
146	Electrode materials and device architecture strategies for flexible supercapacitors in wearable energy storage. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 8099-8128	13	24
145	Recent advances in printed flexible heaters for portable and wearable thermal management. <i>Materials Horizons</i> , 2021 , 8, 1634-1656	14.4	24
144	Synthesis of 2D TiCT MXene and MXene-based composites for flexible strain and pressure sensors. <i>Nanoscale Horizons</i> , 2021 , 6, 893-906	10.8	1
143	Printable, Down/Up-Conversion Triple-Mode Fluorescence Responsive and Colorless Self-Healing Elastomers with Superior Toughness. <i>Advanced Functional Materials</i> , 2021 , 31, 2100211	15.6	15
142	In situ observation of the solid solution-induced sublimation of CuAg Janus nanoparticles. <i>Journal of Alloys and Compounds</i> , 2021 , 877, 160168	5.7	2
141	Printed Flexible Heaters-Based Thermotherapy Platform for Multiduty Thermal Management. <i>Advanced Materials Technologies</i> , 2020 , 5, 2000278	6.8	14
140	Recent progress on photocatalytic heterostructures with full solar spectral responses. <i>Chemical Engineering Journal</i> , 2020 , 393, 124719	14.7	56
139	Recent achievements in self-healing materials based on ionic liquids: a review. <i>Journal of Materials Science</i> , 2020 , 55, 13543-13558	4.3	13
138	Screen-Printed Flexible Strain Sensors with Ag Nanowires for Intelligent and Tamper-Evident Packaging Applications. <i>Advanced Materials Technologies</i> , 2020 , 5, 1901097	6.8	13
137	All-Printed MnHCF-MnOx-Based High-Performance Flexible Supercapacitors. <i>Advanced Energy Materials</i> , 2020 , 10, 2000022	21.8	56
136	One-Step-Printed, Highly Sensitive, Textile-Based, Tunable Performance Strain Sensors for Human Motion Detection. <i>Advanced Materials Technologies</i> , 2020 , 5, 1900925	6.8	44
135	Directly printing of upconversion fluorescence-responsive elastomers for self-healable optical application. <i>Chemical Engineering Journal</i> , 2020 , 384, 123375	14.7	16

134	Multifunctional Ultrastretchable Printed Soft Electronic Devices for Wearable Applications. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900922	6.4	33
133	Designing Multicolor Dual-Mode Lanthanide-Doped NaLuF ₄ /Y ₂ O ₃ Composites for Advanced Anticounterfeiting. <i>Advanced Optical Materials</i> , 2020 , 8, 1901209	8.1	44
132	Enhanced pseudocapacitive performance of CoSnO ₃ through Mn ²⁺ doping by ion-exchange method for all-printed supercapacitors. <i>Electrochimica Acta</i> , 2020 , 331, 135298	6.7	6
131	All-printed, low-cost, tunable sensing range strain sensors based on Ag nanodendrite conductive inks for wearable electronics. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 809-818	7.1	61
130	Printing the Ultra-Long Ag Nanowires Inks onto the Flexible Textile Substrate for Stretchable Electronics. <i>Nanomaterials</i> , 2019 , 9,	5.4	17
129	Large-area, kirigami topology structure-induced highly stretchable and flexible interconnects: Directly printing preparation and mechanic mechanism. <i>Science China Materials</i> , 2019 , 62, 1412-1422	7.1	10
128	Ni(OH) ₂ /NiMoO ₄ nanoplates for large-scale fully-printed flexible solid-state supercapacitors. <i>Journal of Power Sources</i> , 2019 , 433, 126676	8.9	21
127	All-printed solid-state supercapacitors with versatile shapes and superior flexibility for wearable energy storage. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 15960-15968	13	32
126	Toward fiber-, paper-, and foam-based flexible solid-state supercapacitors: electrode materials and device designs. <i>Nanoscale</i> , 2019 , 11, 7041-7061	7.7	99
125	Structure-designed fabrication of all-printed flexible in-plane solid-state supercapacitors for wearable electronics. <i>Journal of Power Sources</i> , 2019 , 425, 195-203	8.9	25
124	Novel Interface in CuAg Nanostructure Induced by Size Effect. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 1973-1980	6.4	15
123	NIR light-activated upconversion semiconductor photocatalysts. <i>Nanoscale Horizons</i> , 2019 , 4, 10-25	10.8	69
122	Holographic polymer nanocomposites with simultaneously boosted diffraction efficiency and upconversion photoluminescence. <i>Composites Science and Technology</i> , 2019 , 181, 107705	8.6	10
121	Catalytic Application and Mechanism Studies of Argentite Chloride Coupled Ag/Au Hollow Heterostructures: Considering the Interface Between Ag/Au Bimetals. <i>Nanoscale Research Letters</i> , 2019 , 14, 35	5	18
120	Tunable Emissions of Upconversion Fluorescence for Security Applications. <i>Advanced Optical Materials</i> , 2019 , 7, 1801171	8.1	91
119	Screen-Printed, Low-Cost, and Patterned Flexible Heater Based on Ag Fractal Dendrites for Human Wearable Application. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800453	6.8	35
118	Recent progress in printed flexible solid-state supercapacitors for portable and wearable energy storage. <i>Journal of Power Sources</i> , 2019 , 410-411, 69-77	8.9	104
117	Efficient solid-state and dual-mode photoluminescence of carbon-dots/NaLuF ₄ microcrystals for multifunctional applications. <i>Journal of Alloys and Compounds</i> , 2019 , 775, 457-465	5.7	7

116	Stretchable electronics: functional materials, fabrication strategies and applications. <i>Science and Technology of Advanced Materials</i> , 2019 , 20, 187-224	7.1	146
115	Dual upconversion nanophotoswitch for security encoding. <i>Science China Materials</i> , 2019 , 62, 368-378	7.1	32
114	Highly conductive, flexible and stretchable conductors based on fractal silver nanostructures. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 3999-4006	7.1	33
113	All-Printed Solid-State Microsupercapacitors Derived from Self-Template Synthesis of Ag@PPy Nanocomposites. <i>Advanced Materials Technologies</i> , 2018 , 3, 1700206	6.8	46
112	Protonated Branched Polyethyleneimine Induces the Shape Evolution of BiOCl and Exposed {010} Facet of BiOCl Nanosheets. <i>Crystal Growth and Design</i> , 2018 , 18, 5479-5491	3.5	21
111	Tunable and ultra-stable UV light-switchable fluorescent composites for information hiding and storage. <i>Dalton Transactions</i> , 2018 , 47, 11264-11271	4.3	21
110	Sculpting Extreme Electromagnetic Field Enhancement in Free Space for Molecule Sensing. <i>Small</i> , 2018 , 14, e1801146	11	26
109	Printable Monodisperse All-Inorganic Perovskite Quantum Dots: Synthesis and Banknotes Protection Applications. <i>Advanced Materials Technologies</i> , 2018 , 3, 1800150	6.8	37
108	Radiopaque Fully Degradable Nanocomposites for Coronary Stents. <i>Scientific Reports</i> , 2018 , 8, 17409	4.9	12
107	All-printed ultraflexible and stretchable asymmetric in-plane solid-state supercapacitors (ASCs) for wearable electronics. <i>Journal of Power Sources</i> , 2018 , 397, 59-67	8.9	52
106	Ultrasensitive SERS performance in 3D "sunflower-like" nanoarrays decorated with Ag nanoparticles. <i>Nanoscale</i> , 2017 , 9, 3114-3120	7.7	100
105	Dimensional heterostructures of 1D CdS/2D ZnInS composited with 2D graphene: designed synthesis and superior photocatalytic performance. <i>Dalton Transactions</i> , 2017 , 46, 2770-2777	4.3	59
104	Inorganic nanomaterials for printed electronics: a review. <i>Nanoscale</i> , 2017 , 9, 7342-7372	7.7	324
103	Efficient Visible Light Formaldehyde Oxidation with 2D p-n Heterostructure of BiOBr/BiPO ₄ Nanosheets at Room Temperature. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 5008-5017	8.3	58
102	Controllable synthesis of Au@SnO ₂ core-shell nanohybrids with enhanced photocatalytic activities. <i>Materials Research Express</i> , 2017 , 4, 055502	1.7	3
101	Facile synthesis and screen printing of dual-mode luminescent NaYF ₄ :Er,Yb (Tm)/carbon dots for anti-counterfeiting applications. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 6512-6520	7.1	93
100	Zinc Oxide Coating Effect for the Dye Removal and Photocatalytic Mechanisms of Flower-Like MoS ₂ Nanoparticles. <i>Nanoscale Research Letters</i> , 2017 , 12, 221	5	43
99	Ultrasensitive SERS Substrate Integrated with Uniform Subnanometer Scale Hot Spots Created by a Graphene Spacer for the Detection of Mercury Ions. <i>Small</i> , 2017 , 13, 1603347	11	79

98	Improved Thermal Stability of Graphene-Veiled Noble Metal Nanoarrays as Recyclable SERS Substrates. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 40726-40733	9.5	28
97	Preparation and RGB upconversion optic properties of transparent anti-counterfeiting films. <i>Nanoscale</i> , 2017 , 9, 15982-15989	7.7	65
96	Full-spectrum-activated Z-scheme photocatalysts based on NaYF ₄ :Yb ³⁺ /Er ³⁺ , TiO ₂ and Ag ₆ Si ₂ O ₇ . <i>Journal of Materials Chemistry A</i> , 2017 , 5, 23566-23576	13	55
95	Efficient UV-Vis-NIR Responsive Upconversion and Plasmonic-Enhanced Photocatalyst Based on Lanthanide-Doped NaYF ₄ /SnO ₂ /Ag. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 10889-10899	8.3	59
94	Facile Synthesis of Silver Nanowires with Different Aspect Ratios and Used as High-Performance Flexible Transparent Electrodes. <i>Nanoscale Research Letters</i> , 2017 , 12, 480	5	41
93	Synthesis and photocatalytic application of ternary structural g-C ₃ N ₄ /Ag/Ag ₃ PO ₄ composite nanomaterials. <i>Journal of Environmental Chemical Engineering</i> , 2017 , 5, 5777-5785	6.8	6
92	Facile synthesis of amorphous FeOOH/MnO ₂ composites as screen-printed electrode materials for all-printed solid-state flexible supercapacitors. <i>Journal of Power Sources</i> , 2017 , 361, 31-38	8.9	53
91	Significant Radiation Tolerance and Moderate Reduction in Thermal Transport of a Tungsten Nanofilm by Inserting Monolayer Graphene. <i>Advanced Materials</i> , 2017 , 29, 1604623	24	36
90	Recent progress in the fabrication of SERS substrates based on the arrays of polystyrene nanospheres. <i>Science China: Physics, Mechanics and Astronomy</i> , 2016 , 59, 1	3.6	9
89	High Mobility MoS Transistor with Low Schottky Barrier Contact by Using Atomic Thick h-BN as a Tunneling Layer. <i>Advanced Materials</i> , 2016 , 28, 8302-8308	24	282
88	Anchoring of Ag ₆ Si ₂ O ₇ nanoparticles on Fe ₂ O ₃ short nanotubes as a Z-scheme photocatalyst for improving their photocatalytic performances. <i>Dalton Transactions</i> , 2016 , 45, 12745-55	4.3	31
87	Designed synthesis and surface engineering strategies of magnetic iron oxide nanoparticles for biomedical applications. <i>Nanoscale</i> , 2016 , 8, 19421-19474	7.7	223
86	Wetting properties and SERS applications of ZnO/Ag nanowire arrays patterned by a screen printing method. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 6371-6379	7.1	48
85	Large-scale synthesis and screen printing of upconversion hexagonal-phase NaYF ₄ :Yb ³⁺ , Tm ³⁺ /Er ³⁺ /Eu ³⁺ plates for security applications. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 6327-6335	7.1	95
84	Shape control of inorganic nanoparticles from solution. <i>Nanoscale</i> , 2016 , 8, 1237-59	7.7	293
83	Application of temperature cycling for crystal quality control during crystallization. <i>CrystEngComm</i> , 2016 , 18, 2222-2238	3.3	36
82	In situ Oxidation and Self-Assembly Synthesis of Dumbbell-like Fe ₂ O ₃ /Ag/AgX (X = Cl, Br, I) Heterostructures with Enhanced Photocatalytic Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 1521-1530	8.3	41
81	Carbon and silica interlayer influence for the photocatalytic performances of spindle-like Fe ₂ O ₃ /Bi ₂ O ₃ p-n heterostructures. <i>Materials Science in Semiconductor Processing</i> , 2016 , 41, 411-419	4.3	18

80	Design of Enhanced Catalysts by Coupling of Noble Metals (Au,Ag) with Semiconductor SnO ₂ for Catalytic Reduction of 4-Nitrophenol. <i>Particle and Particle Systems Characterization</i> , 2016 , 33, 212-220	3.1	18
79	Fabrication of highly homogeneous surface-enhanced Raman scattering substrates using Ag ion implantation. <i>Journal of Physics Condensed Matter</i> , 2016 , 28, 254003	1.8	4
78	Synthesis and optical properties of gold nanorods with controllable morphology. <i>Journal of Physics Condensed Matter</i> , 2016 , 28, 434002	1.8	18
77	Preparing of Highly Conductive Patterns on Flexible Substrates by Screen Printing of Silver Nanoparticles with Different Size Distribution. <i>Nanoscale Research Letters</i> , 2016 , 11, 412	5	28
76	Shape-controlled iron oxide nanocrystals: synthesis, magnetic properties and energy conversion applications. <i>CrystEngComm</i> , 2016 , 18, 6303-6326	3.3	47
75	A one-pot route to the synthesis of alloyed Cu/Ag bimetallic nanoparticles with different mass ratios for catalytic reduction of 4-nitrophenol. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 3450-3455	13	128
74	Low-Cost, Disposable, Flexible and Highly Reproducible Screen Printed SERS Substrates for the Detection of Various Chemicals. <i>Scientific Reports</i> , 2015 , 5, 10208	4.9	89
73	Sub-100nm hollow SnO ₂ @C nanoparticles as anode material for lithium ion batteries and significantly enhanced cycle performances. <i>Chinese Chemical Letters</i> , 2015 , 26, 1293-1297	8.1	19
72	Tube-like β -Fe ₂ O ₃ @Ag/AgCl heterostructure: controllable synthesis and enhanced plasmonic photocatalytic activity. <i>RSC Advances</i> , 2015 , 5, 61239-61248	3.7	17
71	Controlled preparation of hollow SnO ₂ @M (M = Au, Ag) heterostructures through template-assist method for enhanced photocatalysis. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 482, 276-282	5.1	8
70	Irradiation-induced TiO ₂ nanorods for photoelectrochemical hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 5034-5041	6.7	18
69	Monolayer graphene on nanostructured Ag for enhancement of surface-enhanced Raman scattering stable platform. <i>Nanotechnology</i> , 2015 , 26, 125603	3.4	21
68	Recent progress on magnetic iron oxide nanoparticles: synthesis, surface functional strategies and biomedical applications. <i>Science and Technology of Advanced Materials</i> , 2015 , 16, 023501	7.1	905
67	Efficient enhancement of hydrogen production by Ag/Cu ₂ O/ZnO tandem triple-junction photoelectrochemical cell. <i>Applied Physics Letters</i> , 2015 , 106, 123901	3.4	33
66	Tetragonal hematite single crystals as anode materials for high performance lithium ion batteries. <i>Journal of Power Sources</i> , 2015 , 286, 124-129	8.9	16
65	3D Flowerlike β -Fe ₂ O ₃ @TiO ₂ Core/Shell Nanostructures: General Synthesis and Enhanced Photocatalytic Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 2975-2984	8.3	154
64	Benzocyclobutene (BCB) Polymer as Amphibious Buffer Layer for Graphene Field-Effect Transistor. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 5706-10	1.3	3
63	Recent progress in magnetic iron oxide-semiconductor composite nanomaterials as promising photocatalysts. <i>Nanoscale</i> , 2015 , 7, 38-58	7.7	386

62	Formation of Carbonized Polystyrene Sphere/hemisphere Shell Arrays by Ion Beam Irradiation and Subsequent Annealing or Chloroform Treatment. <i>Scientific Reports</i> , 2015 , 5, 17529	4.9	14
61	Preparation of M@BiFeO ₃ Nanocomposites (M=Ag, Au) Bowl Arrays with Enhanced Visible Light Photocatalytic Activity. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 2255-2263	3.8	46
60	Amorphous carbon framework stabilized SnO ₂ porous nanowires as high performance Li-ion battery anode materials. <i>RSC Advances</i> , 2015 , 5, 49926-49932	3.7	31
59	Plasmon-driven reaction controlled by the number of graphene layers and localized surface plasmon distribution during optical excitation. <i>Light: Science and Applications</i> , 2015 , 4, e342-e342	16.7	154
58	CdSe/ZnS core-shell quantum dots charge trapping layer for flexible photonic memory. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 3173-3180	7.1	40
57	Anion-mediated synthesis of monodisperse silver nanoparticles useful for screen printing of high-conductivity patterns on flexible substrates for printed electronics. <i>RSC Advances</i> , 2015 , 5, 9783-9787	3.7	22
56	Fabrication, characterization and screen printing of conductive ink based on carbon@Ag core-shell nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2014 , 427, 15-9	9.3	24
55	Rings of saturn-like nanoarrays with high number density of hot spots for surface-enhanced Raman scattering. <i>Applied Physics Letters</i> , 2014 , 105, 033515	3.4	20
54	Efficient enhancement of solar-water-splitting by modified Z-scheme structural WO ₃ -W-Si photoelectrodes. <i>Applied Physics Letters</i> , 2014 , 105, 143902	3.4	17
53	Template and silica interlayer tailorable synthesis of spindle-like multilayer Fe ₂ O ₃ /Ag/SnO ₂ ternary hybrid architectures and their enhanced photocatalytic activity. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 1113-24	9.5	60
52	Micro/Nanosized Nontraditional Evaporated Structures Based on Closely Packed Monolayer Binary Colloidal Crystals and Their Fine Structure Enhanced Properties. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 20521-20528	3.8	20
51	Significantly enhanced dye removal performance of hollow tin oxide nanoparticles via carbon coating in dark environment and study of its mechanism. <i>Nanoscale Research Letters</i> , 2014 , 9, 442	5	17
50	Obviously Angular, Cuboid-Shaped TiO ₂ Nanowire Arrays Decorated with Ag Nanoparticle as Ultrasensitive 3D Surface-Enhanced Raman Scattering Substrates. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 22711-22718	3.8	28
49	Tube-like ternary Fe ₂ O ₃ @SnO ₂ @Cu ₂ O sandwich heterostructures: synthesis and enhanced photocatalytic properties. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 13088-97	9.5	70
48	Energy dependence on formation of TiO ₂ nanofilms by Ti ion implantation and annealing. <i>Materials Research Bulletin</i> , 2014 , 51, 376-380	5.1	6
47	Metal ion-mediated synthesis and shape-dependent magnetic properties of single-crystalline Fe ₂ O ₃ nanoparticles. <i>CrystEngComm</i> , 2014 , 16, 5566-5572	3.3	25
46	Size effects of Ag nanoparticles on plasmon-induced enhancement of photocatalysis of Ag-Fe ₃ O ₄ nanocomposites. <i>Journal of Colloid and Interface Science</i> , 2014 , 427, 29-34	9.3	38
45	Fabrication of TiO ₂ Nanofilm Photoelectrodes on Ti Foil by Ti Ion Implantation and Subsequent Annealing. <i>Advances in Condensed Matter Physics</i> , 2014 , 2014, 1-7	1	1

44	Modulating the threshold voltage of oxide nanowire field-effect transistors by a Ga ⁺ ion beam. <i>Nano Research</i> , 2014 , 7, 1691-1698	10	19
43	Formation of TiO ₂ nanorods by ion irradiation. <i>Journal of Applied Physics</i> , 2014 , 115, 184306	2.5	10
42	Side-to-side alignment of gold nanorods with polarization-free characteristic for highly reproducible surface enhanced Raman scattering. <i>Applied Physics Letters</i> , 2014 , 105, 211902	3.4	13
41	Synergistic effect of V/N codoping by ion implantation on the electronic and optical properties of TiO ₂ . <i>Journal of Applied Physics</i> , 2014 , 115, 143106	2.5	6
40	Fabrication of TiO ₂ -based composite films by sequential ion implantation and subsequent annealing. <i>Materials Research Express</i> , 2014 , 1, 025703	1.7	2
39	Self-assemble SnO ₂ @TiO ₂ porous nanowire/nanosheet heterostructures for enhanced photocatalytic property. <i>CrystEngComm</i> , 2014 , 16, 10863-10869	3.3	25
38	Controllable synthesis of recyclable core-shell Fe ₂ O ₃ @SnO ₂ hollow nanoparticles with enhanced photocatalytic and gas sensing properties. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 8228-36	3.6	52
37	The ion implantation-induced properties of one-dimensional nanomaterials. <i>Nanoscale Research Letters</i> , 2013 , 8, 175	5	22
36	Efficiency enhancements in Ag nanoparticles-SiO ₂ -TiO ₂ sandwiched structure via plasmonic effect-enhanced light capturing. <i>Nanoscale Research Letters</i> , 2013 , 8, 73	5	32
35	Synthesis of graphene by MEVVA source ion implantation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2013 , 305, 29-32	1.2	6
34	Large-area, well-ordered, uniform-sized bowtie nanoantenna arrays for surface enhanced Raman scattering substrate with ultra-sensitive detection. <i>Applied Physics Letters</i> , 2013 , 103, 041903	3.4	35
33	Enhanced and polarization dependence of surface-enhanced Raman scattering in silver nanoparticle array-nanowire systems. <i>Applied Physics Letters</i> , 2013 , 102, 163108	3.4	18
32	Single-crystalline Fe ₂ O ₃ nanostructures: controlled synthesis and high-index plane-enhanced photodegradation by visible light. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 6888	13	82
31	SiO ₂ /Ag/BiO ₂ /TiO ₂ multi-shell structures: plasmon enhanced photocatalysts with wide-spectral-response. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 13128	13	64
30	Fabrication and characterization of Ag-implantation modified TiO ₂ films followed with thermal annealing. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2013 , 307, 373-376	1.2	3
29	Non-centrosymmetric Au-SnO ₂ hybrid nanostructures with strong localization of plasmonic for enhanced photocatalysis application. <i>Nanoscale</i> , 2013 , 5, 5628-36	7.7	46
28	Spindle-like alpha-Fe ₂ O ₃ embedded with TiO ₂ nanocrystalline: ion implantation preparation and enhanced magnetic properties. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 5428-33	1.3	7
27	A Novel Way to Fabricate Superhydrophilic and Antibacterial TiO ₂ Nanofilms on Glass by Ion Implantation and Subsequent Annealing. <i>Japanese Journal of Applied Physics</i> , 2013 , 52, 100207	1.4	4

26	Fabrication and properties of TiO ₂ nanofilms on different substrates by a novel and universal method of Ti-ion implantation and subsequent annealing. <i>Nanotechnology</i> , 2013 , 24, 255603	3.4	11
25	Growth and great UV emission improvement of highly crystalline quality core-shell ZnO/MgO nanowires. <i>Materials Letters</i> , 2012 , 84, 147-150	3.3	16
24	Size control and magnetic properties of single layer monodisperse Ni nanoparticles prepared by magnetron sputtering. <i>Journal of Materials Science</i> , 2012 , 47, 508-513	4.3	7
23	Modified in situ and self-catalytic growth method for fabrication of Ag-coated nanocomposites with tailorable optical properties. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	16
22	A Comparative Study of the Magnetic Behavior of Single and Tubular Clustered Magnetite Nanoparticles. <i>Journal of Low Temperature Physics</i> , 2012 , 168, 306-313	1.3	20
21	Double 3-fold-symmetry novel ZnO hierarchical nanostructure arrays: Synthesis, characterization, and photoluminescence properties. <i>Materials Letters</i> , 2012 , 86, 182-185	3.3	8
20	Enhanced photocatalysis by coupling of anatase TiO ₂ film to triangular Ag nanoparticle island. <i>Nanoscale Research Letters</i> , 2012 , 7, 239	5	40
19	Controllable synthesis, magnetic properties, and enhanced photocatalytic activity of spindlelike mesoporous Fe ₂ O ₃ /ZnO core-shell heterostructures. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 3602-9	9.5	155
18	Novel doping for synthesis monodispersed TiO ₂ grains filled into spindle-like hematite bi-component nanoparticles by ion implantation. <i>AIP Advances</i> , 2012 , 2, 032179	1.5	6
17	Polymer-supported bimetallic Ag@AgAu nanocomposites: synthesis and catalytic properties. <i>Chemistry - an Asian Journal</i> , 2012 , 7, 1781-8	4.5	27
16	Controlled synthesis of magnetic iron oxides@SnO ₂ quasi-hollow core-shell heterostructures: formation mechanism, and enhanced photocatalytic activity. <i>Nanoscale</i> , 2011 , 3, 4676-84	7.7	84
15	Facile method to synthesize magnetic iron oxides/TiO ₂ hybrid nanoparticles and their photodegradation application of methylene blue. <i>Nanoscale Research Letters</i> , 2011 , 6, 533	5	82
14	Preparation and characterization of spindle-like Fe ₃ O ₄ mesoporous nanoparticles. <i>Nanoscale Research Letters</i> , 2011 , 6, 89	5	52
13	Controlled synthesis of monodisperse sub-100 nm hollow SnO ₂ nanospheres: a template- and surfactant-free solution-phase route, the growth mechanism, optical properties, and application as a photocatalyst. <i>Chemistry - A European Journal</i> , 2011 , 17, 9708-19	4.8	57
12	Characterization of DC reactive magnetron sputtered NiO films using spectroscopic ellipsometry. <i>Applied Surface Science</i> , 2011 , 257, 5908-5912	6.7	19
11	Antibacterial silver-containing silica glass prepared by ion implantation. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 6424-7	1.3	4
10	Surface plasmon-enhanced light emission using silver nanoparticles embedded in ZnO. <i>Applied Physics Letters</i> , 2010 , 97, 071909	3.4	55
9	Large-Scale and Controlled Synthesis of Iron Oxide Magnetic Short Nanotubes: Shape Evolution, Growth Mechanism, and Magnetic Properties. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 16092-16103	3.8	113

8	Controllable Synthesis of TiO ₂ Submicrospheres with Smooth or Rough Surface. <i>Chemistry Letters</i> , 2010 , 39, 684-685	1.7	4
7	Controllable synthesis and optical properties of connected zinc oxide nanoparticles. <i>Chemistry - an Asian Journal</i> , 2010 , 5, 315-21	4.5	13
6	Synthesis and Magnetic Properties of Maghemite (gamma-Fe(2)O(3)) Short-Nanotubes. <i>Nanoscale Research Letters</i> , 2010 , 5, 1474-1479	5	100
5	One-Pot Reaction and Subsequent Annealing to Synthesis Hollow Spherical Magnetite and Maghemite Nanocages. <i>Nanoscale Research Letters</i> , 2009 , 4, 926-931	5	37
4	Facile Fabrication of Ultrafine Hollow Silica and Magnetic Hollow Silica Nanoparticles by a Dual-Templating Approach. <i>Nanoscale Research Letters</i> , 2009 , 5, 116-123	5	14
3	Magnetic iron oxide nanoparticles: synthesis and surface functionalization strategies. <i>Nanoscale Research Letters</i> , 2008 , 3, 397-415	5	1530
2	Sonochemical synthesis, structure and magnetic properties of air-stable Fe ₃ O ₄ /Au nanoparticles. <i>Nanotechnology</i> , 2007 , 18, 145609	3.4	120
1	Cobalt Hydroxide Nanosheets Grown on Carbon Nanotubes Anchored in Wood Carbon Scaffolding for High-Performance Hybrid Supercapacitors. <i>Energy & Fuels</i> ,	4.1	2