
Han-Zhong Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6068997/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Development of a nomogram combining multiparametric magnetic resonance imaging and PSAâ€related parameters to enhance the detection of clinically significant cancer across different region. Prostate, 2022, 82, 556-565. | 2.3 | 7 |
| 2 | Hengli® Chinese Botulinum Toxin Type A for Treatment of Patients With Overactive Bladder: A Multicenter, Prospective, Randomized, Double-Blind, Placebo-Controlled Trial. Frontiers in Pharmacology, 2022, 13, 840695. | 3.5 | 3 |
| 3 | Skeletal Muscle Metastasis From Renal Cell Carcinoma: A Case Series and Literature Review. Frontiers in Surgery, 2022, 9, 762540. | 1.4 | 3 |
| 4 | Analysis of serum lipid parameters predicting lipid metabolic disorders in TSCâ€AML patients with treatment of mTOR inhibitors. Journal of Clinical Pharmacy and Therapeutics, 2022, , . | 1.5 | 2 |
| 5 | A 30-Year, Single-Center Experience of Unilateral Adrenalectomy for Primary Bilateral Macronodular Adrenal Hyperplasia. Endocrine Practice, 2022, 28, 690-695. | 2.1 | 4 |
| 6 | Analysis of renal lesions in Chinese tuberous sclerosis complex patients with different types of TSC gene mutations. Genetics and Molecular Biology, 2022, 45, . | 1.3 | 3 |
| 7 | Tislelizumab in Asian patients with previously treated locally advanced or metastatic urothelial carcinoma. Cancer Science, 2021, 112, 305-313. | 3.9 | 62 |
| 8 | The characteristics and spatial distributions of prostate cancer in autopsy specimens. Prostate, 2021, 81, 135-141. | 2.3 | 4 |
| 9 | Sum of High-Risk Gene Mutation (SHGM): A Novel Attempt to Assist Differential Diagnosis for Adrenocortical Carcinoma with Benign Adenoma, Based on Detection of Mutations of Nine Target Genes. Biochemical Genetics, 2021, 59, 902-918. | 1.7 | 2 |
| 10 | Development and internal validation of a prediction model of prostate cancer on initial transperineal template-guided prostate biopsy. BMC Urology, 2021, 21, 68. | 1.4 | 2 |
| 11 | Urinary Exosomal CA9 mRNA as a Novel Liquid Biopsy for Molecular Diagnosis of Bladder Cancer. International Journal of Nanomedicine, 2021, Volume 16, 4805-4811. | 6.7 | 21 |
| 12 | Everolimus versus sirolimus for angiomyolipoma associated with tuberous sclerosis complex: a multi-institutional retrospective study in China. Orphanet Journal of Rare Diseases, 2021, 16, 299. | 2.7 | 5 |
| 13 | Combined thoracoscopic and laparoscopic approach to remove a large retroperitoneal compound paraganglioma: A case report. World Journal of Clinical Cases, 2021, 9, 6935-6942. | 0.8 | 0 |
| 14 | Unilateral lesion detected on preoperative multiparametric magnetic resonance imaging and MRI/US fusion-guided prostate biopsy is not an appropriate indication for focal therapy in prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 730.e17-730.e22. | 1.6 | 5 |
| 15 | Single-cell transcriptome analysis identifies a unique tumor cell type producing multiple hormones in ectopic ACTH and CRH secreting pheochromocytoma. ELife, 2021, 10, . | 6.0 | 9 |
| 16 | Intraoperative Vaginal Perforation During Various Mid-Urethral Sling Procedures Treating Female Stress Urinary Incontinence. Journal of Investigative Surgery, 2020, 33, 203-210. | 1.3 | 3 |
| 17 | Three-Dimensional Visualization Technology Used in Pancreatic Surgery: a Valuable Tool for Surgical Trainees. Journal of Gastrointestinal Surgery, 2020, 24, 866-873. | 1.7 | 14 |
| 18 | A pilot investigation of a urinary metabolic biomarker discovery in renal cell carcinoma. International Urology and Nephrology, 2020, 52, 437-446. | 1.4 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Radiumâ€223 in Asian patients with castrationâ€resistant prostate cancer with symptomatic bone metastases: A singleâ€arm phase 3 study. Asia-Pacific Journal of Clinical Oncology, 2020, 17, 462-470. | 1.1 | 6 |
| 20 | Clinical significance of phenotyping and karyotyping of detecting circulating tumor cells in renal cell carcinoma using subtraction enrichment and immunostaining-fluorescence in situ hybridization (SE-iFISH). International Urology and Nephrology, 2020, 52, 2281-2287. | 1.4 | 3 |
| 21 | Investigation of Plasma Metabolic and Lipidomic Characteristics of a Chinese Cohort and a Pilot Study of Renal Cell Carcinoma Biomarker. Frontiers in Oncology, 2020, 10, 1507. | 2.8 | 7 |
| 22 | Anlotinib for Patients With Metastatic Renal Cell Carcinoma Previously Treated With One Vascular Endothelial Growth Factor Receptor-Tyrosine Kinase Inhibitor: A Phase 2 Trial. Frontiers in Oncology, 2020, 10, 664. | 2.8 | 19 |
| 23 | Tumor characteristics, treatments, and survival outcomes in prostate cancer patients with a PSA level < 4 ng/ml: a population-based study. BMC Cancer, 2020, 20, 340. | 2.6 | 10 |
| 24 | Tetramethylpyrazine reduces prostate cancer malignancy through inactivation of the DPP10â€ʿAS1/CBP/FOXM1 signaling pathway. International Journal of Oncology, 2020, 57, 314-324. | 3.3 | 4 |
| 25 | Tislelizumab plus cisplatin/carboplatin and gemcitabine versus placebo plus cisplatin/carboplatin and gemcitabine in Chinese patients with advanced urothelial carcinoma: A phase III trial in progress Journal of Clinical Oncology, 2020, 38, TPS588-TPS588. | 1.6 | 0 |
| 26 | PTEN inhibitor VO‑OHpic suppresses TSC2‑/‑ MEFs proliferation by excessively inhibiting autophagy via the PTEN/PRAS40 pathway. Experimental and Therapeutic Medicine, 2020, 19, 3565-3570. | 1.8 | 2 |
| 27 | Giant multilocular prostatic cystadenoma in a 16-year-old male with difficulty in defecation: case report and literature review. International Journal of Clinical and Experimental Pathology, 2020, 13, 1468-1473. | 0.5 | 2 |
| 28 | 78â€T-Cell, MHC i, and tumor intrinsic gene signatures predict clinical benefit and resistance to tislelizumab monotherapy in pretreated PD-L1+ urothelial carcinoma. , 2020, , . | | 0 |
| 29 | Application of fluorescence in situ hybridization in the detection of bladder transitional-cell carcinoma: A multi-center clinical study based on Chinese population. Asian Journal of Urology, 2019, 6, 114-121. | 1.2 | 8 |
| 30 | Urine Metabolomics for Renal Cell Carcinoma (RCC) Prediction: Tryptophan Metabolism as an Important Pathway in RCC. Frontiers in Oncology, 2019, 9, 663. | 2.8 | 32 |
| 31 | 125I low‑dose‑rate prostate brachytherapy and radical prostatectomy in patients with prostate cancer. Oncology Letters, 2019, 18, 72-80. | 1.8 | 5 |
| 32 | <p>Prognostic significance of a novel indicator (PSA_{postd3}/PSA_{pre})Âfor PSA recurrence in patients after radical prostatectomy</p> . Cancer Management and Research, 2019, Volume 11, 5777-5783. | 1.9 | 1 |
| 33 | Effect of a risk-stratified intervention strategy on surgical complications: experience from a multicentre prospective study in China. BMJ Open, 2019, 9, e025401. | 1.9 | 8 |
| 34 | Diagnosis and Treatment of Adrenocortical Oncocytoma: Case Report of Five Cases and Review of the Literature. Frontiers in Oncology, 2019, 9, 338. | 2.8 | 6 |
| 35 | A multicenter observational study of the realâ€world use of docetaxel for metastatic castrationâ€resistant prostate cancer in China. Asia-Pacific Journal of Clinical Oncology, 2019, 15, 144-150. | 1.1 | 5 |
| 36 | When to Introduce Three-Dimensional Visualization Technology into Surgical Residency: A Randomized Controlled Trial. Journal of Medical Systems, 2019, 43, 71. | 3.6 | 13 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | CT characteristics predict the response to everolimus or sirolimus of renal angiomyolipomas in patients with tuberous sclerosis complex. International Urology and Nephrology, 2019, 51, 671-676. | 1.4 | 10 |
| 38 | Is Prophylactic Steroid Treatment Mandatory for Subclinical Cushing Syndrome After Unilateral Laparoscopic Adrenalectomy?. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2019, 29, 31-35. | 0.8 | 6 |
| 39 | Anlotinib Versus Sunitinib as First-Line Treatment for Metastatic Renal Cell Carcinoma: A Randomized Phase II Clinical Trial. Oncologist, 2019, 24, e702-e708. | 3.7 | 70 |
| 40 | Efficacy and safety of tadalafil 5Âmg onceâ€daily in Asian men with both lower urinary tract symptoms associated with benign prostatic hyperplasia and erectile dysfunction: A phaseÂ3, randomized, doubleâ€blind, parallel, placebo―and tamsulosinâ€controlled study. International Journal of Urology, 2019, 26, 192-200. | 1.0 | 13 |
| 41 | An eight-long non-coding RNA signature as a candidate prognostic biomarker for bladder cancer. Aging, 2019, 11, 6930-6940. | 3.1 | 31 |
| 42 | Assessing the outcomes of everolimus on renal angiomyolipoma associated with tuberous sclerosis complex in China: a two years trial. Orphanet Journal of Rare Diseases, 2018, 13, 43. | 2.7 | 24 |
| 43 | miR-9-5p, miR-124-3p, and miR-132-3p regulate BCL2L11 in tuberous sclerosis complex angiomyolipoma. Laboratory Investigation, 2018, 98, 856-870. | 3.7 | 20 |
| 44 | Multifocal Paraganglioma and Pheochromocytoma Due to Truncated SDHD Mutation. Urology, 2018, 116, 63-67. | 1.0 | 1 |
| 45 | Comparison of lesions detected and undetected by templateâ€guided transperineal saturation prostate biopsy. BJU International, 2018, 121, 415-420. | 2.5 | 16 |
| 46 | The transverse and vertical distribution of prostate cancer in biopsy and radical prostatectomy specimens. BMC Cancer, 2018, 18, 1205. | 2.6 | 17 |
| 47 | Open adrenalectomy versus laparoscopic adrenalectomy for adrenocortical carcinoma: a retrospective comparative study on short-term oncologic prognosis. OncoTargets and Therapy, 2018, Volume 11, 1625-1632. | 2.0 | 26 |
| 48 | Comparison of Partial and Radical Laparascopic Nephrectomy: Long-Term Outcomes for Clinical T1b Renal Cell Carcinoma. Urology Journal, 2018, 15, 16-20. | 0.4 | 9 |
| 49 | Re: Jeffrey J. Tosoian, Debasish Sundi, Bruce J. Trock, et al. Pathologic Outcomes in Favorable-risk Prostate Cancer: Comparative Analysis of Men Electing Active Surveillance and Immediate Surgery. Eur Urol 2016;69:576–81. European Urology, 2017, 71, e12. | 1.9 | 1 |
| 50 | Re: Kapoor et al.: Evolving Strategies in the Treatment of Tuberous Sclerosis Complex-associated Angiomyolipomas (TSC-AML) (Urology 2016;89:19-26). Urology, 2017, 100, 255. | 1.0 | 0 |
| 51 | Assessment of Tuberous Sclerosis Complex Associated With Renal Lesions by Targeted Next-generation Sequencing in Mainland China. Urology, 2017, 101, 170.e1-170.e7. | 1.0 | 16 |
| 52 | Padeliporfin vascular-targeted photodynamic therapy versus active surveillance in men with low-risk prostate cancer. Lancet Oncology, The, 2017, 18, e187. | 10.7 | 5 |
| 53 | A phase 3, double-blind, randomized placebo-controlled efficacy and safety study of abiraterone acetate in chemotherapy-naÃ⁻ve patients with mCRPC in China, Malaysia, Thailand and Russia. Asian Journal of Urology, 2017, 4, 75-85. | 1.2 | 23 |
| 54 | Reply. Urology, 2017, 101, 176. | 1.0 | 1 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 55 | MicroRNA-154 as a prognostic factor in bladder cancer inhibits cellular malignancy by targeting RSF1 and RUNX2. Oncology Reports, 2017, 38, 2727-2734. | 2.6 | 27 |
| 56 | The biological functions and mechanism of miR-212 in prostate cancer proliferation, migration and invasion via targeting Engrailed-2. Oncology Reports, 2017, 38, 1411-1419. | 2.6 | 19 |
| 57 | Tetramethylpyrazine inhibits prostate cancer progression by downregulation of forkhead box M1. Oncology Reports, 2017, 38, 837-842. | 2.6 | 12 |
| 58 | Re: Jaimin R. Bhatt, Patrick O. Richard, Nicole S. Kim, et al. Natural History of Renal Angiomyolipoma (AML): Most Patients with Large AMLs >4 cm Can Be Offered Active Surveillance as an Initial Management Strategy. Eur Urol 2016;70:85–90. European Urology, 2017, 71, e141-e142. | 1.9 | 0 |
| 59 | Preliminary Application of WCX Magnetic Bead-Based Matrix-Assisted Laser Desorption Ionization Time-of-Flight Mass Spectrometry in Analyzing the Urine of Renal Clear Cell Carcinoma. Chinese Medical Sciences Journal, 2017, 32, 248. | 0.4 | 3 |
| 60 | Castleman's Disease. Chinese Medical Journal, 2017, 130, 2126-2127. | 2.3 | 2 |
| 61 | An analysis of treatment preferences and sexual quality of life outcomes in female partners of Chinese men with erectile dysfunction. Asian Journal of Andrology, 2016, 18, 773. | 1.6 | 13 |
| 62 | Relationship among diet habit and lower urinary tract symptoms and sexual function in outpatient-based males with LUTS/BPH: a multiregional and cross-sectional study in China. BMJ Open, 2016, 6, e010863. | 1.9 | 19 |
| 63 | Downregulation of microRNA-206 suppresses clear cell renal carcinoma proliferation and invasion by targeting vascular endothelial growth factor A. Oncology Reports, 2016, 35, 1778-1786. | 2.6 | 23 |
| 64 | Re: Eduard Baco, Erik Rud, Lars Magne Eri, et al. A Randomized Controlled Trial to Assess and Compare the Outcomes of Two-core Prostate Biopsy Guided by Fused Magnetic Resonance and Transrectal Ultrasound Images and Traditional 12-core Systematic Biopsy. Eur Urol 2016;69:149–56 European Urology, 2016, 70, e53-e54. | 1.9 | 1 |
| 65 | Comparison of clinicopathological features in metastatic upper tract urothelial carcinoma and urothelial bladder cancer. International Urology and Nephrology, 2016, 48, 481-487. | 1.4 | 8 |
| 66 | lgG4-related inflammatory pseudotumor of the kidney mimicking renal cell carcinoma: A case report. Oncology Letters, 2016, 11, 3438-3440. | 1.8 | 12 |
| 67 | 1.9 μm Thulium Laser Treats Ureteral Carcinoma via Rigid-ureteroscopy. Chinese Medical Sciences Journal, 2016, 31, 127-128. | 0.4 | Ο |
| 68 | Re: Hashim U. Ahmed, Louise Dickinson, Susan Charman, et al. Focal Ablation Targeted to the Index Lesion in Multifocal Localised Prostate Cancer: a Prospective Development Study. Eur Urol 2015;68:927–36. European Urology, 2016, 70, e131. | 1.9 | 2 |
| 69 | Transperineal templateâ€guided prostate biopsy: 10Âyears of experience. BJU International, 2016, 117, 424-429. | 2.5 | 24 |
| 70 | Efficacy of sorafenib correlates with Memorial Sloan-Kettering Cancer Center (MSKCC) risk classification and bone metastasis in Chinese patients with metastatic renal cell carcinoma. Cellular Oncology (Dordrecht), 2016, 39, 15-21. | 4.4 | 2 |
| 71 | Clinicopathologic Comparison of Urothelial Bladder Carcinoma in Young and Elder Patients. Pathology and Oncology Research, 2016, 22, 67-70. | 1.9 | 8 |
| 72 | Retroperitoneal Laparoscopic Management of Paraganglioma: A Single Institute Experience. PLoS ONE, 2016, 11, e0149433. | 2.5 | 25 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | RECORD-4 phase 2 trial of second-line everolimus (EVE) in patients (pts) with metastatic renal cell carcinoma (mRCC): Final OS analysis Journal of Clinical Oncology, 2016, 34, 560-560. | 1.6 | 0 |
| 74 | Characteristics of Chinese patients with advanced prostate cancer: A muliticentre, non-interventional, observational, prospective, registry study of docetaxel Journal of Clinical Oncology, 2016, 34, 328-328. | 1.6 | 1 |
| 75 | RECORD-4 multicenter phase II trial of second-line everolimus (EVE) in patients (pts) with metastatic renal cell carcinoma (mRCC): Anti-VEGF cohort subanalysis Journal of Clinical Oncology, 2016, 34, 611-611. | 1.6 | 0 |
| 76 | Expression of Î ³ -Synuclein in Bladder Carcinoma: A Possible Marker for Prognosis. Anticancer Research, 2016, 36, 951-6. | 1.1 | 3 |
| 77 | Primary adrenal teratoma: Clinical characteristics and retroperitoneal laparoscopic resection in five adults. Oncology Letters, 2015, 10, 2865-2870. | 1.8 | 17 |
| 78 | Transumbilical laparoendoscopic singleâ€site surgery versus conventional laparoscopy for the resection of retroperitoneal paragangliomas. International Journal of Urology, 2015, 22, 844-849. | 1.0 | 4 |
| 79 | Primitive neuroectodermal tumour of the kidney: An unusual case mimicking renal angiomyolipoma with minimal fat. Canadian Urological Association Journal, 2015, 9, 337. | 0.6 | 2 |
| 80 | iTRAQ-Based Quantitative Proteomic Analysis Identified HSC71 as a Novel Serum Biomarker for Renal Cell Carcinoma. BioMed Research International, 2015, 2015, 1-6. | 1.9 | 13 |
| 81 | Improved sensitivity and specificity for prostate cancer diagnosis based on the urine PCA3/PSA ratio acquired by sequence-specific RNA capture. Oncology Reports, 2015, 34, 2439-2444. | 2.6 | 13 |
| 82 | Serum CA 19-9 as a good prognostic biomarker in patients with bladder cancer. International Journal of Surgery, 2015, 15, 113-116. | 2.7 | 10 |
| 83 | Bladder Varices Caused by Portal Hypertension. Cell Biochemistry and Biophysics, 2015, 72, 795-798. | 1.8 | 1 |
| 84 | Clinical Characteristics and Outcome of Gleason Score 10 Prostate Cancer on Core Biopsy Treated by External Radiotherapy and Hormone Therapy. Chinese Medical Sciences Journal, 2015, 30, 90-94. | 0.4 | 2 |
| 85 | Effects of Sunitinib Malate on Growth of Human Bladder Transitional Cell Line T24 In Vitro. Chinese Medical Sciences Journal, 2015, 30, 51-55. | 0.4 | 2 |
| 86 | Current status of diagnosis and treatment of bladder cancer in China – Analyses of Chinese Bladder Cancer Consortium database. Asian Journal of Urology, 2015, 2, 63-69. | 1.2 | 52 |
| 87 | Human urothelial carcinoma cell response to Sunitinib malate therapy in vitro. Cancer Cell International, 2015, 15, 26. | 4.1 | 6 |
| 88 | RECORD-4: A multicenter, phase II trial of second-line everolimus (EVE) in patients (pts) with metastatic renal cell carcinoma (mRCC) Journal of Clinical Oncology, 2015, 33, 4518-4518. | 1.6 | 5 |
| 89 | Sorafenib Neoadjuvant Therapy in the Treatment of High Risk Renal Cell Carcinoma. PLoS ONE, 2015, 10, e0115896. | 2.5 | 30 |
| 90 | Classification and surgical treatment for 180 cases of adrenocortical hyperplastic disease. International Journal of Clinical and Experimental Medicine, 2015, 8, 19311-7. | 1.3 | 10 |

Han-Zhong Li

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Moving Away from Exhaustion: How Core Self-Evaluations Influence Academic Burnout. PLoS ONE, 2014, 9, e87152. | 2.5 | 42 |
| 92 | Long-term outcome of early stage prostate cancer treated with brachytherapy analysis after a mean follow-up of 7 years. SpringerPlus, 2014, 3, 357. | 1.2 | 2 |
| 93 | A multicenter, noncontrolled clinical study of sorafenib adjuvant therapy in advanced renal cell carcinoma Journal of Clinical Oncology, 2014, 32, e15553-e15553. | 1.6 | 0 |
| 94 | Overactive bladder symptom score to evaluate efficacy of solifenacin for the treatment of overactive bladder symptoms. Chinese Medical Journal, 2014, 127, 261-5. | 2.3 | 2 |
| 95 | Comparison of standard absorbable sutures with self-retaining sutures in retroperitoneoscopic partial nephrectomy: a retrospective study of 68 patients. Urology Journal, 2014, 11, 1878-83. | 0.4 | 3 |
| 96 | Sorafenib treatment of Asian patients with advanced renal cell carcinoma (RCC) in daily practice: Subset analysis of the large non-interventional PREDICT study Journal of Clinical Oncology, 2012, 30, 4628-4628. | 1.6 | 2 |
| 97 | Experience of Retroperitoneal Laparoscopic Treatment on Pheochromocytoma. Urology, 2011, 77, 131-135. | 1.0 | 11 |
| 98 | Magnetic resonance imaging is useful for diagnosis and evaluation of recurrent intravenous leiomyomatosis before surgery. Fertility and Sterility, 2009, 92, 1150-1152. | 1.0 | 3 |
| 99 | Transperineal Ultrasound-Guided Saturation Biopsies Using 11-Region Template of Prostate: Report of 303 Cases. Urology, 2007, 70, 1157-1161. | 1.0 | 40 |
| 100 | Role of Adrenalectomy in Ectopic ACTH Syndrome. Endocrine Journal, 2005, 52, 721-726. | 1.6 | 9 |