
Yan Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6070516/publications.pdf Version: 2024-02-01



YAN CHEN

#	Article	IF	CITATIONS
1	Emergence of NDM-1-producing Acinetobacter baumannii in China. Journal of Antimicrobial Chemotherapy, 2011, 66, 1255-1259.	3.0	225
2	Prevalence of mcr-1 in Escherichia coli and Klebsiella pneumoniae recovered from bloodstream infections in China: a multicentre longitudinal study. Lancet Infectious Diseases, The, 2017, 17, 400-410.	9.1	177
3	Epidemiological characteristics and genetic structure of blaNDM-1 in non-baumannii Acinetobacter spp. in China. Journal of Antimicrobial Chemotherapy, 2012, 67, 2114-2122.	3.0	98
4	High prevalence of ESBL-producing <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> in community-onset bloodstream infections in China. Journal of Antimicrobial Chemotherapy, 2017, 72, 273-280.	3.0	93
5	Wide distribution of CC92 carbapenem-resistant and OXA-23-producing Acinetobacter baumannii in multiple provinces of China. International Journal of Antimicrobial Agents, 2013, 42, 322-328.	2.5	88
6	Decreased susceptibility to tigecycline in Acinetobacter baumannii mediated by a mutation in trm encoding SAM-dependent methyltransferase. Journal of Antimicrobial Chemotherapy, 2014, 69, 72-76.	3.0	72
7	A Highly Efficient CRISPR-Cas9-Based Genome Engineering Platform in Acinetobacter baumannii to Understand the H2O2-Sensing Mechanism of OxyR. Cell Chemical Biology, 2019, 26, 1732-1742.e5.	5.2	55
8	Production of an Attenuated Phenol-Soluble Modulin Variant Unique to the MRSA Clonal Complex 30 Increases Severity of Bloodstream Infection. PLoS Pathogens, 2014, 10, e1004298.	4.7	51
9	Molecular Epidemiology and Mechanism of Sulbactam Resistance in Acinetobacter baumannii Isolates with Diverse Genetic Backgrounds in China. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	35
10	Mechanism of Gene Regulation by a Staphylococcus aureus Toxin. MBio, 2016, 7, .	4.1	34
11	Epidemiology, evolution and cryptic susceptibility of methicillin-resistant Staphylococcus aureus in China: a whole-genome-based survey. Clinical Microbiology and Infection, 2022, 28, 85-92.	6.0	31
12	Emergence of cfr-harbouring coagulase-negative staphylococci among patients receiving linezolid therapy in two hospitals in China. Journal of Medical Microbiology, 2013, 62, 845-850.	1.8	29
13	Basis of Virulence in a Panton-Valentine Leukocidin-Negative Community-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> Strain. Journal of Infectious Diseases, 2015, 211, 472-480.	4.0	29
14	High percentage of the ceftriaxone-resistant <i>Neisseria gonorrhoeae</i> FC428 clone among isolates from a single hospital in Hangzhou, China. Journal of Antimicrobial Chemotherapy, 2021, 76, 936-939.	3.0	26
15	Genetic characteristics of bla NDM-1-positive plasmid in Citrobacter freundii isolate separated from a clinical infectious patient. Journal of Medical Microbiology, 2013, 62, 1332-1337.	1.8	25
16	Complete Genome Sequence of a Pantón-Valentine Leukocidin-Negative Community-Associated Methicillin-Resistant Staphylococcus aureus Strain of Sequence type 72 from Korea. PLoS ONE, 2013, 8, e72803.	2.5	22
17	Identification of Novel Conjugative Plasmids with Multiple Copies of fosB that Confer High-Level Fosfomycin Resistance to Vancomycin-Resistant Enterococci. Frontiers in Microbiology, 2017, 8, 1541.	3.5	21
18	Using Core-genome Multilocus Sequence Typing to Monitor the Changing Epidemiology of Methicillin-resistant <i>Staphylococcus aureus</i> in a Teaching Hospital. Clinical Infectious Diseases, 2018, 67, S241-S248.	5.8	21

Yan Chen

#	Article	IF	CITATIONS
19	Whole Genome Analysis of a Community-Associated Methicillin-Resistant Staphylococcus aureus ST59 Isolate from a Case of Human Sepsis and Severe Pneumonia in China. PLoS ONE, 2014, 9, e89235.	2.5	19
20	In vitro activity of sulbactam in combination with imipenem, meropenem, panipenem or cefoperazone against clinical isolates of Acinetobacter baumannii. International Journal of Antimicrobial Agents, 2013, 41, 400-401.	2.5	18
21	Increasing prevalence of Neisseria gonorrhoeae with decreased susceptibility to ceftriaxone and resistance to azithromycin in Hangzhou, China (2015–17). Journal of Antimicrobial Chemotherapy, 2019, 74, 29-37.	3.0	17
22	Predominance of ST5-II-t311 clone among healthcare-associated methicillin-resistant Staphylococcus aureus isolates recovered from Zhejiang, China. International Journal of Infectious Diseases, 2018, 71, 107-112.	3.3	17
23	Core Genome Allelic Profiles of Clinical Klebsiella pneumoniae Strains Using a Random Forest Algorithm Based on Multilocus Sequence Typing Scheme for Hypervirulence Analysis. Journal of Infectious Diseases, 2020, 221, S263-S271.	4.0	17
24	Tandem amplification of the vanM gene cluster drives vancomycin resistance in vancomycin-variable enterococci. Journal of Antimicrobial Chemotherapy, 2020, 75, 283-291.	3.0	16
25	In-Host Evolution of Daptomycin Resistance and Heteroresistance in Methicillin-Resistant Staphylococcus aureus Strains From Three Endocarditis Patients. Journal of Infectious Diseases, 2020, 221, S243-S252.	4.0	16
26	Surgical Site Infections Caused by Highly Virulent Methicillin-Resistant Staphylococcus aureus Sequence Type 398, China. Emerging Infectious Diseases, 2019, 25, 157-160.	4.3	15
27	Characterization of vanM carrying clinical Enterococcus isolates and diversity of the suppressed vanM gene cluster. Infection, Genetics and Evolution, 2019, 68, 145-152.	2.3	14
28	Detection and analysis of two cases of the internationally spreading ceftriaxone-resistant Neisseria gonorrhoeae FC428 clone in China. Journal of Antimicrobial Chemotherapy, 2019, 74, 3635-3636.	3.0	13
29	Prevalence of Fosfomycin Resistance in Methicillin-Resistant <i>Staphylococcus aureus</i> Isolated from Patients in a University Hospital in China from 2013 to 2015. Japanese Journal of Infectious Diseases, 2018, 71, 312-314.	1.2	11
30	Characterization of the Staphylococcal Cassette Chromosome Composite Island of Staphylococcus haemolyticus SH32, a Methicillin-Resistant Clinical Isolate from China. PLoS ONE, 2014, 9, e87346.	2.5	10
31	Spread of a common blaNDM-1-carrying plasmid among diverse Acinetobacter species. Infection, Genetics and Evolution, 2015, 32, 30-33.	2.3	9
32	Characterization of a community-acquired methicillin-resistant sequence type 338 Staphylococcus aureus strain containing a staphylococcal cassette chromosome mec type VT. International Journal of Infectious Diseases, 2020, 90, 181-187.	3.3	9
33	The Role of <i>mprF</i> Mutations in Seesaw Effect of Daptomycin-Resistant Methicillin-Resistant Staphylococcus aureus Isolates. Antimicrobial Agents and Chemotherapy, 2022, 66, AAC0129521.	3.2	9
34	Household Transmission of Community-Associated Methicillin-Resistant Staphylococcus Aureus. Frontiers in Public Health, 2021, 9, 658638.	2.7	8
35	Characterization of an ST5-SCCmec II-t311 methicillin-resistant Staphylococcus aureus strain with a widespread cfr-positive plasmid. Journal of Infection and Chemotherapy, 2020, 26, 699-705.	1.7	6
36	Characterization of a PVL-negative community-acquired methicillin-resistant Staphylococcus aureus strain of sequence type 88 in China. International Journal of Medical Microbiology, 2017, 307, 346-352.	3.6	5

YAN CHEN

#	Article	IF	CITATIONS
37	Phenotypic Variation and Carbapenem Resistance Potential in OXA-499-Producing Acinetobacter pittii. Frontiers in Microbiology, 2020, 11, 1134.	3.5	5
38	Distribution of erm genes among MRSA isolates with resistance to clindamycin in a Chinese teaching hospital. Infection, Genetics and Evolution, 2021, 96, 105127.	2.3	5
39	Glimpse into the genome sequence of a multidrug-resistant Acinetobacter pittii ST950 clinical isolate carrying the blaOXA-72 and blaOXA-533 genes in China. Memorias Do Instituto Oswaldo Cruz, 2017, 112, 723-727.	1.6	3
40	A random forest model based on core genome allelic profiles of MRSA for penicillin plus potassium clavulanate susceptibility prediction. Microbial Genomics, 2021, 7, .	2.0	3
41	The novel fosfomycin resistance gene fosY is present on a genomic island in CC1 methicillin-resistant <i>Staphylococcus aureus</i> . Emerging Microbes and Infections, 2022, 11, 1166-1173.	6.5	3
42	Staphylococcal cassette chromosome mec amplification as a mechanism for ceftobiprole resistance in clinical methicillin-resistant Staphylococcus aureus isolates. Clinical Microbiology and Infection, 2022, 28, 1151.e1-1151.e7.	6.0	3
43	Whole-genome sequencing for detecting linezolid resistance in a patient with persistent methicillin-resistant Staphylococcus aureus infection during linezolid exposure. International Journal of Antimicrobial Agents, 2020, 55, 105819.	2.5	2
44	Community-Acquired Methicillin-Resistant Staphylococcus aureus ST59 in a Chinese Adult with Meningitis: A Case Report from China. Infection and Drug Resistance, 2020, Volume 13, 2011-2016.	2.7	1
45	Genetic Characteristics of Multiple Copies of Tn1546-Like Elements in ermB-Positive Methicillin-Resistant Staphylococcus aureus From Mainland China. Frontiers in Microbiology, 2022, 13, 814062.	3.5	1
46	ramR operon and lon play a central role in tigecycline resistance in Klebsiella pneumoniae. Journal of Microbiology, Immunology and Infection, 2015, 48, S106.	3.1	0
47	Community Origins of Healthcare-Associated CC59 Methicillin-Resistant <i>Staphylococcus aureus</i> in China. Journal of Infectious Diseases, 0, , .	4.0	О