

Gert Mensink

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/607064/gert-mensink-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

20,643
citations

46
h-index

143
g-index

153
ext. papers

26,609
ext. citations

7.2
avg, IF

7.32
L-index

#	Paper	IF	Citations
127	Global, regional, and national consumption of animal-source foods between 1990 and 2018: findings from the Global Dietary Database.. <i>Lancet Planetary Health, The</i> , 2022 , 6, e243-e256	9.8	1
126	Selection of key indicators for European policy monitoring and surveillance for dietary behaviour, physical activity and sedentary behaviour. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 48	8.4	3
125	Adherence to food-based dietary guidelines among adolescents in Germany according to socio-economic status and region: results from Eating Study as a KiGGS Module (EsKiMo) II. <i>Public Health Nutrition</i> , 2021 , 24, 1216-1228	3.3	4
124	Health-promoting behaviour among adults in Germany - Results from GEDA 2019/2020-EHIS. 2021 , 6, 26-44		0
123	Individual and interpersonal correlates of cardiorespiratory fitness in adults - Findings from the German Health Interview and Examination Survey. <i>Scientific Reports</i> , 2020 , 10, 445	4.9	6
122	Health-related quality of life in children and adolescents with overweight and obesity: results from the German KIGGS survey. <i>BMC Public Health</i> , 2020 , 20, 1722	4.1	9
121	Domain-specific physical activity patterns and cardiorespiratory fitness among the working population: Findings from the cross-sectional German Health Interview and Examination Survey. <i>BMJ Open</i> , 2020 , 10, e034610	3	3
120	Estimates of renal net acid excretion and their relationships with serum uric acid and hyperuricemia in a representative German population sample. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 63-68	5.2	2
119	Time trends of non-alcoholic beverage consumption among adults in Germany, 1990-2011. <i>Nutrition Journal</i> , 2020 , 19, 28	4.3	2
118	Fast food consumption among 12- to 17-year-olds in Germany - Results of EsKiMo II. 2020 , 5, 3-18		1
117	Consumption of organic food by children in Germany - Results of EsKiMo II. 2020 , 5, 19-26		
116	Energy drink consumption among 12- to 17-year-olds in Germany - Results of EsKiMo II. 2020 , 5, 27-33		
115	Time trends in healthy lifestyle among adults in Germany: Results from three national health interview and examination surveys between 1990 and 2011. <i>PLoS ONE</i> , 2019 , 14, e0222218	3.7	4
114	Use of vitamin and mineral supplements among adolescents living in Germany-Results from EsKiMo II. <i>Nutrients</i> , 2019 , 11,	6.7	8
113	Associations between Physical Activity and Food Intake among Children and Adolescents: Results of KiGGS Wave 2. <i>Nutrients</i> , 2019 , 11,	6.7	21
112	Health effects of dietary risks in 195 countries, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2019 , 393, 1958-1972	40	1479
111	Different versions of the German nutrient database affect energy and nutrient intake among adolescents. <i>Journal of Food Composition and Analysis</i> , 2019 , 82, 103251	4.1	

110	Correlates and Determinants of Cardiorespiratory Fitness in Adults: a Systematic Review. <i>Sports Medicine - Open</i> , 2019 , 5, 39	6.1	37
109	Health inequalities among children and adolescents in Germany. Developments over time and trends from the KiGGS study. 2019 , 4, 15-37		3
108	Area-level and individual correlates of active transportation among adults in Germany: A population-based multilevel study. <i>Scientific Reports</i> , 2019 , 9, 16361	4.9	2
107	Time trends in healthy lifestyle among adults in Germany: Results from three national health interview and examination surveys between 1990 and 2011 2019 , 14, e0222218		
106	Time trends in healthy lifestyle among adults in Germany: Results from three national health interview and examination surveys between 1990 and 2011 2019 , 14, e0222218		
105	Time trends in healthy lifestyle among adults in Germany: Results from three national health interview and examination surveys between 1990 and 2011 2019 , 14, e0222218		
104	Time trends in healthy lifestyle among adults in Germany: Results from three national health interview and examination surveys between 1990 and 2011 2019 , 14, e0222218		
103	Educational differences in the prevalence of behavioural risk factors in Germany and the EU - Results from the European Health Interview Survey (EHIS) 2. 2019 , 4, 29-47		1
102	Dietary Potential Renal Acid Load Is Positively Associated with Serum Uric Acid and Odds of Hyperuricemia in the German Adult Population. <i>Journal of Nutrition</i> , 2018 , 148, 49-55	4.1	10
101	Alcohol consumption and cardiorespiratory fitness in five population-based studies. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 164-172	3.9	7
100	Soziale Determinanten des täglichen Frühstücksverzehrs bei Schülern in Deutschland. <i>Pravention Und Gesundheitsforderung</i> , 2018 , 13, 53-62	0.5	4
99	Dietary Acid Load and Potassium Intake Associate with Blood Pressure and Hypertension Prevalence in a Representative Sample of the German Adult Population. <i>Nutrients</i> , 2018 , 10,	6.7	18
98	Socioeconomic Correlates and Determinants of Cardiorespiratory Fitness in the General Adult Population: a Systematic Review and Meta-Analysis. <i>Sports Medicine - Open</i> , 2018 , 4, 25	6.1	13
97	Predictors of physical activity among older adults in Germany: a nationwide cohort study. <i>BMJ Open</i> , 2018 , 8, e021940	3	12
96	Implications of standardization of serum 25-hydroxyvitamin D data for the evaluation of vitamin D status in Germany, including a temporal analysis. <i>BMC Public Health</i> , 2018 , 18, 845	4.1	22
95	How you live is how you feel? Positive associations between different lifestyle factors, cognitive functioning, and health-related quality of life across adulthood. <i>Quality of Life Research</i> , 2018 , 27, 3281-3292	3.7	8
94	Physical activity among children and adolescents in Germany. Results of the cross-sectional KiGGS Wave 2 study and trends. 2018 , 3, 23-30		3
93	Consumption of sugary soft drinks among children and adolescents in Germany. Results of the cross-sectional KiGGS Wave 2 study and trends. 2018 , 3, 31-37		2

92	Sports and dietary behaviour among children and adolescents in Germany. Results of the cross-sectional KiGGS Wave 2 study and trends. 2018 , 3, 3-22		0
91	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 2091-2138	40	210
90	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , 2017 , 377, 13-27	59.2	3027
89	Physical health-related quality of life in relation to metabolic health and obesity among men and women in Germany. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 122	3	8
88	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
87	Vitamin D and mortality: Individual participant data meta-analysis of standardized 25-hydroxyvitamin D in 26916 individuals from a European consortium. <i>PLoS ONE</i> , 2017 , 12, e0170791	3.7	159
86	Food purchase patterns: empirical identification and analysis of their association with diet quality, socio-economic factors, and attitudes. <i>Nutrition Journal</i> , 2017 , 16, 69	4.3	4
85	Comprehensive assessment of food and nutrient intake of children and adolescents in Germany: EsKiMo II - the eating study as a KiGGS module. <i>BMC Nutrition</i> , 2017 , 3, 75	2.5	6
84	Baseline Assessment of 25-Hydroxyvitamin D Reference Material and Proficiency Testing/External Quality Assurance Material Commutability: A Vitamin D Standardization Program Study. <i>Journal of AOAC INTERNATIONAL</i> , 2017 , 100, 1288-1293	1.7	15
83	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1345-1422	40	1378
82	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459	40	224
81	Diet-independent relevance of serum uric acid for blood pressure in a representative population sample. <i>Journal of Clinical Hypertension</i> , 2017 , 19, 1042-1050	2.3	6
80	Temporal changes in predicted risk of type 2 diabetes in Germany: findings from the German Health Interview and Examination Surveys 1997-1999 and 2008-2011. <i>BMJ Open</i> , 2017 , 7, e013058	3	7
79	Why are some people more fit than others? Correlates and determinants of cardiorespiratory fitness in adults: protocol for a systematic review. <i>Systematic Reviews</i> , 2017 , 6, 102	3	6
78	Associations between dietary patterns and biomarkers of nutrient status and cardiovascular risk factors among adolescents in Germany: results of the German Health Interview and Examination Survey for Children and Adolescents in Germany (KiGGS). <i>BMC Nutrition</i> , 2017 , 3,	2.5	4
77	Baseline Assessment of 25-Hydroxyvitamin D Assay Performance: A Vitamin D Standardization Program (VDSP) Interlaboratory Comparison Study. <i>Journal of AOAC INTERNATIONAL</i> , 2017 , 100, 1244-1252	1.7	34
76	Epidemiologie der körperlichen Aktivität und Inaktivität 2017 , 3-13		4
75	Changes in Waist Circumference among German Adults over Time - Compiling Results of Seven Prospective Cohort Studies. <i>Obesity Facts</i> , 2016 , 9, 332-343	5.1	4

74	Sodium intake in Germany estimated from sodium excretion measured in spot urine samples. <i>BMC Nutrition</i> , 2016 , 2,	2.5	4
73	Association between vitamin D and depressive symptoms varies by season: Results from the German Health Interview and Examination Survey for Adults (DEGS1). <i>Journal of Affective Disorders</i> , 2016 , 204, 92-8	6.6	8
72	Changes in mean serum lipids among adults in Germany: results from National Health Surveys 1997-99 and 2008-11. <i>BMC Public Health</i> , 2016 , 16, 240	4.1	15
71	Impact of Nonoptimal Intakes of Saturated, Polyunsaturated, and Trans Fat on Global Burdens of Coronary Heart Disease. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	62
70	Vitamin D deficiency in Europe: pandemic?. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 1033-44	7	612
69	Changes in body weight and obesity status in German adults: results of seven population-based prospective studies. <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 300-5	5.2	22
68	Time Trends in Cardiometabolic Risk Factors in Adults. <i>Deutsches A&#x0308;rztblatt International</i> , 2016 , 113, 712-719	2.5	24
67	Metabolic Health in Relation to Body Size: Changes in Prevalence over Time between 1997-99 and 2008-11 in Germany. <i>PLoS ONE</i> , 2016 , 11, e0167159	3.7	6
66	Validation of the German Diabetes Risk Score among the general adult population: findings from the German Health Interview and Examination Surveys. <i>BMJ Open Diabetes Research and Care</i> , 2016 , 4, e000280	4.5	27
65	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 192 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 ⁴⁰		2787
64	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724	40	2431
63	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850	40	302
62	Vitamin D status among adults in Germany--results from the German Health Interview and Examination Survey for Adults (DEGS1). <i>BMC Public Health</i> , 2015 , 15, 641	4.1	74
61	Modifiable cardiovascular risk factors in adults aged 40-79 years in Germany with and without prior coronary heart disease or stroke. <i>BMC Public Health</i> , 2015 , 15, 701	4.1	20
60	Dietary behaviour and parental socioeconomic position among adolescents: the German Health Interview and Examination Survey for Children and Adolescents 2003-2006 (KiGGS). <i>BMC Public Health</i> , 2015 , 15, 498	4.1	18
59	Healthy behaviours and mental health: findings from the German Health Update (GEDA). <i>European Journal of Public Health</i> , 2015 , 25, 219-25	2.1	16
58	Dietary intake and food sources of choline in European populations. <i>British Journal of Nutrition</i> , 2015 , 114, 2046-55	3.6	43
57	Development of the European Health Interview Survey - Physical Activity Questionnaire (EHIS-PAQ) to monitor physical activity in the European Union. <i>Archives of Public Health</i> , 2015 , 73, 59	2.6	65

56	Physical activity, aerobic fitness and parental socio-economic position among adolescents: the German Health Interview and Examination Survey for Children and Adolescents 2003-2006 (KiGGS). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 43	8.4	41
55	Mapping low intake of micronutrients across Europe. <i>British Journal of Nutrition</i> , 2013 , 110, 755-73	3.6	170
54	Distal and proximal factors of health behaviors and their associations with health in children and adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 2944-78	4.6	13
53	Dietary behaviour and socioeconomic position: the role of physical activity patterns. <i>PLoS ONE</i> , 2013 , 8, e78390	3.7	22
52	Association of dietary sodium intake and blood pressure in the German population. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2012 , 20, 621-630	1.4	1
51	Dietary patterns of adolescents in Germany--associations with nutrient intake and other health related lifestyle characteristics. <i>BMC Pediatrics</i> , 2012 , 12, 35	2.6	45
50	A cluster-analytic approach towards multidimensional health-related behaviors in adolescents: the MoMo-Study. <i>BMC Public Health</i> , 2012 , 12, 1128	4.1	23
49	Comorbidity of overweight and obesity in a nationally representative sample of German adults aged 18-79 years. <i>BMC Public Health</i> , 2012 , 12, 658	4.1	48
48	German health interview and examination survey for adults (DEGS) - design, objectives and implementation of the first data collection wave. <i>BMC Public Health</i> , 2012 , 12, 730	4.1	214
47	Associations of dietary indices with biomarkers of dietary exposure and cardiovascular status among adolescents in Germany. <i>Nutrition and Metabolism</i> , 2012 , 9, 92	4.6	24
46	Physical activity patterns and socioeconomic position: the German National Health Interview and Examination Survey 1998 (GNHIES98). <i>BMC Public Health</i> , 2012 , 12, 1079	4.1	45
45	Association of breastfeeding and exposure to maternal smoking during pregnancy with children's general health status later in childhood. <i>Breastfeeding Medicine</i> , 2012 , 7, 504-13	2.1	0
44	Relative validation of the KiGGS Food Frequency Questionnaire among adolescents in Germany. <i>Nutrition Journal</i> , 2011 , 10, 133	4.3	50
43	Indicators of overweight and cardiovascular disease risk factors among 11- to 17-year-old boys and girls in Germany. <i>Obesity Facts</i> , 2011 , 4, 379-85	5.1	10
42	Dietary patterns are associated with cardiometabolic risk factors in a representative study population of German adults. <i>British Journal of Nutrition</i> , 2011 , 106, 1253-62	3.6	75
41	Food intake of young people with a migration background living in Germany. <i>Public Health Nutrition</i> , 2010 , 13, 324-30	3.3	34
40	Relative validation of a food frequency questionnaire for national health and nutrition monitoring. <i>Nutrition Journal</i> , 2010 , 9, 36	4.3	128
39	HuSKY: a healthy nutrition score based on food intake of children and adolescents in Germany. <i>British Journal of Nutrition</i> , 2009 , 102, 610-8	3.6	54

38	Intake of selected nutrients from foods, from fortification and from supplements in various European countries. <i>Food and Nutrition Research</i> , 2009 , 53,	3.1	119
37	Changes in food and nutrient intake of 6- to 17-year-old Germans between the 1980s and 2006. <i>Public Health Nutrition</i> , 2009 , 12, 1912-23	3.3	31
36	Potential determinants of obesity among children and adolescents in Germany: results from the cross-sectional KiGGS Study. <i>BMC Public Health</i> , 2009 , 9, 46	4.1	139
35	Consumer demand for healthy eating considering diversity – An economic approach for German individuals. <i>International Journal of Consumer Studies</i> , 2009 , 33, 684-696	5.7	7
34	Vitamin D status and health correlates among German adults. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 1079-89	5.2	278
33	The challenge of comprehensively mapping children's health in a nation-wide health survey: design of the German KiGGS-Study. <i>BMC Public Health</i> , 2008 , 8, 196	4.1	343
32	Quantification of a diet's value using hedonic analysis: Integrating a health aspect. <i>Acta Agriculturae Scandinavica Section C: Food Economics</i> , 2008 , 5, 164-177		
31	Higher prevalence of vitamin D deficiency is associated with immigrant background among children and adolescents in Germany. <i>Journal of Nutrition</i> , 2008 , 138, 1482-90	4.1	130
30	Der Kinder- und Jugendgesundheitsurvey des Robert Koch-Instituts als Grundlage für Prävention und Gesundheitsförderung 2008 , 15-39		
29	EsKiMo. <i>Ernährung - Wissenschaft Und Praxis</i> , 2007 , 1, 225-229		6
28	Was essen Kinder und Jugendliche in Deutschland?. <i>Ernährung - Wissenschaft Und Praxis</i> , 2007 , 1, 204-212		3
27	Trinkverhalten von Jugendlichen in Deutschland. <i>Ernährung - Wissenschaft Und Praxis</i> , 2007 , 1, 444-450		3
26	A new index to measure healthy food diversity better reflects a healthy diet than traditional measures. <i>Journal of Nutrition</i> , 2007 , 137, 647-51	4.1	112
25	Dietary intake and sources of long-chain n-3 PUFAs in German adults. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 810-2	5.2	22
24	Alcohol consumption and its relation to cardiovascular risk factors in Germany. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 605-14	5.2	38
23	Food and nutrient intake in East and West Germany, 8 years after the reunification--The German Nutrition Survey 1998. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 1000-10	5.2	66
22	Do users of dietary supplements differ from nonusers in their food consumption?. <i>European Journal of Epidemiology</i> , 2004 , 19, 335-41	12.1	32
21	Dietary behaviour of German adults differing in levels of sport activity. <i>Public Health Nutrition</i> , 2004 , 7, 45-52	3.3	9

20	Determinants of diet quality. <i>Public Health Nutrition</i> , 2004 , 7, 29-37	3.3	84
19	High alcohol consumption in Germany: results of the German National Health Interview and Examination Survey 1998. <i>Public Health Nutrition</i> , 2004 , 7, 879-84	3.3	14
18	Characteristics associated with alcohol consumption in Germany. <i>Journal of Studies on Alcohol and Drugs</i> , 2003 , 64, 262-9		8
17	Blood pressure and vitamin C and fruit and vegetable intake. <i>Annals of Nutrition and Metabolism</i> , 2003 , 47, 214-20	4.5	13
16	Computerization of a dietary history interview in a running cohort; evaluation within the Amsterdam Growth and Health Longitudinal Study. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 394-404	5.2	46
15	Vitamins--dietary intake and intake from dietary supplements in Germany. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 539-45	5.2	69
14	Operationalization of food consumption surveys in Europe: recommendations from the European Food Consumption Survey Methods (EFCOSUM) Project. <i>European Journal of Clinical Nutrition</i> , 2002 , 56 Suppl 2, S75-88	5.2	27
13	Validity of DISHES 98, a computerised dietary history interview: energy and macronutrient intake. <i>European Journal of Clinical Nutrition</i> , 2001 , 55, 409-17	5.2	67
12	The relationship between alcohol consumption, health indicators and mortality in the German population. <i>International Journal of Epidemiology</i> , 1999 , 28, 1066-72	7.8	52
11	Benefits of leisure-time physical activity on the cardiovascular risk profile at older age. <i>International Journal of Epidemiology</i> , 1999 , 28, 659-66	7.8	53
10	The relationship between resting heart rate and all-cause, cardiovascular and cancer mortality. <i>European Heart Journal</i> , 1997 , 18, 1404-10	9.5	141
9	Physical activity and its association with other lifestyle factors. <i>European Journal of Epidemiology</i> , 1997 , 13, 771-8	12.1	60
8	Intensity, duration, and frequency of physical activity and coronary risk factors. <i>Medicine and Science in Sports and Exercise</i> , 1997 , 29, 1192-8	1.2	39
7	Physical activity and its association with cardiovascular risk factors and mortality. <i>Epidemiology</i> , 1996 , 7, 391-7	3.1	64
6	Reduction of coronary heart disease risk factors in the German cardiovascular prevention study. <i>Preventive Medicine</i> , 1996 , 25, 135-45	4.3	51
5	Die ergebnisse der DHP-intervention in den hochrisikogruppen fñhypertonie und Hypercholesterinñie. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 1995 , 3, 242-251	1.4	
4	National trends in risk factors for cardiovascular disease in Germany. <i>Preventive Medicine</i> , 1994 , 23, 197-205	4.5	76
3	The relationship between coffee consumption and serum cholesterol under consideration of smoking history. <i>European Journal of Epidemiology</i> , 1993 , 9, 140-50	12.1	4

- 2 Lipoprotein metabolism and coffee intake--who is at risk?. *European Journal of Nutrition*, **1993**, 32, 163-75 4
- 1 Exposure to dust, endotoxins, and fungi in the animal feed industry. *AIHA Journal*, **1992**, 53, 362-8 42