

Louis Potier

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/607135/louis-potier-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

1,706
citations

21
h-index

40
g-index

61
ext. papers

2,143
ext. citations

8.4
avg. IF

4.33
L-index

#	Paper	IF	Citations
57	Differential prognostic burden of cardiovascular disease and lower-limb amputation on the risk of all-cause death in people with long-standing type 1 diabetes.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 71	8.7	0
56	Association Between the Insertion/Deletion Polymorphism and Risk of Lower-Limb Amputation in Patients With Long-Standing Type 1 Diabetes. <i>Diabetes Care</i> , 2021 ,	14.6	1
55	Stay-at-Home Orders During the COVID-19 Pandemic, an Opportunity to Improve Glucose Control Through Behavioral Changes in Type 1 Diabetes. <i>Diabetes Care</i> , 2021 , 44, 839-843	14.6	16
54	SGLT2 inhibitors and lower limb complications: the diuretic-induced hypovolemia hypothesis. <i>Cardiovascular Diabetology</i> , 2021 , 20, 107	8.7	3
53	Diabetes Increases Severe COVID-19 Outcomes Primarily in Younger Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e3364-e3368	5.6	3
52	Association of diabetes and outcomes in patients with COVID-19: Propensity score-matched analyses from a French retrospective cohort. <i>Diabetes and Metabolism</i> , 2021 , 47, 101222	5.4	7
51	Switching between GLP-1 receptor agonists in clinical practice: Expert consensus and practical guidance. <i>International Journal of Clinical Practice</i> , 2021 , 75, e13731	2.9	11
50	Routine use of statins and increased COVID-19 related mortality in inpatients with type 2 diabetes: Results from the CORONADO study. <i>Diabetes and Metabolism</i> , 2021 , 47, 101202	5.4	43
49	Relationship between obesity and severe COVID-19 outcomes in patients with type 2 diabetes: Results from the CORONADO study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 391-403	6.7	35
48	Plasma concentrations of lipoproteins and risk of lower-limb peripheral artery disease in people with type 2 diabetes: the SURDIAGENE study. <i>Diabetologia</i> , 2021 , 64, 668-680	10.3	5
47	Predictors of hospital discharge and mortality in patients with diabetes and COVID-19: updated results from the nationwide CORONADO study. <i>Diabetologia</i> , 2021 , 64, 778-794	10.3	61
46	The COVID-19 lockdown as an opportunity to change lifestyle and body weight in people with overweight/obesity and diabetes: Results from the national French COVIDIAB cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2605-2611	4.5	3
45	Reliability and Safety of Bedside Blind Bone Biopsy Performed by a Diabetologist for the Diagnosis and Treatment of Diabetic Foot Osteomyelitis. <i>Diabetes Care</i> , 2021 , 44, 2480-2486	14.6	0
44	Comparison of a new versus standard removable offloading device in patients with neuropathic diabetic foot ulcers: a French national, multicentre, open-label randomized, controlled trial. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	1
43	Phenotypic characteristics and prognosis of inpatients with COVID-19 and diabetes: the CORONADO study. <i>Diabetologia</i> , 2020 , 63, 1500-1515	10.3	442
42	Chronic Kidney Disease, Diabetes, and Risk of Mortality After Acute Myocardial Infarction: Insight From the FAST-MI Program. <i>Diabetes Care</i> , 2020 , 43, e43-e44	14.6	7
41	Leukocyte Telomere Length, DNA Oxidation, and Risk of Lower-Extremity Amputation in Patients With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 828-834	14.6	7

40	Relationship between renal capacity to reabsorb glucose and renal status in patients with diabetes. <i>Diabetes and Metabolism</i> , 2020 , 46, 488-495	5.4	1
39	Type 1 Diabetes in People Hospitalized for COVID-19: New Insights From the CORONADO Study. <i>Diabetes Care</i> , 2020 , 43, e174-e177	14.6	26
38	Relationship Between Diabetic Retinopathy Stages and Risk of Major Lower-Extremity Arterial Disease in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 2751-2759	14.6	3
37	Blood glucose levels and COVID-19. Reply to Sardu C, DiOnofrio N, Balestrieri ML et al [letter] and Lepper PM, Bals R, Jñi P et al [letter]. <i>Diabetologia</i> , 2020 , 63, 2491-2494	10.3	4
36	Head-to-head comparison of the diagnostic performances of Rubidium-PET and SPECT with CZT camera for the detection of myocardial ischemia in a population of women and overweight individuals. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 755-768	2.1	6
35	Plasma Apelin and Risk of Type 2 Diabetes in a Cohort From the Community. <i>Diabetes Care</i> , 2020 , 43, e15-e16	14.6	8
34	Glycosuria amount in response to hyperglycaemia and risk for diabetic kidney disease and related events in Type 1 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 1731-1738	4.3	7
33	Plasma Copeptin and Risk of Lower-Extremity Amputation in Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2019 , 42, 2290-2297	14.6	10
32	Lower limb events in individuals with type 2 diabetes: evidence for an increased risk associated with diuretic use. <i>Diabetologia</i> , 2019 , 62, 939-947	10.3	27
31	Non-severe hypoglycaemia is associated with weight gain in patients with type 1 diabetes: Results from the Diabetes Control and Complication Trial. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1289-1292	6.7	6
30	Plasma copeptin, kidney disease, and risk for cardiovascular morbidity and mortality in two cohorts of type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2018 , 17, 110	8.7	19
29	Prognostic Values of Inflammatory and Redox Status Biomarkers on the Risk of Major Lower-Extremity Artery Disease in Individuals With Type 2 Diabetes. <i>Diabetes Care</i> , 2018 , 41, 2162-2169	14.6	10
28	Relationship between cardiac microvascular dysfunction measured with 82Rubidium-PET and albuminuria in patients with diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2018 , 17, 11	8.7	21
27	Plasma proprotein-convertase-subtilisin/kexin type 9 (PCSK9) and cardiovascular events in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 943-953	6.7	9
26	Lower extremity arterial disease in patients with diabetes: a contemporary narrative review. <i>Cardiovascular Diabetology</i> , 2018 , 17, 138	8.7	58
25	Exacerbation of Thromboinflammation by Hyperglycemia Precipitates Cerebral Infarct Growth and Hemorrhagic Transformation. <i>Stroke</i> , 2017 , 48, 1932-1940	6.7	61
24	Angiotensin-converting enzyme inhibitors and angiotensin receptor blockers in high vascular risk. <i>Heart</i> , 2017 , 103, 1339-1346	5.1	25
23	The evaluation of off-loading using a new removable oRTHOsis in DIABetic foot (ORTHODIAB) randomized controlled trial: study design and rationale. <i>Journal of Foot and Ankle Research</i> , 2016 , 9, 34	3.2	7

22	Lower-extremity amputation as a marker for renal and cardiovascular events and mortality in patients with long standing type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2016 , 15, 5	8.7	15
21	Metformin and contrast-induced acute kidney injury in diabetic patients treated with primary percutaneous coronary intervention for ST segment elevation myocardial infarction: Amulticenter study. <i>International Journal of Cardiology</i> , 2016 , 220, 137-42	3.2	19
20	Dynamic Changes in Renal Function Are Associated With Major Cardiovascular Events in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 1259-66	14.6	26
19	Plasma Copeptin, AVP Gene Variants, and Incidence of Type 2 Diabetes in a Cohort From the Community. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2432-9	5.6	52
18	Plasma Copeptin, Kidney Outcomes, Ischemic Heart Disease, and All-Cause Mortality in People With Long-standing Type 1 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 2288-2295	14.6	41
17	Plasma Adrenomedullin and Allelic Variation in the ADM Gene and Kidney Disease in People With Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 3262-72	0.9	7
16	Coronary artery disease screening using coronary computed tomography angiography. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1267	27.4	1
15	Kinin receptor agonism restores hindlimb postischemic neovascularization capacity in diabetic mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2015 , 352, 218-26	4.7	17
14	Interaction between diabetes and a high ankle-brachial index on mortality risk. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 615-21	3.9	13
13	Plasma Copeptin and Decline in Renal Function in a Cohort from the Community: The Prospective D.E.S.I.R. Study. <i>American Journal of Nephrology</i> , 2015 , 42, 107-14	4.6	28
12	Tissue kallikrein deficiency, insulin resistance, and diabetes in mouse and man. <i>Journal of Endocrinology</i> , 2014 , 221, 297-308	4.7	4
11	Plasma copeptin and renal outcomes in patients with type 2 diabetes and albuminuria. <i>Diabetes Care</i> , 2013 , 36, 3639-45	14.6	59
10	Prognostic value of the insertion/deletion polymorphism of the ACE gene in type 2 diabetic subjects: results from the Non-insulin-dependent Diabetes, Hypertension, Microalbuminuria or Proteinuria, Cardiovascular Events, and Ramipril (DIABHYCAR), Diabete de type 2, Nephropathie et Genetique (DIAB2NEPHROGENE), and Survie, Diabete de type 2 et Genetique (SURDIAGENE)	14.6	58
9	Determination of HbA1c concentrations in patients with acute myocardial infarction: comparison of the DCA 2000 device with the HPLC method. <i>Diabetes and Metabolism</i> , 2005 , 31, 290-4	5.4	4
8	Increased plasma adiponectin concentrations are associated with microangiopathy in type 1 diabetic subjects. <i>Diabetologia</i> , 2005 , 48, 1088-92	10.3	86
7	Modulation of the renal response to ACE inhibition by ACE insertion/deletion polymorphism during hyperglycemia in normotensive, normoalbuminuric type 1 diabetic patients. <i>Diabetes</i> , 2005 , 54, 2961-7	0.9	17
6	Different patterns of insulin resistance in relatives of type 1 diabetic patients with retinopathy or nephropathy: the Genesis France-Belgium Study. <i>Diabetes Care</i> , 2004 , 27, 2661-8	14.6	48
5	Prognostic value of admission plasma glucose and HbA in acute myocardial infarction. <i>Diabetic Medicine</i> , 2004 , 21, 305-10	3.5	117

4	Serum triglycerides are a predictive factor for the development and the progression of renal and retinal complications in patients with type 1 diabetes. <i>Diabetes and Metabolism</i> , 2004 , 30, 43-51	5-4	76
3	Angiotensin-I-converting enzyme insertion/deletion polymorphism and high urinary albumin concentration in French Type 2 diabetes patients. <i>Diabetic Medicine</i> , 2003 , 20, 677-82	3-5	19
2	Erythropoietin-dependent anaemia: a possible complication of diabetic neuropathy. <i>Diabetes and Metabolism</i> , 2001 , 27, 383-5	5-4	7
1	Lack of relationship in long-term type 1 diabetic patients between diabetic nephropathy and polymorphisms in apolipoprotein epsilon, lipoprotein lipase and cholesteryl ester transfer protein. GenÉrique de la Néphropathie DiabÉtique Study Group. DonnÉes EpidÉmiologiques sur le Syndrome d'insulino-RÉistance Study Group. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 1971-6	4-3	34