

Rogelio Rosas-Valdez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6072127/publications.pdf>

Version: 2024-02-01

33
papers

502
citations

623734

14
h-index

677142

22
g-index

33
all docs

33
docs citations

33
times ranked

337
citing authors

#	ARTICLE	IF	CITATIONS
1	Detecting a Complex of Cryptic Species within <i>Neoechinorhynchus golvani</i> (Acanthocephala:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 2009, 95, 1040-1047.	0.7	63
2	Phylogenetic analysis of nuclear and mitochondrial DNA reveals a complex of cryptic species in <i>Crassicutis cichlasomae</i> (Digenea: Apocreadiidae), a parasite of Middle-American cichlids. <i>International Journal for Parasitology</i> , 2010, 40, 471-486.	3.1	53
3	Molecular prospecting for cryptic species in <i>Phyllodistomum lacustri</i> (Platyhelminthes,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 2009, 95, 1040-1047.	1.7	36
4	Helminth parasites of freshwater fishes, Nazas River basin, northern Mexico. <i>Check List</i> , 2010, 6, 026.	0.4	35
5	The Phylogenetic Position of <i>Allocreadiidae</i> (Trematoda: Digenea) From Partial Sequences of the 18S and 28S Ribosomal RNA Genes. <i>Journal of Parasitology</i> , 2007, 93, 192-196.	0.7	34
6	A New Cryptogonimid (Digenea) From the Mayan Cichlid, <i>Cichlasoma urophthalmus</i> (Osteichthyes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 1371-1378.	0.7	33
7	Survey of the endohelminth parasites of freshwater fishes in the upper Mezquital River Basin, Durango State, Mexico. <i>Zootaxa</i> , 2009, 2164, 1-20.	0.5	28
8	Molecular Phylogenetics of <i>Floridosentis</i> Ward, 1953 (Acanthocephala: Neoechinorhynchidae) Parasites of Mulletts (Osteichthyes) from Mexico, Using 28S rDNA Sequences. <i>Journal of Parasitology</i> , 2012, 98, 855-862.	0.7	21
9	HELMINTH PARASITES OF FOUR SPECIES OF ANURANS FROM NUEVO LEON, MEXICO. <i>Southwestern Naturalist</i> , 2005, 50, 251-258.	0.1	20
10	The systematic position of <i>Wallinia</i> spp. and <i>Margotrema</i> spp. (Digenea), parasites of Middle-American and Neotropical freshwater fishes, based on the 28S ribosomal RNA gene. <i>Systematic Parasitology</i> , 2007, 68, 49-55.	1.1	18
11	High genetic diversity of the entomopathogenic fungus <i>Beauveria bassiana</i> in Colima, Mexico. <i>Journal of Invertebrate Pathology</i> , 2019, 163, 67-74.	3.2	18
12	Description of a New Species of <i>Crassicutis</i> Manter, 1936, Parasite of <i>Cichlasoma beani</i> Jordan (Osteichthyes: Cichlidae) in Mexico, Based on Morphology and Sequences of the ITS1 and 28S Ribosomal RNA Genes. <i>Journal of Parasitology</i> , 2008, 94, 257-263.	0.7	17
13	The use of mitochondrial and nuclear sequences in prospecting for cryptic species in <i>Tabascotrema verai</i> (Digenea: Cryptogonimidae), a parasite of <i>Petenia splendida</i> (Cichlidae) in Middle America. <i>Parasitology International</i> , 2015, 64, 173-181.	1.3	16
14	PHYLOGENETIC ANALYSIS ON GENERA OF CORALLOBOTHRINIÆ (CESTODA: PROTEOCEPHALIDEA) FROM NORTH AMERICAN ICTALURID FISHES, USING PARTIAL SEQUENCES OF THE 28S RIBOSOMAL GENE. <i>Journal of Parasitology</i> , 2004, 90, 1123-1127.	0.7	15
15	TAXONOMIC STATUS OF <i>CHOANOSCOLEX LAMOTHEI</i> GARCÍA-PRIETO, 1990 (CESTODA: PROTEOCEPHALIDEA) USING MORPHOLOGICAL AND MOLECULAR EVIDENCE. <i>Journal of Parasitology</i> , 2003, 89, 1212-1219.	0.7	14
16	Patterns of Host Specificity Among the Helminth Parasite Fauna of Freshwater Siluriforms: Testing the Biogeographical Core Parasite Fauna Hypothesis. <i>Journal of Parasitology</i> , 2011, 97, 361-363.	0.7	13
17	Genetic diversification of acanthocephalans of the genus <i>Floridosentis</i> Ward 1953 (Acanthocephala:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5 2020, 85, 104535.	2.3	10
18	Helminth Parasites of the Balsas Catfish <i>Ictalurus balsanus</i> (Siluriformes: Ictaluridae) in Several Localities of the Balsas River Drainage, Mexico: Species Composition and Biogeographical Affinities. <i>Comparative Parasitology</i> , 2007, 74, 204-210.	0.4	9

#	ARTICLE	IF	CITATIONS
19	Helminth fauna of two cyprinid fish (<i>Campostoma ornatum</i> and <i>Codoma ornata</i>) from the upper Piaxtla River, Northwestern Mexico. <i>Helminthologia</i> , 2010, 47, 251-256.	0.9	9
20	New host and locality records of freshwater fish helminth parasites in river basins north of the Transmexican Volcanic Belt: another look at biogeographical patterns. <i>Revista Mexicana De Biodiversidad</i> , 2013, 84, 556-562.	0.4	9
21	<i>Rhabdochona ictaluri</i> sp. nov. (Nematoda, Rhabdochonidae) from ictalurid catfishes in Mexico. <i>Acta Parasitologica</i> , 2010, 55, .	1.1	7
22	A new species of <i>Metathelazia</i> (Nematoda: Pneumospiruridae) from the lungs of a nine-banded armadillo in Central Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2013, 84, 87-93.	0.4	4
23	Helminth parasites of some rodents (Cricetidae, Heteromyidae, and Sciuridae) from Zacatecas, Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2016, 87, 1203-1211.	0.4	4
24	First record of <i>Urotrema scabridum</i> (Platyhelminthes), and new records of helminths of <i>Tadarida brasiliensis</i> from Mexican Plateau. <i>Therya</i> , 2020, 11, 181-192.	0.4	4
25	Molecular Phylogenetic Analysis of <i>Infidum similis</i> , Including Morphological Data and Estimation of its Genome Size. <i>Journal of Parasitology</i> , 2016, 102, 468-475.	0.7	3
26	Genetic diversity of the <i>Metarhizium anisopliae</i> complex in Colima, Mexico, using microsatellites. <i>Fungal Biology</i> , 2019, 123, 855-863.	2.5	3
27	Acoustic Individual Identification in Birds Based on the Band-Limited Phase-Only Correlation Function. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 2382.	2.5	2
28	Identification of leopard frogs (Anura: Ranidae: Lithobates) distributed in some localities of the Southern Mexican Plateau using mitochondrial DNA sequences. <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2019, 30, 739-748.	0.7	1
29	First description of adults of the type species of the genus <i>Glossocercus</i> Chandler, 1935 (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlo	1.3	1
30	A New Species of <i>Morelacarus</i> (Acariformes: Prostigmata: Leeuwenhoekiidae) Associated with <i>Sceloporus grammicus</i> (Squamata: Phrynosomatidae) from the Mexican Plateau, Zacatecas, Mexico. <i>Journal of Parasitology</i> , 2019, 105, 85.	0.7	1
31	First record of the genus <i>Physaloptera</i> sp. (Nemata: Physalopteridae) in scats from coyote, <i>Canis latrans</i> in Chihuahua, México. <i>Therya</i> , 2019, 10, 183-185.	0.4	1
32	A new record and phylogenetic position of <i>Notiosorex crawfordi</i> (Eulipotyphla, Soricidae) with distribution in Zacatecas, Mexico, using mitochondrial DNA. <i>Mammalia</i> , 2020, 84, 407-412.	0.7	0
33	Evaluation of fine-scale environmental heterogeneity and its effect on terrestrial mammal diversity in a grassland in the Chihuahuan Desert. <i>Journal of Arid Environments</i> , 2022, 205, 104815.	2.4	0