

Nikki L Jernigan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/607362/nikki-l-jernigan-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

1,506
citations

24
h-index

38
g-index

58
ext. papers

1,652
ext. citations

4.5
avg, IF

4.7
L-index

#	Paper	IF	Citations
57	Acid-sensing ion channel 1 contributes to pulmonary arterial smooth muscle cell depolarization following hypoxic pulmonary hypertension. <i>Journal of Physiology</i> , 2021 , 599, 4749-4762	3.9	4
56	Intermittent Hypoxia Augments Pulmonary Vasoconstrictor Reactivity through PKC β /Mitochondrial Oxidant Signaling. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2020 , 62, 732-746	5.7	5
55	Altered Lipid Domains Facilitate Enhanced Pulmonary Vasoconstriction after Chronic Hypoxia. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2020 , 62, 709-718	5.7	3
54	PKC β and reactive oxygen species mediate enhanced pulmonary vasoconstrictor reactivity following chronic hypoxia in neonatal rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 318, H470-H483	5.2	4
53	Vasoconstrictor Mechanisms in Chronic Hypoxia-Induced Pulmonary Hypertension: Role of Oxidant Signaling. <i>Antioxidants</i> , 2020 , 9,	7.1	12
52	Coupling of store-operated calcium entry to vasoconstriction is acid-sensing ion channel 1a dependent in pulmonary but not mesenteric arteries. <i>PLoS ONE</i> , 2020 , 15, e0236288	3.7	3
51	Membrane depolarization is required for pressure-dependent pulmonary arterial tone but not enhanced vasoconstriction to endothelin-1 following chronic hypoxia. <i>Pulmonary Circulation</i> , 2020 , 10, 2045894020973559	2.7	
50	Augmented Pulmonary Vasoconstrictor Reactivity after Chronic Hypoxia Requires Src Kinase and Epidermal Growth Factor Receptor Signaling. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2020 , 62, 61-73	5.7	6
49	Loss of acid-sensing ion channel 2 enhances pulmonary vascular resistance and hypoxic pulmonary hypertension. <i>Journal of Applied Physiology</i> , 2019 , 127, 393-407	3.7	4
48	Redox Regulation of Ion Channels and Receptors in Pulmonary Hypertension. <i>Antioxidants and Redox Signaling</i> , 2019 , 31, 898-915	8.4	13
47	RhoA increases ASIC1a plasma membrane localization and calcium influx in pulmonary arterial smooth muscle cells following chronic hypoxia. <i>American Journal of Physiology - Cell Physiology</i> , 2018 , 314, C166-C176	5.4	15
46	Actin polymerization contributes to enhanced pulmonary vasoconstrictor reactivity after chronic hypoxia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 314, H1011-H1021	5.2	13
45	Reduced membrane cholesterol after chronic hypoxia limits Orai1-mediated pulmonary endothelial Ca entry. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 314, H359-H369	5.2	13
44	Role of acid-sensing ion channels in hypoxia- and hypercapnia-induced ventilatory responses. <i>PLoS ONE</i> , 2018 , 13, e0192724	3.7	12
43	Role of G protein-coupled estrogen receptors in pulmonary hypertension. <i>FASEB Journal</i> , 2018 , 32, 892.4.9	4.9	
42	Cholesterol Regulation of Pulmonary Endothelial Calcium Homeostasis. <i>Current Topics in Membranes</i> , 2018 , 82, 53-91	2.2	2
41	Interleukin-6 trans-signaling contributes to chronic hypoxia-induced pulmonary hypertension. <i>Pulmonary Circulation</i> , 2018 , 8, 2045894018780734	2.7	16

40	Reduced membrane cholesterol limits pulmonary endothelial Ca entry after chronic hypoxia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 312, H1176-H1184	5.2	10
39	Altered Redox Balance in the Development of Chronic Hypoxia-induced Pulmonary Hypertension. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 967, 83-103	3.6	5
38	Contribution of reactive oxygen species to the pathogenesis of pulmonary arterial hypertension. <i>PLoS ONE</i> , 2017 , 12, e0180455	3.7	35
37	Enhanced NO-dependent pulmonary vasodilation limits increased vasoconstrictor sensitivity in neonatal chronic hypoxia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 313, H828-H838	5.2	6
36	ASIC1-mediated calcium entry stimulates NFATc3 nuclear translocation via PICK1 coupling in pulmonary arterial smooth muscle cells. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2016 , 311, L48-58	5.8	18
35	PICK1/calcineurin suppress ASIC1-mediated Ca ²⁺ entry in rat pulmonary arterial smooth muscle cells. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 310, C390-400	5.4	13
34	Smooth muscle acid-sensing ion channel 1: pathophysiological implication in hypoxic pulmonary hypertension. <i>Experimental Physiology</i> , 2015 , 100, 111-20	2.4	11
33	Calcium homeostasis and sensitization in pulmonary arterial smooth muscle. <i>Microcirculation</i> , 2014 , 21, 259-71	2.9	34
32	Role of ASIC1 in the development of chronic hypoxia-induced pulmonary hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 306, H41-52	5.2	38
31	Mechanisms of NFATc3 activation by increased superoxide and reduced hydrogen peroxide in pulmonary arterial smooth muscle. <i>American Journal of Physiology - Cell Physiology</i> , 2014 , 307, C928-38	5.4	5
30	Chronic hypoxia limits H ₂ O ₂ -induced inhibition of ASIC1-dependent store-operated calcium entry in pulmonary arterial smooth muscle. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2014 , 307, L419-30	5.8	27
29	H ₂ O ₂ decreases ASIC1 plasma membrane localization in rat pulmonary arterial smooth muscle cells (1175.3). <i>FASEB Journal</i> , 2014 , 28, 1175.3	0.9	1
28	Enhanced depolarization-induced pulmonary vasoconstriction following chronic hypoxia requires EGFR-dependent activation of NAD(P)H oxidase 2. <i>Antioxidants and Redox Signaling</i> , 2013 , 18, 1777-88	8.4	34
27	Loss of endogenous H ₂ O ₂ -induced inhibition of ASIC1-mediated Ca ²⁺ influx in pulmonary artery smooth muscle cells following chronic hypoxia. <i>FASEB Journal</i> , 2013 , 27, 1140.4	0.9	
26	Chronic hypoxia upregulates pulmonary arterial ASIC1: a novel mechanism of enhanced store-operated Ca ²⁺ entry and receptor-dependent vasoconstriction. <i>American Journal of Physiology - Cell Physiology</i> , 2012 , 302, C931-40	5.4	39
25	Intermittent hypoxia augments pulmonary vascular smooth muscle reactivity to NO: regulation by reactive oxygen species. <i>Journal of Applied Physiology</i> , 2011 , 111, 980-8	3.7	24
24	Chronic hypoxia augments depolarization-induced Ca ²⁺ sensitization in pulmonary vascular smooth muscle through superoxide-dependent stimulation of RhoA. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2010 , 298, L232-42	5.8	58
23	Reactive oxygen species and RhoA signaling in vascular smooth muscle: role in chronic hypoxia-induced pulmonary hypertension. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 661, 355-73	3.6	24

22	ASIC1 contributes to pulmonary vascular smooth muscle store-operated Ca ²⁺ entry. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2009 , 297, L271-85	5.8	39
21	Angiotensin II regulation of renal vascular ENaC proteins. <i>American Journal of Hypertension</i> , 2009 , 22, 593-7	2.3	14
20	Intermittent Hypoxia Augments NO-Dependent Pulmonary Vasodilation. <i>FASEB Journal</i> , 2009 , 23, 770.50.9		
19	ASIC proteins regulate smooth muscle cell migration. <i>Microvascular Research</i> , 2008 , 75, 202-10	3.7	63
18	Sensing tension: epithelial sodium channel/acid-sensing ion channel proteins in cardiovascular homeostasis. <i>Hypertension</i> , 2008 , 51, 1265-71	8.5	63
17	Dietary salt enhances benzamil-sensitive component of myogenic constriction in mesenteric arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H409-20	5.2	34
16	Reactive oxygen species mediate RhoA/Rho kinase-induced Ca ²⁺ sensitization in pulmonary vascular smooth muscle following chronic hypoxia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2008 , 295, L515-29	5.8	121
15	Impaired pressure-induced constriction in mouse middle cerebral arteries of ASIC2 knockout mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008 , 294, H1793-803	5.2	41
14	A new trick for an old dogma: ENaC proteins as mechanotransducers in vascular smooth muscle. <i>Physiology</i> , 2008 , 23, 23-31	9.8	75
13	Impaired NO-dependent inhibition of store- and receptor-operated calcium entry in pulmonary vascular smooth muscle after chronic hypoxia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2006 , 290, L517-25	5.8	32
12	Myogenic vasoconstriction in mouse renal interlobar arteries: role of endogenous beta and gammaENaC. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 291, F1184-91	4.3	93
11	Renal vascular responses to CORM-A1 in the mouse. <i>Pharmacological Research</i> , 2006 , 54, 24-9	10.2	62
10	Suppression of Endogenous β and γ ENaC Abolishes Myogenic Vasoconstriction in Mouse Interlobar Arteries. <i>FASEB Journal</i> , 2006 , 20, A760	0.9	1
9	ASIC 2 and 3 proteins are required for VSMC wound healing. <i>FASEB Journal</i> , 2006 , 20, A1174	0.9	1
8	Vascular ENaC proteins are required for renal myogenic constriction. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 289, F891-901	4.3	117
7	Endothelium-derived reactive oxygen species and endothelin-1 attenuate NO-dependent pulmonary vasodilation following chronic hypoxia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004 , 287, L801-8	5.8	42
6	Chronic hypoxia augments protein kinase G-mediated Ca ²⁺ desensitization in pulmonary vascular smooth muscle through inhibition of RhoA/Rho kinase signaling. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004 , 287, L1220-9	5.8	66
5	Contribution of oxygen radicals to altered NO-dependent pulmonary vasodilation in acute and chronic hypoxia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004 , 286, L947-55	5.8	39

4	Pulmonary PKG-1 is upregulated following chronic hypoxia. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2003 , 285, L634-42	5.8	30
3	Chronic hypoxia attenuates cGMP-dependent pulmonary vasodilation. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2002 , 282, L1366-75	5.8	41
2	Correlation of HO-1 expression with onset and reversal of hypoxia-induced vasoconstrictor hyporeactivity. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 281, H298-307	5.2	24
1	Pulmonary Endothelium and Vasomotor Control	185-202	1