

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6073800/silvia-balbo-publications-by-citations.pdf>
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62 papers	1,518 citations	24 h-index	37 g-index
65 ext. papers	1,894 ext. citations	5.2 avg, IF	4.74 L-index

#	Paper	IF	Citations
62	The human gut bacterial genotoxin colibactin alkylates DNA. <i>Science</i> , 2019 , 363,	33.3	234
61	DNA adductomics. <i>Chemical Research in Toxicology</i> , 2014 , 27, 356-66	4	123
60	Clear differences in levels of a formaldehyde-DNA adduct in leukocytes of smokers and nonsmokers. <i>Cancer Research</i> , 2009 , 69, 7170-4	10.1	57
59	Kinetics of DNA adduct formation in the oral cavity after drinking alcohol. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 601-8	4	55
58	Application of a high-resolution mass-spectrometry-based DNA adductomics approach for identification of DNA adducts in complex mixtures. <i>Analytical Chemistry</i> , 2014 , 86, 1744-52	7.8	53
57	The Aryl Hydrocarbon Receptor is a Repressor of Inflammation-associated Colorectal Tumorigenesis in Mouse. <i>Annals of Surgery</i> , 2016 , 264, 429-36	7.8	51
56	(S)-N'-Nitrosornicotine, a constituent of smokeless tobacco, is a powerful oral cavity carcinogen in rats. <i>Carcinogenesis</i> , 2013 , 34, 2178-83	4.6	50
55	Analysis of acrolein-derived 1,N2-propanodeoxyguanosine adducts in human leukocyte DNA from smokers and nonsmokers. <i>Chemical Research in Toxicology</i> , 2011 , 24, 119-24	4	44
54	N2-ethyldeoxyguanosine as a potential biomarker for assessing effects of alcohol consumption on DNA. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3026-32	4	44
53	Metabolites of a tobacco-specific lung carcinogen in children exposed to secondhand or thirdhand tobacco smoke in their homes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 1213-21	4	43
52	Alcohol-Derived Acetaldehyde Exposure in the Oral Cavity. <i>Cancers</i> , 2018 , 10,	6.6	38
51	Carcinogenicity and DNA adduct formation of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone and enantiomers of its metabolite 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanol in F-344 rats. <i>Carcinogenesis</i> , 2014 , 35, 2798-806	4.6	37
50	Quantitation of pyridyloxobutyl-DNA adducts in tissues of rats treated chronically with (R)- or (S)-N'-nitrosornicotine (NNN) in a carcinogenicity study. <i>Chemical Research in Toxicology</i> , 2013 , 26, 1526-35	4	34
49	Screening for DNA Alkylation Mono and Cross-Linked Adducts with a Comprehensive LC-MS(3) Adductomic Approach. <i>Analytical Chemistry</i> , 2015 , 87, 11706-13	7.8	33
48	Alcohol metabolism in human cells causes DNA damage and activates the Fanconi anemia-breast cancer susceptibility (FA-BRCA) DNA damage response network. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 2113-20	3.7	33
47	Time course of DNA adduct formation in peripheral blood granulocytes and lymphocytes after drinking alcohol. <i>Mutagenesis</i> , 2012 , 27, 485-90	2.8	33
46	Liver tumor promotion by 2,3,7,8-tetrachlorodibenzo-p-dioxin is dependent on the aryl hydrocarbon receptor and TNF/IL-1 receptors. <i>Toxicological Sciences</i> , 2014 , 140, 135-43	4.4	30

45	Implications of acetaldehyde-derived DNA adducts for understanding alcohol-related carcinogenesis. <i>Advances in Experimental Medicine and Biology</i> , 2015 , 815, 71-88	3.6	29
44	Potential contributions of the tobacco nicotine-derived nitrosamine ketone (NNK) in the pathogenesis of steatohepatitis in a chronic plus binge rat model of alcoholic liver disease. <i>Alcohol and Alcoholism</i> , 2015 , 50, 118-31	3.5	27
43	The Future of DNA Adductomic Analysis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	27
42	Reactivity of an Unusual Amidase May Explain Colibactin's DNA Cross-Linking Activity. <i>Journal of the American Chemical Society</i> , 2019 , 141, 11489-11496	16.4	26
41	Analysis of r-7,t-8,9,c-10-tetrahydroxy-7,8,9,10-tetrahydrobenzo[a]pyrene in human urine: a biomarker for directly assessing carcinogenic polycyclic aromatic hydrocarbon exposure plus metabolic activation. <i>Chemical Research in Toxicology</i> , 2011 , 24, 73-80	4	26
40	Tobacco biomarkers and genetic/epigenetic analysis to investigate ethnic/racial differences in lung cancer risk among smokers. <i>Npj Precision Oncology</i> , 2018 , 2, 17	9.8	25
39	Quantitation of 7-ethylguanine in leukocyte DNA from smokers and nonsmokers by liquid chromatography-nanoelectrospray-high resolution tandem mass spectrometry. <i>Chemical Research in Toxicology</i> , 2011 , 24, 1729-34	4	25
38	Alcohol-induced one-carbon metabolism impairment promotes dysfunction of DNA base excision repair in adult brain. <i>Journal of Biological Chemistry</i> , 2012 , 287, 43533-42	5.4	24
37	Analysis of Acrolein-Derived 1, N-Propanodeoxyguanosine Adducts in Human Lung DNA from Smokers and Nonsmokers. <i>Chemical Research in Toxicology</i> , 2019 , 32, 318-325	4	22
36	Dihydromethysticin from kava blocks tobacco carcinogen 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone-induced lung tumorigenesis and differentially reduces DNA damage in A/J mice. <i>Carcinogenesis</i> , 2014 , 35, 2365-72	4.6	21
35	Analysis of a malondialdehyde-deoxyguanosine adduct in human leukocyte DNA by liquid chromatography nanoelectrospray-high-resolution tandem mass spectrometry. <i>Chemical Research in Toxicology</i> , 2014 , 27, 1829-36	4	21
34	Kava blocks 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone-induced lung tumorigenesis in association with reducing O6-methylguanine DNA adduct in A/J mice. <i>Cancer Prevention Research</i> , 2014 , 7, 86-96	3.2	20
33	Bioanalytical and Mass Spectrometric Methods for Aldehyde Profiling in Biological Fluids. <i>Toxics</i> , 2019 , 7,	4.7	18
32	Increased levels of the acetaldehyde-derived DNA adduct N 2-ethyldeoxyguanosine in oral mucosa DNA from Rhesus monkeys exposed to alcohol. <i>Mutagenesis</i> , 2016 , 31, 553-8	2.8	16
31	Studies of the potential genotoxic effects of furoxans: the case of CAS 1609 and of the water-soluble analogue of CHF 2363. <i>Toxicology Letters</i> , 2008 , 178, 44-51	4.4	16
30	Preferential glutathione conjugation of a reverse diol epoxide compared with a bay region diol epoxide of benzo[a]pyrene in human hepatocytes. <i>Drug Metabolism and Disposition</i> , 2010 , 38, 1397-402	4	15
29	Novel antioxidant agents deriving from molecular combination of Vitamin C and NO-donor moieties. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 5199-206	3.4	15
28	A High Resolution/Accurate Mass (HRAM) Data-Dependent MS Neutral Loss Screening, Classification, and Relative Quantitation Methodology for Carbonyl Compounds in Saliva. <i>Journal of the American Society for Mass Spectrometry</i> , 2017 , 28, 608-618	3.5	14

27	Genome-Wide CRISPR Screening Identifies the Tumor Suppressor Candidate OVCA2 As a Determinant of Tolerance to Acetaldehyde. <i>Toxicological Sciences</i> , 2019 , 169, 235-245	4.4	12
26	Intranasal delivery of liposomal indole-3-carbinol improves its pulmonary bioavailability. <i>International Journal of Pharmaceutics</i> , 2014 , 477, 96-101	6.5	10
25	DNA Adduct Profiles Predict in Vitro Cell Viability after Treatment with the Experimental Anticancer Prodrug PR104A. <i>Chemical Research in Toxicology</i> , 2017 , 30, 830-839	4	9
24	Targeted High Resolution LC/MS Adductomics Method for the Characterization of Endogenous DNA Damage. <i>Frontiers in Chemistry</i> , 2019 , 7, 658	5	9
23	Analysis of the benzene oxide-DNA adduct 7-phenylguanine by liquid chromatography-nanoelectrospray ionization-high resolution tandem mass spectrometry-parallel reaction monitoring: application to DNA from exposed mice and humans. <i>Chemico-Biological Interactions</i> , 2014 , 215, 40-5	5	9
22	Fragmentation Spectra Prediction and DNA Adducts Structural Determination. <i>Journal of the American Society for Mass Spectrometry</i> , 2019 , 30, 2771-2784	3.5	8
21	DNA adducts in aldehyde dehydrogenase-positive lung stem cells of A/J mice treated with the tobacco specific lung carcinogen 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK). <i>Chemical Research in Toxicology</i> , 2013 , 26, 511-3	4	8
20	Mass Spectrometric Quantitation of Pyridyloxobutyl DNA Phosphate Adducts in Rats Chronically Treated with N'-Nitrososornicotine. <i>Chemical Research in Toxicology</i> , 2019 , 32, 773-783	4	6
19	Biosynthesis, Mechanism of Action, and Inhibition of the Enterotoxin Tilimycin Produced by the Opportunistic Pathogen. <i>ACS Infectious Diseases</i> , 2020 , 6, 1976-1997	5.5	6
18	Metastasis to the F344 Rat Pancreas from Lung Cancer Induced by 4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone and Enantiomers of Its Metabolite 4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanol, Constituents of Tobacco Products. <i>Toxicologic Pathology</i> , 2018 , 46, 184-192	2.1	6
17	Transcriptome profiling in oral cavity and esophagus tissues from (S)-N'-nitrososornicotine-treated rats reveals candidate genes involved in human oral cavity and esophageal carcinogenesis. <i>Molecular Carcinogenesis</i> , 2016 , 55, 2168-2182	5	6
16	Metabolomics Profiles of Smokers from Two Ethnic Groups with Differing Lung Cancer Risk. <i>Chemical Research in Toxicology</i> , 2020 , 33, 2087-2098	4	6
15	Quantitative Liquid Chromatography-Nanoelectrospray Ionization-High-Resolution Tandem Mass Spectrometry Analysis of Acrolein-DNA Adducts and Etheno-DNA Adducts in Oral Cells from Cigarette Smokers and Nonsmokers. <i>Chemical Research in Toxicology</i> , 2020 , 33, 2197-2207	4	5
14	The Wild West of E-Cigarettes. <i>Chemical Research in Toxicology</i> , 2018 , 31, 823-824	4	5
13	In Vivo Stable-Isotope Labeling and Mass-Spectrometry-Based Metabolic Profiling of a Potent Tobacco-Specific Carcinogen in Rats. <i>Analytical Chemistry</i> , 2018 , 90, 11863-11872	7.8	4
12	Alcohol Effects on Colon Epithelium are Time-Dependent. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1898-1908	3.7	4
11	Evidence for endogenous formation of the hepatocarcinogen N-nitrosodihydrouracil in rats treated with dihydrouracil and sodium nitrite: a potential source of human hepatic DNA carboxyethylation. <i>Chemico-Biological Interactions</i> , 2013 , 206, 83-9	5	4
10	Tobacco smoke toxicant and carcinogen biomarkers and lung cancer susceptibility in smokers. <i>Journal of Thoracic Oncology</i> , 2016 , 11, S7-S8	8.9	4

9	The reactivity of an unusual amidase may explain colibactin DNA cross-linking activity		3
8	Applying Tobacco, Environmental, and Dietary-Related Biomarkers to Understand Cancer Etiology and Evaluate Prevention Strategies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1904-1914	4	2
7	Quantitation by liquid chromatography-nanoelectrospray ionization-high resolution tandem mass spectrometry of DNA adducts derived from methyl glyoxal and carboxyethylating agents in leukocytes of smokers and non-smokers. <i>Chemico-Biological Interactions</i> , 2020 , 327, 109140	5	1
6	Nanoscale battery cathode materials induce DNA damage in bacteria. <i>Chemical Science</i> , 2020 , 11, 11244-11258	4	1
5	Extension of Diagnostic Fragmentation Filtering for Automated Discovery in DNA Adductomics. <i>Analytical Chemistry</i> , 2021 , 93, 5754-5762	7.8	1
4	Identification of New Markers of Alcohol-Derived DNA Damage in Humans. <i>Biomolecules</i> , 2021 , 11,	5.9	1
3	Coexposure to Inhaled Aldehydes or Carbon Dioxide Enhances the Carcinogenic Properties of the Tobacco-Specific Nitrosamine 4-Methylnitrosamino-1-(3-pyridyl)-1-butanone in the A/J Mouse Lung. <i>Chemical Research in Toxicology</i> , 2021 , 34, 723-732	4	1
2	Identification of new candidate biomarkers to support doxorubicin treatments in canine cancer patients. <i>BMC Veterinary Research</i> , 2021 , 17, 378	2.7	0
1	Quantitation of Acetaldehyde-DNA Adducts: Biomarkers of Alcohol Consumption. <i>Methods in Pharmacology and Toxicology</i> , 2014 , 237-248	1.1	