

Daisuke Sano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6074002/publications.pdf>

Version: 2024-02-01

85
papers

2,699
citations

236833

25
h-index

197736

49
g-index

92
all docs

92
docs citations

92
times ranked

4595
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A risk factor for newly diagnosed secondary cancer in patients with early-stage laryngeal, oropharyngeal, or hypopharyngeal cancer: sub-analysis of a prospective observation study. <i>International Journal of Clinical Oncology</i> , 2022, 27, 488-494. | 1.0 | 2 |
| 2 | Systemic therapy for salivary gland malignancy: current status and future perspectives. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 293-302. | 0.6 | 12 |
| 3 | Human papillomavirus-related oropharyngeal carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 700-706. | 0.6 | 1 |
| 4 | Partial Substitution of Glucose with Xylitol Prolongs Survival and Suppresses Cell Proliferation and Glycolysis of Mice Bearing Orthotopic Xenograft of Oral Cancer. <i>Nutrients</i> , 2022, 14, 2023. | 1.7 | 0 |
| 5 | Effectiveness and safety of nivolumab in patients with head and neck cancer in Japanese real-world clinical practice: a multicenter retrospective clinical study. <i>International Journal of Clinical Oncology</i> , 2021, 26, 494-506. | 1.0 | 40 |
| 6 | The incidence of newly diagnosed secondary cancer; sub-analysis the prospective study of the second-look procedure for transoral surgery in patients with T1 and T2 head and neck cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 59-65. | 1.0 | 6 |
| 7 | Pathogenic Role of Immune Evasion and Integration of Human Papillomavirus in Oropharyngeal Cancer. <i>Microorganisms</i> , 2021, 9, 891. | 1.6 | 4 |
| 8 | Effectiveness of nivolumab affected by prior cetuximab use and neck dissection in Japanese patients with recurrent or metastatic head and neck cancer: results from a retrospective observational study in a real-world setting. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1049-1056. | 1.0 | 4 |
| 9 | Treatment outcomes of transoral robotic and non-robotic surgeries to treat oropharyngeal, hypopharyngeal, and supraglottic squamous cell carcinoma: A multi-center retrospective observational study in Japan. <i>Auris Nasus Larynx</i> , 2021, 48, 502-510. | 0.5 | 12 |
| 10 | Validation of the risk factors for primary control of early T-stage laryngeal, oropharyngeal, and hypopharyngeal squamous cell carcinoma by transoral surgery: a prospective observational study. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1995-2003. | 1.0 | 2 |
| 11 | Establishment of <scp>PDX</scp>-derived salivary adenoid cystic carcinoma cell lines using organoid culture method. <i>International Journal of Cancer</i> , 2021, 148, 193-202. | 2.3 | 16 |
| 12 | Induction chemotherapy in locally advanced squamous cell carcinoma of the head and neck. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 173-179. | 0.6 | 15 |
| 13 | Combination of Performance Status and Lymphocyte-monocyte Ratio as a Novel Prognostic Marker for Patients With Recurrent/Metastatic Squamous Cell Carcinoma of the Head and Neck. <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 353-361. | 0.3 | 2 |
| 14 | Outcomes of long-term nivolumab and subsequent chemotherapy in Japanese patients with head and neck cancer: 2-year follow-up from a multicenter real-world study. <i>International Journal of Clinical Oncology</i> , 2021, 27, 95. | 1.0 | 7 |
| 15 | Current Status of Transoral Surgery for Patients With Early-Stage Pharyngeal and Laryngeal Cancers in Japan. <i>Frontiers in Oncology</i> , 2021, 11, 804933. | 1.3 | 4 |
| 16 | Sphenoid sinus development in patients with acquired middle ear cholesteatoma. <i>Auris Nasus Larynx</i> , 2020, 47, 391-400. | 0.5 | 2 |
| 17 | FLCN alteration drives metabolic reprogramming towards nucleotide synthesis and cyst formation in salivary gland. <i>Biochemical and Biophysical Research Communications</i> , 2020, 522, 931-938. | 1.0 | 5 |
| 18 | Immunotherapy for squamous cell carcinoma of the head and neck. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 1089-1096. | 0.6 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Long-term treatment outcome of type 1 thyroplasty using novel titanium medialization laryngoplasty implant combined with arytenoid adduction for unilateral vocal cord paralysis: single-arm interventional study at a single institution. <i>Laryngoscope Investigative Otolaryngology</i> , 2020, 5, 895-902. | 0.6 | 9 |
| 20 | Optimization of therapeutic strategy for p16-positive oropharyngeal squamous cell carcinoma: Multi-institutional observational study based on the national Head and Neck Cancer Registry of Japan. <i>Cancer</i> , 2020, 126, 4177-4187. | 2.0 | 19 |
| 21 | A prospective clinical trial of the second-look procedure for transoral surgery in patients with T1 and T2 laryngeal, oropharyngeal, and hypopharyngeal cancer. <i>Cancer Medicine</i> , 2019, 8, 7197-7206. | 1.3 | 8 |
| 22 | Addition of S-1 to radiotherapy for treatment of T2N0 glottic cancer: Results of the multiple-center retrospective cohort study in Japan with a propensity score analysis. <i>Oral Oncology</i> , 2019, 99, 104454. | 0.8 | 2 |
| 23 | Real-world Treatment Outcomes of the EXTREME Regimen as First-line Therapy for Recurrent/Metastatic Squamous Cell Carcinoma of the Head and Neck: A Multi-center Retrospective Cohort Study in Japan. <i>Anticancer Research</i> , 2019, 39, 6819-6827. | 0.5 | 21 |
| 24 | The advantages and limitations of animal models of head and neck cancers. <i>Japanese Journal of Head and Neck Cancer</i> , 2019, 45, 366-368. | 0.0 | 0 |
| 25 | Pretreatment prognostic factor for patients with human papillomavirus related oropharyngeal cancer. <i>Translational Cancer Research</i> , 2019, 8, 354-356. | 0.4 | 3 |
| 26 | Prediction of the Oral Intake with an Endoscopic Swallowing Examination in Dysphagia Patients Who Underwent Surgery for Digestive Diseases. <i>Journal of Otolaryngology of Japan</i> , 2019, 122, 1304-1313. | 0.1 | 0 |
| 27 | Predictive value of the Hyodo score in endoscopic evaluation of aspiration during swallowing. <i>Auris Nasus Larynx</i> , 2018, 45, 1214-1220. | 0.5 | 37 |
| 28 | Lymph node ratio as a prognostic factor for survival in patients with head and neck squamous cell carcinoma. <i>Auris Nasus Larynx</i> , 2018, 45, 846-853. | 0.5 | 19 |
| 29 | Cochlear volume as a predictive factor for residual-hearing preservation after conventional cochlear implantation. <i>Acta Oto-Laryngologica</i> , 2018, 138, 345-350. | 0.3 | 17 |
| 30 | The applicability of new TNM classification for human papilloma virus-related oropharyngeal cancer in the 8th edition of the AJCC/UICC TNM staging system in Japan: A single-centre study. <i>Auris Nasus Larynx</i> , 2018, 45, 558-565. | 0.5 | 18 |
| 31 | Fibrinogen and Neutrophil-to-lymphocyte Ratio Predicts Survival in Patients with Advanced Hypopharyngeal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2018, 38, 5321-5330. | 0.5 | 15 |
| 32 | Dihydropyrimidine dehydrogenase overexpression correlates with potential resistance to 5-fluorouracil-based treatment in head and neck squamous cell carcinoma. <i>Translational Cancer Research</i> , 2018, 7, 411-419. | 0.4 | 5 |
| 33 | Analysis of prognostic factors, including the incidence of second primary cancer, in patients with early stage laryngeal squamous cell carcinoma treated by radiation-based therapy. <i>Translational Cancer Research</i> , 2018, 7, 890-900. | 0.4 | 2 |
| 34 | Postoperative Bio-Chemoradiotherapy Using Cetuximab and Docetaxel in Patients With Cis-Platinum-Intolerant Core High-Risk Head and Neck Cancer: Protocol of a Phase 2 Nonrandomized Clinical Trial. <i>JMIR Research Protocols</i> , 2018, 7, e11003. | 0.5 | 3 |
| 35 | Efficacy and safety of postoperative bio-chemoradiotherapy using cetuximab and docetaxel for high-risk head and neck cancer patients in Japan. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 80, 203-207. | 1.1 | 9 |
| 36 | Identification of human papillomavirus (HPV) 16 DNA integration and the ensuing patterns of methylation in HPV-associated head and neck squamous cell carcinoma cell lines. <i>International Journal of Cancer</i> , 2017, 140, 1571-1580. | 2.3 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Surgery-based versus radiation-based treatment strategy for a high metabolic volume laryngeal cancer. <i>Laryngoscope</i> , 2017, 127, 862-867. | 1.1 | 9 |
| 38 | A Case of Intraorbital Abscess Developing as a Complication of Acute Dacryocystitis. <i>Journal of Otolaryngology of Japan</i> , 2017, 120, 722-726. | 0.1 | 0 |
| 39 | The Second-Look Procedure for Transoral Videolaryngoscopic Surgery for T1 and T2 Laryngeal, Oropharyngeal, and Hypopharyngeal Cancer Patients: Protocol for a Nonrandomized Clinical Trial. <i>JMIR Research Protocols</i> , 2017, 6, e235. | 0.5 | 5 |
| 40 | Prognostic significance of metabolic tumor volume in patients with piriform sinus carcinoma treated by radiotherapy with or without concurrent chemotherapy. <i>Head and Neck</i> , 2016, 38, 1666-1671. | 0.9 | 6 |
| 41 | Phase II trial of concurrent bio-chemoradiotherapy using docetaxel, cisplatin, and cetuximab for locally advanced head and neck squamous cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 77, 1315-1319. | 1.1 | 7 |
| 42 | The molecular mechanism of human papillomavirus-induced carcinogenesis in head and neck squamous cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2016, 21, 819-826. | 1.0 | 60 |
| 43 | JunB promotes cell invasion, migration and distant metastasis of head and neck squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 6. | 3.5 | 51 |
| 44 | Treatment results and prognostic factors for advanced squamous cell carcinoma of the head and neck treated with salvage surgery after concurrent chemoradiotherapy. <i>International Journal of Clinical Oncology</i> , 2016, 21, 869-874. | 1.0 | 39 |
| 45 | Imaging strategy for response evaluation to chemoradiotherapy of the nodal disease in patients with head and neck squamous cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2016, 21, 658-667. | 1.0 | 18 |
| 46 | Reduction surgery using a combination of a stereolithographic model and navigation system for ossifying fibroma with secondary central giant cell granuloma. <i>Auris Nasus Larynx</i> , 2016, 43, 207-211. | 0.5 | 5 |
| 47 | Predictive markers, including total lesion glycolysis, for the response of lymph node(s) metastasis from head and neck squamous cell carcinoma treated by chemoradiotherapy. <i>International Journal of Clinical Oncology</i> , 2016, 21, 224-230. | 1.0 | 6 |
| 48 | Predictive and Prognostic Value of Metabolic Tumor Volume (MTV) in Patients with Laryngeal Carcinoma Treated by Radiotherapy (RT) / Concurrent Chemoradiotherapy (CCRT). <i>PLoS ONE</i> , 2015, 10, e0117924. | 1.1 | 23 |
| 49 | An Aerodynamic Study of Phonations in Patients With Parkinson Disease (PD). <i>Journal of Voice</i> , 2015, 29, 273-280. | 0.6 | 16 |
| 50 | Evolutionary Action Score of TP53 Identifies High-Risk Mutations Associated with Decreased Survival and Increased Distant Metastases in Head and Neck Cancer. <i>Cancer Research</i> , 2015, 75, 1527-1536. | 0.4 | 139 |
| 51 | STAT3 Oligonucleotide Inhibits Tumor Angiogenesis in Preclinical Models of Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e81819. | 1.1 | 22 |
| 52 | HRAS mutations and resistance to the epidermal growth factor receptor tyrosine kinase inhibitor erlotinib in head and neck squamous cell carcinoma cells. <i>Head and Neck</i> , 2014, 36, 1547-1554. | 0.9 | 31 |
| 53 | Telomerase-specific oncolytic adenovirus: Antitumor effects on radiation-resistant head and neck squamous cell carcinoma cells. <i>Head and Neck</i> , 2014, 36, 411-418. | 0.9 | 8 |
| 54 | Phase II Study of Concurrent Chemoradiotherapy with S-1 in Patients with Stage II (T2N0M0) Squamous Cell Carcinoma of the Pharynx or Larynx. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 1158-1163. | 0.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | To "Grow" or "Go": TMEM16A Expression as a Switch between Tumor Growth and Metastasis in SCCHN. <i>Clinical Cancer Research</i> , 2014, 20, 4673-4688. | 3.2 | 86 |
| 56 | Treatment results and prognostic factors for advanced squamous cell carcinoma of the hypopharynx treated with concurrent chemoradiotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 73, 1147-1154. | 1.1 | 19 |
| 57 | Gain-of-Function Mutant p53 Promotes Cell Growth and Cancer Cell Metabolism via Inhibition of AMPK Activation. <i>Molecular Cell</i> , 2014, 54, 960-974. | 4.5 | 196 |
| 58 | Early postoperative epidermal growth factor receptor inhibition: Safety and effectiveness in inhibiting microscopic residual of oral squamous cell carcinoma in vivo. <i>Head and Neck</i> , 2013, 35, 321-328. | 0.9 | 14 |
| 59 | Interleukin-8 as a modulator of response to bevacizumab in preclinical models of head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2013, 49, 761-770. | 0.8 | 26 |
| 60 | Treatment results and prognostic factors for advanced squamous cell carcinoma of the larynx treated with concurrent chemoradiotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 72, 837-843. | 1.1 | 11 |
| 61 | Serine substitution of proline at codon 151 of TP53 confers gain of function activity leading to anoikis resistance and tumor progression of head and neck cancer cells. <i>Laryngoscope</i> , 2013, 123, 1416-1423. | 1.1 | 25 |
| 62 | Noncovalent Assembly of Targeted Carbon Nanovectors Enables Synergistic Drug and Radiation Cancer Therapy <i>in Vivo</i> . <i>ACS Nano</i> , 2012, 6, 2497-2505. | 7.3 | 26 |
| 63 | Treatment evaluation of metastatic lymph nodes after concurrent chemoradiotherapy in patients with head and neck squamous cell carcinoma. <i>Anticancer Research</i> , 2012, 32, 595-600. | 0.5 | 19 |
| 64 | Targeted molecular therapy of head and neck squamous cell carcinoma with the tyrosine kinase inhibitor vandetanib in a mouse model. <i>Head and Neck</i> , 2011, 33, 349-358. | 0.9 | 22 |
| 65 | Noncovalent Functionalization of Carbon Nanovectors with an Antibody Enables Targeted Drug Delivery. <i>ACS Nano</i> , 2011, 5, 6643-6650. | 7.3 | 45 |
| 66 | Hyaluronic acid-paclitaxel conjugate inhibits growth of human squamous cell carcinomas of the head and neck via a hyaluronic acid-mediated mechanism. <i>Oral Oncology</i> , 2011, 47, 1039-1047. | 0.8 | 32 |
| 67 | Disruptive TP53 Mutation Is Associated with Aggressive Disease Characteristics in an Orthotopic Murine Model of Oral Tongue Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 6658-6670. | 3.2 | 94 |
| 68 | Targeted Therapy of VEGFR2 and EGFR Significantly Inhibits Growth of Anaplastic Thyroid Cancer in an Orthotopic Murine Model. <i>Clinical Cancer Research</i> , 2011, 17, 2281-2291. | 3.2 | 68 |
| 69 | Assembly and Initial Characterization of a Panel of 85 Genomically Validated Cell Lines from Diverse Head and Neck Tumor Sites. <i>Clinical Cancer Research</i> , 2011, 17, 7248-7264. | 3.2 | 230 |
| 70 | Vandetanib Restores Head and Neck Squamous Cell Carcinoma Cells' Sensitivity to Cisplatin and Radiation <i>In Vivo</i> and <i>In Vitro</i> . <i>Clinical Cancer Research</i> , 2011, 17, 1815-1827. | 3.2 | 76 |
| 71 | IL-6 Stabilizes Twist and Enhances Tumor Cell Motility in Head and Neck Cancer Cells through Activation of Casein Kinase 2. <i>PLoS ONE</i> , 2011, 6, e19412. | 1.1 | 73 |
| 72 | Targeted Inhibition of Inducible Nitric Oxide Synthase Inhibits Growth of Human Melanoma <i>in vivo</i> and Synergizes with Chemotherapy. <i>Clinical Cancer Research</i> , 2010, 16, 1834-1844. | 3.2 | 115 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Effective Drug Delivery, <i>In Vitro</i> and <i>In Vivo</i> , by Carbon-Based Nanovectors Noncovalently Loaded with Unmodified Paclitaxel. <i>ACS Nano</i> , 2010, 4, 4621-4636. | 7.3 | 85 |
| 74 | The Effect of Combination Anti-Endothelial Growth Factor Receptor and Anti-Vascular Endothelial Growth Factor Receptor 2 Targeted Therapy on Lymph Node Metastasis. <i>JAMA Otolaryngology</i> , 2009, 135, 411. | 1.5 | 22 |
| 75 | Xenograft models of head and neck cancers. <i>Head & Neck Oncology</i> , 2009, 1, 32. | 2.3 | 89 |
| 76 | Vandetanib Inhibits Growth of Adenoid Cystic Carcinoma in an Orthotopic Nude Mouse Model. <i>Clinical Cancer Research</i> , 2008, 14, 5081-5089. | 3.2 | 23 |
| 77 | Anti-tumor effects of telomelysin for head and neck squamous cell carcinoma. <i>Oncology Reports</i> , 2008, 20, 1363-8. | 1.2 | 6 |
| 78 | Anti-tumor effects of bevacizumab in combination with paclitaxel on head and neck squamous cell carcinoma. <i>Oncology Reports</i> , 2007, 18, 47. | 1.2 | 22 |
| 79 | Antitumor effects of Nafamostat mesilate on head and neck squamous cell carcinoma. <i>Auris Nasus Larynx</i> , 2007, 34, 487-491. | 0.5 | 15 |
| 80 | Metastasis of squamous cell carcinoma of the oral tongue. <i>Cancer and Metastasis Reviews</i> , 2007, 26, 645-662. | 2.7 | 317 |
| 81 | Antitumor effects of ZD6474 on head and neck squamous cell carcinoma. <i>Oncology Reports</i> , 2007, 17, 289-95. | 1.2 | 28 |
| 82 | Maxillary sinus carcinoma: The only symptom was neck lymph node swelling. <i>Auris Nasus Larynx</i> , 2006, 33, 57-61. | 0.5 | 5 |
| 83 | Myxofibrosarcoma of the hypopharynx. <i>Auris Nasus Larynx</i> , 2006, 33, 93-96. | 0.5 | 31 |
| 84 | A case of metastatic colon adenocarcinoma in the larynx. <i>Acta Oto-Laryngologica</i> , 2005, 125, 220-222. | 0.3 | 19 |
| 85 | Involvement of EGFR in the response of squamous cell carcinoma of the head and neck cell lines to gefitinib. <i>Oncology Reports</i> , 0, , . | 1.2 | 7 |