

Tong Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/607487/publications.pdf>

Version: 2024-02-01

39

papers

433

citations

759233

12

h-index

839539

18

g-index

40

all docs

40

docs citations

40

times ranked

503

citing authors

#	ARTICLE	IF	CITATIONS
1	Sub-lethal effects of four neonicotinoid seed treatments on the demography and feeding behaviour of the wheat aphid <i>< i>Sitobion avenae</i></i> . Pest Management Science, 2014, 70, 55-59.	3.4	57
2	Novel partiti-like viruses are conditional mutualistic symbionts in their normal lepidopteran host, African armyworm, but parasitic in a novel host, Fall armyworm. PLoS Pathogens, 2020, 16, e1008467.	4.7	34
3	Molecular cloning and characterization of four heat shock protein genes from <i>Macrocentrus cingulum</i> (Hymenoptera: Braconidae). Molecular Biology Reports, 2010, 37, 2265-2272.	2.3	29
4	Identification and expression profile analysis of putative odorant-binding proteins in <i>Sitodiplosis mosellana</i> (Gehin) (Diptera: Cecidomyiidae). Biochemical and Biophysical Research Communications, 2014, 444, 164-170.	2.1	28
5	Transcriptome analysis of molecular mechanisms responsible for light-stress response in <i>Mythimna separata</i> (Walker). Scientific Reports, 2017, 7, 45188.	3.3	28
6	Global Transcriptome Analysis of Orange Wheat Blossom Midge, <i>Sitodiplosis mosellana</i> (Gehin) (Diptera: Cecidomyiidae) to Identify Candidate Transcripts Regulating Diapause. PLoS ONE, 2013, 8, e71564.	2.5	22
7	Phylogenetic relationship among East Asian species of the <i>Stegana</i> genus group (Diptera,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	2.7	19
8	Cellular Tropism, Population Dynamics, Host Range and Taxonomic Status of an Aphid Secondary Symbiont, SMLS (<i>Sitobion miscanthi</i> L Type Symbiont). PLoS ONE, 2011, 6, e21944.	2.5	17
9	Flight Performance of the Orange Wheat Blossom Midge (Diptera: Cecidomyiidae). Journal of Economic Entomology, 2013, 106, 2043-2047.	1.8	17
10	Genetic Diversity and Population Structure of <i>Sitodiplosis mosellana</i> in Northern China. PLoS ONE, 2013, 8, e78415.	2.5	17
11	A possibly new Rickettsia-like genus symbiont is found in Chinese wheat pest aphid, <i>Sitobion miscanthi</i> (Hemiptera: Aphididae). Journal of Invertebrate Pathology, 2011, 106, 418-421.	3.2	16
12	The genetic diversity of <scp>SMLS</scp> (<i>Sitobion miscanthi</i> L type symbiont) and its effect on the fitness, mitochondrial <scp>DNA</scp> diversity and <i>Buchnera aphidicola</i> dynamic of wheat aphid, <i>Sitobion miscanthi</i> (Hemiptera: Aphididae). Molecular Ecology, 2016, 25, 3142-3151.	3.9	15
13	A revision of the subgenus <i>Stegana</i> (s.s.) (Diptera, Drosophilidae) from mainland China. Zoological Journal of the Linnean Society, 2010, 158, 726-739.	2.3	12
14	<p class="HeadingRunIn">The genus Leucophenga (Diptera,) Tj ETQq0 0 0 rgBT /Overlock 10 morphological and molecular evidence (I)</p>. Zootaxa, 2013, 3701, 101.	0.5	11
15	Contribution of Multiple Inter-Kingdom Horizontal Gene Transfers to Evolution and Adaptation of Amphibian-Killing Chytrid, <i>Batrachochytrium dendrobatidis</i> . Frontiers in Microbiology, 2016, 7, 1360.	3.5	11
16	Molecular Phylogenetic Analysis of the <i>Stegana ornatipes</i> Species Group (Diptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (D	1.5	10
17	The genus <i>Leucophenga</i> (Diptera, Drosophilidae), part IV: the ornata species group from the East Asia, with morphological and molecular evidence (II). Zootaxa, 2014, 3893, 1-55.	0.5	9
18	Horizontal functional gene transfer from bacteria to fishes. Scientific Reports, 2015, 5, 18676.	3.3	9

#	ARTICLE	IF	CITATIONS
19	Evidence for Visually Mediated Copulation Frequency in the Scarab Beetle <i>Anomala corpulenta</i> . Journal of Insect Behavior, 2015, 28, 175-182.	0.7	7
20	The genus Leucophenga (Diptera, Drosophilidae), part III: the interrupta species group from the Oriental region, with morphological and molecular evidence. Zootaxa, 2013, 3750, 587-600.	0.5	6
21	Five new species and five new records of <i>Amiota</i> Loew (Diptera: Drosophilidae) from Hengduan Mountains, Southwest China. Oriental Insects, 2008, 42, 193-205.	0.3	4
22	Molecular phylogenetic analysis of the <i>Amiota taurusata</i> species group within the Chinese species, with descriptions of two new species. Journal of Insect Science, 2014, 14, 33.	1.5	4
23	The Stegana (sensu stricto) species from China, with morphological and molecular evidence (Diptera: Tephritidae). Tj ETQq1 1 0.784314 rgBT /Overlock 1.2		
24	Climate factors associated with the population dynamics of <i>Sitodiplosis mosellana</i> (Diptera: Tephritidae). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 T	3.3	4
25	Partitiviruses from African armyworm increase larval and pupal mortality of a novel host: the Egyptian cotton leafworm. Pest Management Science, 2022, 78, 1529-1537.	3.4	4
26	Identification of a Novel Densovirus in Aphid, and Uncovering the Possible Antiviral Process During Its Infection. Frontiers in Immunology, 0, 13, .	4.8	4
27	Six new species of the genus <i>Pseudostegana</i> (Diptera: Drosophilidae) from the Oriental region. Journal of Natural History, 2010, 44, 1401-1418.	0.5	3
28	Molecular Phylogenetic Analysis of the <i>Amiota taurusata</i> Species Group within the Chinese Species, with Descriptions of Two New Species. Journal of Insect Science, 2014, 14, 1-13.	1.5	3
29	Spectral sensitivity of the compound eyes of <i>Anomala corpulenta</i> motschulsky (Coleoptera: Tenebrionidae). Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 542 T	3.5	4
30	Low Barometric Pressure Enhances Tethered-Flight Performance and Reproductive of the Oriental Armyworm, <i>Mythimna separata</i> (Lepidoptera: Noctuidae). Journal of Economic Entomology, 2021, 114, 620-626.	1.8	3
31	Universal primers for amplifying the complete coding sequence of cytoplasmic heat shock protein 90 (HSP90) in Lepidoptera. European Journal of Entomology, 2011, 108, 164-168.	1.2	3
32	Visual response effects of western flower thrips manipulated by different light spectra. International Journal of Agricultural and Biological Engineering, 2019, 12, 21-27.	0.6	3
33	The Novel <i>Agrotis ipsilon</i> Nora Virus Confers deleterious Effects to the Fitness of <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae). Frontiers in Microbiology, 2021, 12, 727202.	3.5	3
34	Photoreceptive reaction spectrum effect and phototactic activity intensity of locusts' visual display characteristics stimulated by spectral light. International Journal of Agricultural and Biological Engineering, 2021, 14, 19-25.	0.6	2
35	Regulation of Visual Sensitivity Responses in Locusts Stimulated by Different Spectral Lights. Pakistan Journal of Zoology, 2019, 51, .	0.2	2
36	Complete genome sequence of a novel rhabdo-like virus from the Chinese black cutworm <i>Agrotis ipsilon</i> (Lepidoptera: Noctuidae). Archives of Virology, 2020, 165, 989-991.	2.1	1

#	ARTICLE	IF	CITATIONS
37	Sex- and stage-dependent expression patterns of odorant-binding and chemosensory protein genes in <i>< i>Spodoptera exempta</i></i> . PeerJ, 2021, 9, e12132.	2.0	1
38	A chromosome-level genome assembly of the orange wheat blossom midge, <i>< i>Sitodiplosis mosellana</i></i> GÃ©hin (Diptera: Cecidomyiidae) provides insights into the evolution of a detoxification system. G3: Genes, Genomes, Genetics, 2022, 12, .	1.8	1
39	Changes in the Visual Response and Thoracic Temperature of <i>Locusta migratoria manilensis</i> Stimulated by LED Spectral Light. Pakistan Journal of Zoology, 2019, 52, .	0.2	0