Maryna Komar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6074985/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A remarkable last glacial loess sedimentation at Roxolany in the Dniester Liman (Southern Ukraine). Quaternary Science Reviews, 2022, 285, 107521.	3.0	2
2	On the edge of eastern and western culture zones in the early Late Pleistocene. Święte 9 – A new epigravettian site in the south-east of Poland. Quaternary International, 2021, 587-588, 172-188.	1.5	5
3	Environment changes during Middle to Upper Palaeolithic transition in southern Poland (Central) Tj ETQq1 1 C	.784314 rgB 0.5	T /Overlock 1 7
4	Spatio-temporal variability of topoclimates and local palaeoenvironments in the Upper Dniester River Valley: Insights from the Middle and Upper Palaeolithic key-sites of the Halych region (western) Tj ETQq0 0 0 r	gBT / Q \$erlocl	k 140 Tf 50 61
5	A biotic record of paleoenvironmental changes during the last interglacial-glacial cycle in a sub-Carpathian river valley; a case study of the Radymno loess section (SE Poland). Quaternary International, 2020, 552, 62-78.	1.5	5
6	Stratigraphy and chronology of the periphery of the Scandinavian ice sheet at the foot of the Ukrainian Carpathians. Palaeogeography, Palaeoclimatology, Palaeoecology, 2019, 530, 59-77.	2.3	13
7	Fluctuations of the Fennoscandian Ice Sheet recorded in the anisotropy of magnetic susceptibility of periglacial loess from Ukraine. Boreas, 2019, 48, 940-952.	2.4	18
8	Late Glacial environment and human settlement of the Central Western Carpathians: A case study of the Nowa BiaÅ,a 1 open-air site (Podhale Region, southern Poland). Quaternary International, 2019, 512, 113-132.	1.5	9
9	Palaeowind directions and sources of detrital material archived in the Roxolany loess section (southern Ukraine). Palaeogeography, Palaeoclimatology, Palaeoecology, 2018, 496, 121-135.	2.3	32
10	Stratigraphic interpretation of loess in the marginal zone of the Dnieper I ice sheet and the evolution of its landscape after deglaciation (Dnieper Upland, Ukraine). Geological Quarterly, 2018, 62, .	0.2	3
11	The loess-palaeosol sequence in the Upper Palaeolithic site at Kraków Spadzista: A palaeoenvironmental approach. Quaternary International, 2015, 365, 98-113.	1.5	14
12	Natural environment of MIS 5 and soil catena sequence along a loess slope in the Seret River valley: Evidence from the Pronyatyn Palaeolithic site (Ukraine). Quaternary International, 2015, 365, 74-97.	1.5	16
13	Sediments of Biśnik Cave (Poland): Lithology and stratigraphy of the Middle Palaeolithic site. Quaternary International, 2014, 326-327, 6-19.	1.5	39
14	Stratigraphic position and natural environment of the oldest Middle Palaeolithic in central Podolia, Ukraine: New data from the Velykyi Glybochok site. Quaternary International, 2014, 326-327, 191-212.	1.5	15
15	The environments of loess uplands to the north and east of the <scp>C</scp> arpathians during the penultimate interglacial (<scp>MOIS 7</scp>) in palaeopedological and palaeobotanical records. European Journal of Soil Science, 2014, 65, 436-454.	3.9	5
16	Paleoenvironmental history of the Middle Dnieper Area from the Dnieper to Weichselian Glaciation: A case study of the Maksymivka loess profile. Quaternary International, 2014, 334-335, 94-111.	1.5	15
17	Palaeoenvironmental Background and Age of the Late Palaeolithic Settlement in SE Poland (A Case) Tj ETQq1	1 0.784314 r 0.2	ggT /Overloc
18	Spatial vegetation patterns based on palynological records in the loess area between the Dnieper and	1.5	41

Odra Rivers during the last interglacial–glacial cycle. Quaternary International, 2009, 198, 152-172.

1.541

#	Article	IF	CITATIONS
19	Reconstruction of palaeolandscaps of Ukraine during MIS 20-12 according to palaeontological methods data. Annales - Universitatis Mariae Curie-Sklodowska, Sectio B, 0, 73, 83.	0.1	0