

# R Clinton Webb

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6076350/r-clinton-webb-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119  
papers

1,879  
citations

20  
h-index

42  
g-index

129  
ext. papers

2,243  
ext. citations

2.8  
avg, IF

5.36  
L-index

#	Paper	IF	Citations
119	New insights into RhoA/Rho-kinase signaling: a key regulator of vascular contraction. <i>Small GTPases</i> , <b>2021</b> , 12, 458-469	2.7	5
118	Macrophage-Specific Toll Like Receptor 9 (TLR9) Causes Corpus Cavernosum Dysfunction in Mice Fed a High Fat Diet. <i>Journal of Sexual Medicine</i> , <b>2021</b> , 18, 723-731	1.1	1
117	Impaired HSP70 Expression in the Aorta of Female Rats: A Novel Insight Into Sex-Specific Differences in Vascular Function. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 666696	4.6	2
116	Guidelines for the measurement of vascular function and structure in isolated arteries and veins. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2021</b> , 321, H77-H111	5.2	22
115	Dissecting the interaction between HSP70 and vascular contraction: role of [Formula: see text] handling mechanisms. <i>Scientific Reports</i> , <b>2021</b> , 11, 1420	4.9	4
114	Vascular Dysfunction in Diabetes and Obesity: Focus on TRP Channels. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 645109	4.6	2
113	Response to "COVID-19 and ACEI/ARB: Not Associated?". <i>American Journal of Hypertension</i> , <b>2020</b> , 33, 789-790	2.3	2
112	O-GlcNAc impairs endothelial function in uterine arteries from virgin but not pregnant rats: The role of GSK3 $\beta$ . <i>European Journal of Pharmacology</i> , <b>2020</b> , 880, 173133	5.3	2
111	Use of a Combination of Insulin Sensitizers and Antioxidant Supplements in the Management of Pregnancy Hypertensive Disorders. <i>American Journal of Hypertension</i> , <b>2020</b> , 33, 602-603	2.3	
110	Toll-like receptor 9 regulates metabolic profile and contributes to obesity-induced benign prostatic hyperplasia in mice. <i>Pharmacological Reports</i> , <b>2020</b> , 72, 179-187	3.9	4
109	Blockade of the TLR4-MD2 complex lowers blood pressure and improves vascular function in a murine model of type 1 diabetes. <i>Scientific Reports</i> , <b>2020</b> , 10, 12032	4.9	5
108	Reconstitution of autophagy ameliorates vascular function and arterial stiffening in spontaneously hypertensive rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2019</b> , 317, H1013-H1027	5.3	21
107	Impact of Immune System Activation and Vascular Impairment on Male and Female Sexual Dysfunction. <i>Sexual Medicine Reviews</i> , <b>2019</b> , 7, 604-613	5.6	9
106	Paying the Toll for Inflammation. <i>Hypertension</i> , <b>2019</b> , 73, 514-521	8.5	7
105	Transcriptional profiling of uterine leiomyoma rats treated by a traditional herb pair, Curcumae rhizoma and Sparganii rhizoma. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2019</b> , 52, e8132	2.8	6
104	Novel Contributors and Mechanisms of Cellular Senescence in Hypertension-Associated Premature Vascular Aging. <i>American Journal of Hypertension</i> , <b>2019</b> , 32, 709-719	2.3	12
103	Inhibition of Toll-Like Receptor-4 (TLR-4) Improves Neurobehavioral Outcomes After Acute Ischemic Stroke in Diabetic Rats: Possible Role of Vascular Endothelial TLR-4. <i>Molecular Neurobiology</i> , <b>2019</b> , 56, 1607-1617	6.2	25

102	Interleukin-10 negatively modulates extracellular signal-regulated kinases 1 and 2 in aorta from hypertensive mouse induced by angiotensin II infusion. <i>Fundamental and Clinical Pharmacology</i> , <b>2019</b> , 33, 31-40	3.1	5
101	TRPM8 channel activation triggers relaxation of pudendal artery with increased sensitivity in the hypertensive rats. <i>Pharmacological Research</i> , <b>2019</b> , 147, 104329	10.2	5
100	Targeting Endothelial Barrier Dysfunction Caused by Circulating Bacterial and Mitochondrial N-Formyl Peptides With Deformylase. <i>Frontiers in Immunology</i> , <b>2019</b> , 10, 1270	8.4	7
99	NLRP3 Inflammasomes Contribute to the Impaired Bladder Contraction in Male Diabetic Mice. <i>FASEB Journal</i> , <b>2019</b> , 33, 505.5	0.9	0
98	Equilin displays similar endothelium-independent vasodilator potential to 17 $\beta$ -estradiol regardless of lower potential to inhibit calcium entry. <i>Steroids</i> , <b>2019</b> , 141, 46-54	2.8	1
97	Formyl peptide receptor-1 activation exerts a critical role for the dynamic plasticity of arteries via actin polymerization. <i>Pharmacological Research</i> , <b>2019</b> , 141, 276-290	10.2	16
96	Toll-Like Receptor 9-Dependent AMPK Activation Occurs via TAK1 and Contributes to RhoA/ROCK Signaling and Actin Polymerization in Vascular Smooth Muscle Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2018</b> , 365, 60-71	4.7	13
95	O-Glycosylation with O-linked N-acetylglucosamine increases vascular contraction: Possible modulatory role on Interleukin-10 signaling pathway. <i>Life Sciences</i> , <b>2018</b> , 209, 78-84	6.8	6
94	Establishment of a rat model for uterine leiomyomas based on Western and traditional Chinese medicine theories. <i>Brazilian Journal of Medical and Biological Research</i> , <b>2018</b> , 51, e7627	2.8	5
93	Effects of glucosyl-hesperidin and physical training on body weight, plasma lipids, oxidative status and vascular reactivity of rats fed with high-fat diet. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , <b>2018</b> , 11, 321-332	3.4	5
92	Blockade of Toll-Like Receptor 4 Attenuates Erectile Dysfunction in Diabetic Rats. <i>Journal of Sexual Medicine</i> , <b>2018</b> , 15, 1235-1245	1.1	21
91	Reconstitution of Autophagy Improves Vascular Reactivity in Spontaneously Hypertensive Rats. <i>FASEB Journal</i> , <b>2018</b> , 32, 713.17	0.9	
90	Formyl Peptide Receptor Exerts a Sentinel Role and is Important for the Dynamic Plasticity of the Vasculature. <i>FASEB Journal</i> , <b>2018</b> , 32, 843.31	0.9	
89	Early type 2 diabetic urothelium exhibits increased cellular senescence and an inhibitory effect on detrusor force. <i>FASEB Journal</i> , <b>2018</b> , 32, lb356	0.9	
88	Toll-like receptor 4 (TLR4) impairs nitric oxide contributing to Angiotensin II-induced cavernosal dysfunction. <i>Life Sciences</i> , <b>2017</b> , 191, 219-226	6.8	28
87	Chloroquine Suppresses the Development of Hypertension in Spontaneously Hypertensive Rats. <i>American Journal of Hypertension</i> , <b>2017</b> , 30, 173-181	2.3	20
86	The toll of the gridiron: damage-associated molecular patterns and hypertension in American football. <i>FASEB Journal</i> , <b>2016</b> , 30, 34-40	0.9	19
85	Autoimmune therapeutic chloroquine lowers blood pressure and improves endothelial function in spontaneously hypertensive rats. <i>Pharmacological Research</i> , <b>2016</b> , 113, 384-394	10.2	13

84	Toll-Like Receptor 4 Activation Contributes to Diabetic Bladder Dysfunction in a Murine Model of Type 1 Diabetes. <i>Diabetes</i> , <b>2016</b> , 65, 3754-3764	0.9	38
83	High-fat diet increases O-GlcNAc levels in cerebral arteries: a link to vascular dysfunction associated with hyperlipidaemia/obesity?. <i>Clinical Science</i> , <b>2016</b> , 130, 871-80	6.5	19
82	Exposure to stimulatory CpG oligonucleotides during gestation induces maternal hypertension and excess vasoconstriction in pregnant rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2016</b> , 310, H1015-25	5.2	17
81	Interleukin-10 limits increased blood pressure and vascular RhoA/Rho-kinase signaling in angiotensin II-infused mice. <i>Life Sciences</i> , <b>2016</b> , 145, 137-43	6.8	38
80	Toll-like Receptors in the Vascular System: Sensing the Dangers Within. <i>Pharmacological Reviews</i> , <b>2016</b> , 68, 142-67	22.5	129
79	Formyl Peptide Receptor Activation Elicits Endothelial Cell Contraction and Vascular Leakage. <i>Frontiers in Immunology</i> , <b>2016</b> , 7, 297	8.4	10
78	Impaired Corpus Cavernosum Relaxation Is Accompanied by Increased Oxidative Stress and Up-Regulation of the Rho-Kinase Pathway in Diabetic (Db/Db) Mice. <i>PLoS ONE</i> , <b>2016</b> , 11, e0156030	3.7	8
77	Mitochondrial N-formyl peptides cause airway contraction and lung neutrophil infiltration via formyl peptide receptor activation. <i>Pulmonary Pharmacology and Therapeutics</i> , <b>2016</b> , 37, 49-56	3.5	30
76	Impaired Ca(2+) Homeostasis and Decreased Orai1 Expression Modulates Arterial Hyporeactivity to Vasoconstrictors During Endotoxemia. <i>Inflammation</i> , <b>2016</b> , 39, 1188-97	5.1	4
75	The contribution of Toll-like receptors to placental inflammation in diet-induced maternal obesity. <i>Placenta</i> , <b>2015</b> , 36, 1204-6	3.4	3
74	Reduced vascular responses to soluble guanylyl cyclase but increased sensitivity to sildenafil in female rats with type 2 diabetes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2015</b> , 309, H297-304	5.2	17
73	A Toll-Like Receptor 1/2 Agonist Augments Contractility in Rat Corpus Cavernosum. <i>Journal of Sexual Medicine</i> , <b>2015</b> , 12, 1722-31	1.1	8
72	Circulating mitochondrial DNA and Toll-like receptor 9 are associated with vascular dysfunction in spontaneously hypertensive rats. <i>Cardiovascular Research</i> , <b>2015</b> , 107, 119-30	9.9	112
71	Beneficial effect of the soluble guanylyl cyclase stimulator BAY 41-2272 on impaired penile erection in db/db-/- type II diabetic and obese mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2015</b> , 353, 330-9	4.7	13
70	Mitochondrial N-formyl peptides induce cardiovascular collapse and sepsis-like syndrome. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2015</b> , 308, H768-77	5.2	51
69	Emerging molecular targets for treatment of erectile dysfunction: vascular and regenerative therapies on the horizon. <i>Current Drug Targets</i> , <b>2015</b> , 16, 427-41	3	1
68	Toll-Like Receptor 9 Signals through both the Stress-tolerance and Inflammatory Cascades after Pharmacological Stimulation in Isolated Rat Arteries. <i>FASEB Journal</i> , <b>2015</b> , 29, 783.2	0.9	
67	Toll-like receptor 9 Activation Contributes to Decreased Autophagy in Hypertension. <i>FASEB Journal</i> , <b>2015</b> , 29, 1048.1	0.9	

66	Enhanced angiotensin-converting enzyme activity and systemic reactivity to angiotensin II in normotensive rats exposed to a high-sodium diet. <i>Vascular Pharmacology</i> , <b>2014</b> , 60, 67-74	5.9	18
65	Anti-platelet therapy with clopidogrel prevents endothelial dysfunction and vascular remodeling in aortas from hypertensive rats. <i>PLoS ONE</i> , <b>2014</b> , 9, e91890	3.7	13
64	Circulating fragmented mitochondria induce maternal hypertension, placental inflammation and apoptosis in pregnant rats. <i>FASEB Journal</i> , <b>2013</b> , 27, 708.9	0.9	
63	TOLL-LIKE RECEPTOR 4 (TLR4) MEDIATES ENDOTHELIAL DYSFUNCTION DURING TYPE I DIABETES. <i>FASEB Journal</i> , <b>2013</b> , 27, 1091.2	0.9	
62	Abnormal calcium homeostasis in the aorta of the spontaneously hypertensive rat is mediated by endoplasmic reticulum stress. <i>FASEB Journal</i> , <b>2013</b> , 27, 1092.1	0.9	
61	Toll-like receptor 2 activation increases adrenergic sensitivity in mesenteric resistance vessels of rats. <i>FASEB Journal</i> , <b>2013</b> , 27, 1090.7	0.9	
60	Lipopolysaccharide increases agonist-induced contractile responses in Sprague Dawley rat corpus cavernosum. <i>FASEB Journal</i> , <b>2013</b> , 27, 1090.4	0.9	
59	Serum S100B is associated with stress, adiposity and elevated blood pressure. <i>FASEB Journal</i> , <b>2013</b> , 27, 689.8	0.9	
58	Pregnancy regulates thromboxane A2-induced contractions via endothelium-derived factors and large-conductance calcium-activated potassium channels in rat uterine artery. <i>FASEB Journal</i> , <b>2013</b> , 27, 877.7	0.9	0
57	Chronic Toll-like receptor 9 activation mediates heightened vascular contractility via attenuated NOS activity in isolated aortic segments. <i>FASEB Journal</i> , <b>2013</b> , 27, 878.6	0.9	
56	Activation of formyl peptide receptors induces relaxation and reduces contraction in resistance arteries. <i>FASEB Journal</i> , <b>2013</b> , 27, 1131.11	0.9	
55	Toll-like receptor 4 (TLR4) mediates cavernosal dysfunction in diabetic rats. <i>FASEB Journal</i> , <b>2013</b> , 27, 1138.6	0.9	
54	Oxidation-reduction state modifies vascular reactivity. <i>FASEB Journal</i> , <b>2012</b> , 26, 863.7	0.9	
53	Toll-like receptor 2 is elevated in rat corpus cavernosum in response to nitric oxide deficiency. <i>FASEB Journal</i> , <b>2012</b> , 26, 1131.1	0.9	
52	Impaired cavernosal relaxation in Angiotensin- II infused mice is improved by deletion of Toll like receptor 4 (TLR4). <i>FASEB Journal</i> , <b>2012</b> , 26, 1140.3	0.9	
51	Endothelium modulates the contractile effect of RhoA activation in rat aorta. <i>FASEB Journal</i> , <b>2012</b> , 26, 870.27	0.9	
50	Endoplasmic reticulum stress induces sarco/endoplasmic reticulum calcium ATPase and alters calcium homeostasis in the vasculature. <i>FASEB Journal</i> , <b>2012</b> , 26, 863.2	0.9	
49	Metformin treatment of angiotensin II-hypertensive rat decreases phenylephrine-mediated increased contraction in pudendal arteries. <i>FASEB Journal</i> , <b>2012</b> , 26, 872.17	0.9	

48	TLR-9 activation potentiates the role of ERK1/2 in thromboxane A2-induced contractions in uterine but not in resistance arteries. <i>FASEB Journal</i> , <b>2012</b> , 26, 870.9	0.9	1
47	REDUCED FUNCTIONALITY OF RENIN-ANGIOTENSIN-ALDOSTERONE SYSTEM IN YOUNG RATS EXPOSED TO HIGH-SALT DIET. <i>FASEB Journal</i> , <b>2012</b> , 26, 1140.4	0.9	
46	Pregnancy increases mesenteric but not uterine artery response to thromboxane via activation of ERK pathway. <i>FASEB Journal</i> , <b>2011</b> , 25, 1026.23	0.9	
45	High fat diet augments O-GlcNAc levels in cerebral arteries leading to increased vascular contraction. <i>FASEB Journal</i> , <b>2011</b> , 25, 1115.30	0.9	
44	O-GlcNAc Transferase (OGT) Inhibition Does Not Improve Renal Artery Function in Male Angiotensin II Hypertensive Rats. <i>FASEB Journal</i> , <b>2010</b> , 24, 976.10	0.9	
43	Nitroxyl anion mediates vasorelaxation in salt-loaded AngII hypertensive mesenteric arteries. <i>FASEB Journal</i> , <b>2010</b> , 24, 984.20	0.9	
42	S-Nitrosylation decreases vasodilation via guanylyl cyclase inhibition in mouse aorta. <i>FASEB Journal</i> , <b>2010</b> , 24, 603.11	0.9	
41	Arginase II Deletion Improves Diabetes-Induced Neurogenic and Endothelial Dysfunction in Mice Corpora Cavernosa. <i>FASEB Journal</i> , <b>2010</b> , 24, 1b514	0.9	1
40	Sex hormones negatively modulate STIM-1/Orai-1 activity during hypertension: focus on calcium regulation. <i>FASEB Journal</i> , <b>2010</b> , 24, 1041.21	0.9	
39	Improvement of relaxation in Type II diabetic mice corpus cavernosum by PhTx2-6 toxin from Phoneutria nigriventer spider. <i>FASEB Journal</i> , <b>2010</b> , 24, 986.7	0.9	
38	Augmented endothelin-1 constriction in pudendal arteries from ETB receptor-deficient rats: linking hypertension and female sexual dysfunction.. <i>FASEB Journal</i> , <b>2010</b> , 24, 985.5	0.9	
37	Impact of hypertension and hormonal status on relaxation of the pudendal vasculature in aging female rats. <i>FASEB Journal</i> , <b>2010</b> , 24, 985.8	0.9	
36	Metformin treatment of angiotensin II hypertensive rats decreased electric field stimulation mediated contraction in corpus cavernosum. <i>FASEB Journal</i> , <b>2010</b> , 24, 986.11	0.9	
35	Increased contractile responses in corpora cavernosa of heart failure rats. <i>FASEB Journal</i> , <b>2010</b> , 24, 1b576.9	0.9	
34	DOCA-salt hypertensive rats display decreased vascular reactivity to urotensin-II. <i>FASEB Journal</i> , <b>2009</b> , 23, 1017.35	0.9	
33	Characterization of contraction to BzATP, a P2X7 agonist in rat mesenteric arteries. <i>FASEB Journal</i> , <b>2009</b> , 23, 775.21	0.9	
32	Resistance arteries and aorta from Angiotensin II hypertensive mice do not exhibit decreased relaxation responses to AngeliB Salt, a nitroxyl anion donor. <i>FASEB Journal</i> , <b>2009</b> , 23, 775.23	0.9	
31	Activation of AMP-activated protein kinase (AMPK) increases phenylephrine mediated contraction in murine corpus cavernosum. <i>FASEB Journal</i> , <b>2009</b> , 23, 781.1	0.9	

30	Nitrosative stress induces inhibition of protein kinase C-mediated vascular contractile response in mouse aorta. <i>FASEB Journal</i> , <b>2009</b> , 23, 1007.7	0.9	
29	Sex differences in vascular expression and activation of STIM-1/Orai-1 during hypertension: focus on calcium regulation. <i>FASEB Journal</i> , <b>2009</b> , 23,	0.9	2
28	nNOS mediates relaxation in corpus cavernosum mice strips improved by Tx2-6 toxin from Phoneutria nigriventer spider via cGMP increase. <i>FASEB Journal</i> , <b>2009</b> , 23, 956.7	0.9	
27	Augmented vascular reactivity induced by ET-1 is associated with increased O-GlcNAcylation. <i>FASEB Journal</i> , <b>2009</b> , 23, 627.8	0.9	
26	Adenosine actions are preserved in corpus cavernosum from obese and type II diabetic db/db mouse. <i>Journal of Sexual Medicine</i> , <b>2008</b> , 5, 1156-1166	1.1	41
25	Increased vascular contractile responses to phenylephrine in Doca-salt mice is normalized by Pyk2 blockade. <i>FASEB Journal</i> , <b>2008</b> , 22, 912.10	0.9	
24	A novel effect of P2X7 receptor antagonist - oxidized ATP in mouse aorta. <i>FASEB Journal</i> , <b>2008</b> , 22, 744.169		
23	Tx2-6 toxin from Phoneutria nigriventer spider improves relaxation induced by electrical stimulation of rat cavernosum strips. <i>FASEB Journal</i> , <b>2008</b> , 22, 1206.2	0.9	
22	Combined Aspirin & Eicosapentaenoic Acid Improve Decreased Acetylcholine Vasodilation Mediated by TNF- alpha. <i>FASEB Journal</i> , <b>2008</b> , 22, 744.1	0.9	
21	Murine and rat cavernosal responses to endothelin-1 and urotensin-II. <i>FASEB Journal</i> , <b>2008</b> , 22, 744.14	0.9	
20	IL-10 KO female mice infused with TNF- $\beta$ show impaired ACh induced relaxation as compared to IL-10KO male mice. <i>FASEB Journal</i> , <b>2008</b> , 22, 1235.5	0.9	
19	O-GlcNAcylation increases vascular reactivity in rat aorta. <i>FASEB Journal</i> , <b>2008</b> , 22,	0.9	1
18	Angiotensin-(1 $\bar{7}$ ) opposes agonist-induced constriction in endothelium denuded rat aortic rings via NO and PI3-Kinase pathways. <i>FASEB Journal</i> , <b>2008</b> , 22, 1206.3	0.9	
17	Arginase inhibition increases the relaxation response to acetylcholine in murine mesenteric vessels. <i>FASEB Journal</i> , <b>2008</b> , 22, 1206.6	0.9	
16	IL-10 counteracts both ET-1 mediated vascular responses and ETA receptor expression in vivo.. <i>FASEB Journal</i> , <b>2007</b> , 21, A1243	0.9	
15	TNF $\beta$ augments depolarization (K <sup>+</sup> ) and agonist-induced contraction in aortic rings and mesenteric arteries of IL-10 deficient mice. <i>FASEB Journal</i> , <b>2007</b> , 21, A1160	0.9	
14	Increased Endothelium-Mediated Vasorelaxation Induced By The Omega-3 Fatty Acid Docosahexaenoic Acid (DHA) In The Presence of Cox-2 Inhibition. <i>FASEB Journal</i> , <b>2007</b> , 21, A522	0.9	
13	Exercise improves vascular relaxation mediated by sGC/cGMP via inhibition of Rho-Kinase signaling in eNOS $\bar{1}$ mice.. <i>FASEB Journal</i> , <b>2007</b> , 21, A519	0.9	

12	Interleukin-10 counteracts impairment in endothelial dysfunction induced by endothelin-1 in murine aortic rings. <i>FASEB Journal</i> , <b>2006</b> , 20, A288	0.9	
11	URIDINE ADENOSINE TETRAPHOSPHATE-INDUCED CONTRACTION IS MODULATED BY THE ENDOTHELIUM AND INVOLVES AN INCREASED SUPEROXIDE FORMATION IN DOCA-SALT HYPERTENSION. <i>FASEB Journal</i> , <b>2006</b> , 20, A1185	0.9	
10	Effects of the soluble guanylyl cyclase stimulator (sGC) BAY 41-2272 on vascular tone and cyclic GMP levels in spontaneously hypertensive rats.. <i>FASEB Journal</i> , <b>2006</b> , 20, A1108	0.9	
9	Upregulation of the adenylyl cyclase/cAMP signaling pathway in aorta from interleukin-6 (IL-6) knockout mice.. <i>FASEB Journal</i> , <b>2006</b> , 20, A1117	0.9	
8	Smooth muscle contraction and relaxation. <i>American Journal of Physiology - Advances in Physiology Education</i> , <b>2003</b> , 27, 201-6	1.9	277
7	SMOOTH MUSCLE CONTRACTION AND RELAXATION. <i>American Journal of Physiology - Advances in Physiology Education</i> , <b>2003</b> , 27, 201-206	1.9	117
6	RhoA/Rho-kinase, vascular changes, and hypertension. <i>Current Hypertension Reports</i> , <b>2001</b> , 3, 139-44	4.7	69
5	Long-term antioxidant administration attenuates mineralocorticoid hypertension and renal inflammatory response. <i>Hypertension</i> , <b>2001</b> , 37, 781-6	8.5	201
4	Spironolactone reduces cerebral infarct size and EGF-receptor mRNA in stroke-prone rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2001</b> , 281, R944-50	3.2	80
3	Effect of Rho-kinase inhibition on vasoconstriction in the penile circulation. <i>Journal of Applied Physiology</i> , <b>2001</b> , 91, 1269-73	3.7	76
2	Novel signaling pathways contributing to vascular changes in hypertension. <i>Journal of Biomedical Science</i> , <b>2000</b> , 7, 431-43	13.3	24
1	Novel signaling pathways contributing to vascular changes in hypertension <b>2000</b> , 7, 431		1