

Jorge Enrique RodrÃ-guez PÃ;ez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6077884/publications.pdf>

Version: 2024-02-01

66
papers

1,766
citations

361296
20
h-index

276775
41
g-index

66
all docs

66
docs citations

66
times ranked

2186
citing authors

#	ARTICLE	IF	CITATIONS
1	Gas Sensors Based on Porous Ceramic Bodies of MSnO ₃ Perovskites (M = Ba, Ca, Zn): Formation and Sensing Properties towards Ethanol, Acetone, and Toluene Vapours. <i>Molecules</i> , 2022, 27, 2889.	1.7	6
2	ZnO-CeO ₂ nanocomposites: Synthesis, characterization and evaluation of their action on polluting gases emitted by motorcycles. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104890.	3.3	6
3	Nanoparticles of ZnO and Mg-doped ZnO: Synthesis, characterization and efficient removal of methyl orange (MO) from aqueous solution. <i>Ceramics International</i> , 2021, 47, 15668-15681.	2.3	18
4	Calcium oxyhydroxide (CaO/Ca(OH) ₂) nanoparticles: Synthesis, characterization and evaluation of their capacity to degrade glyphosate-based herbicides (GBH). <i>Advanced Powder Technology</i> , 2021, 32, 237-253.	2.0	17
5	Chemical synthesis versus green synthesis to obtain ZnO powders: Evaluation of the antibacterial capacity of the nanoparticles obtained by the chemical method. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106544.	3.3	9
6	Nanoparticles of zinc stannates (ZTO): Synthesis, characterization and electrical behavior in oxygen and acetone vapors. <i>Ceramics International</i> , 2020, 46, 2016-2032.	2.3	8
7	TiO ₂ Nanostructures (TiO ₂ -NSs): Synthesis, Characterization and Evaluation of Their Toxicity in the Swiss albino Mouse. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2020, 30, 1049-1064.	1.9	0
8	Removal of Rhodamine 6G in the absence of UV radiation using ceria nanoparticles (CeO ₂ -NPs). <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 103518.	3.3	10
9	Study of the structural and optical properties of nanoparticles of Pr ¹⁺ ~Sr MnO ₃ (x=0.1, 0.2, 0.3, 0.4 and 1) Tj ETQq1 1 0.784314 rgB Materials for Advanced Technology, 2020, 260, 114617.	1.7	4
10	Growth and formation mechanism of shape-selective preparation of ZnO structures: correlation of structural, vibrational and optical properties. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 7329-7339.	1.3	23
11	Antifungal effect of zinc oxide nanoparticles (ZnO-NPs) on <i>Colletotrichum</i> sp., causal agent of anthracnose in coffee crops. <i>Biocatalysis and Agricultural Biotechnology</i> , 2020, 25, 101579.	1.5	45
12	MgO nanostructures: Synthesis, characterization and tentative mechanisms of nanoparticles formation. <i>Nano Structures Nano Objects</i> , 2020, 23, 100482.	1.9	18
13	Synthesis of ZnO nanoparticles with different morphology: Study of their antifungal effect on strains of <i>Aspergillus niger</i> and <i>Botrytis cinerea</i> . <i>Materials Chemistry and Physics</i> , 2019, 234, 172-184.	2.0	33
14	Efficient removal of a glyphosate-based herbicide from water using ZnO nanoparticles (ZnO-NPs). <i>Biocatalysis and Agricultural Biotechnology</i> , 2019, 22, 101434.	1.5	16
15	Structural and Optical Properties of CeO ₂ Nanoparticles Synthesized by Modified Polymer Complex Method. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2019, 29, 813-826.	1.9	26
16	Facile Synthesis of TiO ₂ Nanoparticles of Different Crystalline Phases and Evaluation of Their Antibacterial Effect Under Dark Conditions Against <i>E. coli</i> . <i>Journal of Cluster Science</i> , 2019, 30, 379-391.	1.7	11
17	ZnO-based nanofungicides: Synthesis, characterization and their effect on the coffee fungi <i>Mycena citricolor</i> and <i>Colletotrichum</i> sp.. <i>Materials Science and Engineering C</i> , 2019, 98, 808-825.	3.8	47
18	Wet-chemical preparation of TiO ₂ -nanostructures using different solvents: Effect of CTAB concentration and tentative mechanism of particle formation. <i>Journal of Alloys and Compounds</i> , 2019, 780, 756-771.	2.8	21

#	ARTICLE	IF	CITATIONS
19	Micro/nanoscale mesoporous Nb ₂ O ₅ particles: Effect of synthesis conditions and doping with N, C, or S on their properties. <i>Nano Structures Nano Objects</i> , 2019, 17, 43-57.	1.9	7
20	ZnO-TiO ₂ nanocomposites synthesized by wet-chemical route: Study of their structural and optical properties. <i>Materials Chemistry and Physics</i> , 2019, 222, 230-245.	2.0	27
21	Role of defects on the enhancement of the photocatalytic response of ZnO nanostructures. <i>Applied Surface Science</i> , 2018, 448, 646-654.	3.1	46
22	Chemical Synthesis and Characterization of ZnO-TiO ₂ Semiconductor Nanocomposites: Tentative Mechanism of Particle Formation. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2018, 28, 1739-1752.	1.9	19
23	Controlled synthesis of ZnO nanoparticles and evaluation of their toxicity in <i>Mus musculus</i> mice. <i>International Nano Letters</i> , 2018, 8, 165-179.	2.3	20
24	The effect of the synthesis conditions on structure and photocatalytic activity of Nb ₂ O ₅ nanostructures. <i>Processing and Application of Ceramics</i> , 2018, 12, 218-229.	0.4	17
25	Amorphous TiO ₂ nanoparticles: Synthesis and antibacterial capacity. <i>Journal of Non-Crystalline Solids</i> , 2017, 459, 192-205.	1.5	78
26	ZnO nanoparticles (ZnO-NPs) and their antifungal activity against coffee fungus <i>Erythricium salmonicolor</i> . <i>Applied Nanoscience (Switzerland)</i> , 2017, 7, 225-241.	1.6	141
27	Cerium oxide nanoparticles: Synthesis, characterization and tentative mechanism of particle formation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2017, 529, 146-159.	2.3	104
28	Shape-control of Zinc Oxide nanoparticles: enhancing photocatalytic activity under UV irradiation. <i>Journal of Physics: Conference Series</i> , 2017, 792, 012068.	0.3	6
29	Synthesis and characterization of ZnO nanoparticles: effect of solvent and antifungal capacity of NPs obtained in ethylene glycol. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	1.1	14
30	Semiconductor magnéticamente diluido de SnO ₂ - Fe obtenido por precipitación controlada. <i>DYNA (Colombia)</i> , 2017, 84, 253.	0.2	1
31	Electrical behavior of BaSnO ₃ bulk samples formed by slip casting: Effect of synthesis methods used for obtaining the ceramic powders. <i>Materials Research Bulletin</i> , 2016, 78, 172-178.	2.7	4
32	Thermal behaviour of romarchite phase SnO in different atmospheres: a hypothesis about the phase transformation. <i>Heliyon</i> , 2016, 2, e00112.	1.4	43
33	Electrical Behavior of SnO ₂ Polycrystalline Ceramic Pieces Formed by Slip Casting: Effect of Surrounding Atmosphere (Air and CO). <i>Journal of Electronic Materials</i> , 2016, 45, 576-593.	1.0	3
34	Modification of sensitivity of BaSnO ₃ sensor due to parameters of synthesis and formation of the device. <i>Journal of Materials Research</i> , 2015, 30, 3423-3430.	1.2	10
35	Photocatalytic Properties of Nb/MCM-41 Molecular Sieves: Effect of the Synthesis Conditions. <i>Coatings</i> , 2015, 5, 511-526.	1.2	3
36	Comparative study of two wet chemical methods of BaSnO ₃ synthesis: Mechanism of formation of mixed oxide. <i>Powder Technology</i> , 2015, 279, 86-95.	2.1	25

#	ARTICLE	IF	CITATIONS
37	Effect of the synthetic method on the catalytic activity of alumina: Epoxidation of cyclohexene. Materials Research Bulletin, 2015, 62, 80-87.	2.7	4
38	Mn-Doping Effects on Structure and Magnetic Properties of ZnO Nanoparticles. Journal of Low Temperature Physics, 2015, 179, 42-47.	0.6	8
39	Evidence of a cluster glass-like behavior in Fe-doped ZnO nanoparticles. Journal of Applied Physics, 2014, 115, 17E123.	1.1	9
40	Synthesis and Characterization of Zirconium Oxide Systems with Yttrium Rich Rare Earth Concentrate Additives. Materials Science Forum, 2014, 798-799, 174-181.	0.3	0
41	On the paramagnetic behavior of heavily doped Zn _{1-x} Mn _x O films fabricated by Pechini's method. Superlattices and Microstructures, 2012, 52, 249-260.	1.4	3
42	Structural and microstructural characterization of tin(II) oxide useful as anode material in lithium rechargeable batteries obtained from a different synthesis route at room temperature. Materials Research, 2011, 14, 172-177.	0.6	7
43	TiO ₂ ; sintetizado por el método de precursor polimerico (Pechini): estructura de la resina intermedia. Boletín De La Sociedad Espanola De Ceramica Y Vidrio, 2011, 50, 267-272.	0.9	11
44	Nanocrystalline ZnO films prepared via polymeric precursor method (Pechini). Physica B: Condensed Matter, 2010, 405, 3679-3684.	1.3	23
45	Obtención y caracterización de recubrimientos de TiO ₂ por el método de complejo polimerizable (PECHINI). Respuestas, 2010, 15, 25-32.	0.2	0
46	Solvent effects in the synthesis process of tin oxide. Journal of Non-Crystalline Solids, 2009, 355, 885-890.	1.5	30
47	The influence of the synthesis route on the final properties of SnO ₂ -based varistors. Ceramics International, 2008, 34, 563-571.	2.3	20
48	Influencia del TiO ₂ y Al ₂ O ₃ sobre las propiedades eléctricas y microestructurales de cerámicas de SnO ₂ ; obtenidas por el método Pechini. Boletín De La Sociedad Espanola De Ceramica Y Vidrio, 2008, 47, 24-28.	0.9	1
49	Efectos de fotodegradación propiciados por recubrimientos de TiO ₂ y TiO ₂ -SiO ₂ ; obtenidos por Sol-Gel. Boletín De La Sociedad Espanola De Ceramica Y Vidrio, 2008, 47, 259-266.	0.9	3
50	Obtención de nano-estructuras bi-dimensionales de SnO ₂ utilizando el método pechini: estudio de la conformación de la resina. Boletín De La Sociedad Espanola De Ceramica Y Vidrio, 2008, 47, 278-286.	0.9	3
51	Relation between Crack Width and Diameter of Rebar Loss Due to Corrosion of Reinforced Concrete Members. ECS Transactions, 2007, 3, 29-36.	0.3	7
52	Efecto de la naturaleza del precursor sobre las características de las nanoparticulas de SnO ₂ sintetizadas. Quimica Nova, 2007, 30, 1578-1583.	0.3	2
53	Synthesis of SnO ₂ by chemical routes and its use in varistors production. Journal of the European Ceramic Society, 2007, 27, 3893-3896.	2.8	31
54	SnO ₂ -Bi ₂ O ₃ and SnO ₂ -Sb ₂ O ₃ gas sensors obtained by soft chemical method. Journal of the European Ceramic Society, 2007, 27, 4143-4146.	2.8	21

#	ARTICLE	IF	CITATIONS
55	Synthesis of SnO ₂ nanoparticles through the controlled precipitation route. Materials Chemistry and Physics, 2007, 101, 433-440.	2.0	137
56	Síntesis de ZnO con morfología acicular por el método de precipitación controlada (MPC) y su uso como refuerzo de elastómeros. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2006, 45, 283-288.	0.9	0
57	Métodos químicos para obtener varistores basados en SnO ₂ . Boletín De La Sociedad Española De Cerámica Y Vidrio, 2006, 45, 372-378.	0.9	2
58	Uso de métodos químicos para obtener polvos cerámicos del sistema (Sn, Ti)O ₂ . Boletín De La Sociedad Española De Cerámica Y Vidrio, 2005, 44, 215-222.	0.9	10
59	Obtención de silicatos de calcio utilizando el método de precipitación controlada. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2005, 44, 421-426.	0.9	2
60	Modificación química del precursor de titanio para obtener soles estables de sílice "titania: Uso de acetilacetona. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2004, 43, 53-55.	0.9	2
61	Estudio comparativo de dos métodos de síntesis para la obtención de polvos cerámicos de ZnO - Pr ₂ O ₃ - CoO. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2004, 43, 740-744.	0.9	11
62	Síntesis de polvos de BaTiO ₃ por mecanoquímica. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2002, 41, 177-181.	0.9	1
63	Estudio de la formación de los complejos intermedios durante la síntesis de alumina. Materials Research, 2001, 4, 255-264.	0.6	4
64	Controlled precipitation methods: formation mechanism of ZnO nanoparticles. Journal of the European Ceramic Society, 2001, 21, 925-930.	2.8	145
65	Síntesis de polvos cerámicos por el método de precipitación. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2001, 40, 173-184.	0.9	3
66	Load carrying capacity of concrete structures with corroded reinforcement. Construction and Building Materials, 1997, 11, 239-248.	3.2	380