

Michael Henry Malim

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6080047/michael-henry-malim-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

18,090
citations

63
h-index

134
g-index

165
ext. papers

20,666
ext. citations

15.1
avg, IF

6.71
L-index

#	Paper	IF	Citations
147	Isolation of a human gene that inhibits HIV-1 infection and is suppressed by the viral Vif protein. <i>Nature</i> , 2002 , 418, 646-50	50.4	1852
146	DNA deamination mediates innate immunity to retroviral infection. <i>Cell</i> , 2003 , 113, 803-9	56.2	1134
145	The antiretroviral enzyme APOBEC3G is degraded by the proteasome in response to HIV-1 Vif. <i>Nature Medicine</i> , 2003 , 9, 1404-7	50.5	788
144	Functional dissection of the HIV-1 Rev trans-activator--derivation of a trans-dominant repressor of Rev function. <i>Cell</i> , 1989 , 58, 205-14	56.2	684
143	Longitudinal observation and decline of neutralizing antibody responses in the three months following SARS-CoV-2 infection in humans. <i>Nature Microbiology</i> , 2020 , 5, 1598-1607	26.6	667
142	The HIV-1 Rev protein. <i>Annual Review of Microbiology</i> , 1998 , 52, 491-532	17.5	590
141	Human immunodeficiency virus type 1 spinoculation enhances infection through virus binding. <i>Journal of Virology</i> , 2000 , 74, 10074-80	6.6	558
140	Cytidine deamination of retroviral DNA by diverse APOBEC proteins. <i>Current Biology</i> , 2004 , 14, 1392-6	6.3	526
139	HIV-1 accessory proteins--ensuring viral survival in a hostile environment. <i>Cell Host and Microbe</i> , 2008 , 3, 388-98	23.4	440
138	Persistent HIV-1 replication maintains the tissue reservoir during therapy. <i>Nature</i> , 2016 , 530, 51-56	50.4	419
137	Antiviral function of APOBEC3G can be dissociated from cytidine deaminase activity. <i>Current Biology</i> , 2005 , 15, 166-70	6.3	405
136	HIV-1 structural gene expression requires binding of the Rev trans-activator to its RNA target sequence. <i>Cell</i> , 1990 , 60, 675-83	56.2	405
135	Human MX2 is an interferon-induced post-entry inhibitor of HIV-1 infection. <i>Nature</i> , 2013 , 502, 559-62	50.4	385
134	HIV-1 structural gene expression requires the binding of multiple Rev monomers to the viral RRE: implications for HIV-1 latency. <i>Cell</i> , 1991 , 65, 241-8	56.2	371
133	HIV Restriction Factors and Mechanisms of Evasion. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012 , 2, a006940	5.4	333
132	HIV-1 regulatory/accessory genes: keys to unraveling viral and host cell biology. <i>Science</i> , 1998 , 280, 1880-4	34.3	326
131	Defining APOBEC3 expression patterns in human tissues and hematopoietic cell subsets. <i>Journal of Virology</i> , 2009 , 83, 9474-85	6.6	252

130	APOBEC3F can inhibit the accumulation of HIV-1 reverse transcription products in the absence of hypermutation. Comparisons with APOBEC3G. <i>Journal of Biological Chemistry</i> , 2007 , 282, 2587-95	5.4	252
129	APOBEC3G inhibits elongation of HIV-1 reverse transcripts. <i>PLoS Pathogens</i> , 2008 , 4, e1000231	7.6	247
128	Antiviral potency of APOBEC proteins does not correlate with cytidine deamination. <i>Journal of Virology</i> , 2006 , 80, 8450-8	6.6	246
127	Safety and immunogenicity of one versus two doses of the COVID-19 vaccine BNT162b2 for patients with cancer: interim analysis of a prospective observational study. <i>Lancet Oncology</i> , 2021 , 22, 765-778	21.7	240
126	APOBEC-mediated viral restriction: not simply editing?. <i>Trends in Biochemical Sciences</i> , 2007 , 32, 118-28	10.3	227
125	Evidence for a newly discovered cellular anti-HIV-1 phenotype. <i>Nature Medicine</i> , 1998 , 4, 1397-400	50.5	225
124	Antiviral protein APOBEC3G localizes to ribonucleoprotein complexes found in P bodies and stress granules. <i>Journal of Virology</i> , 2007 , 81, 2165-78	6.6	222
123	APOBEC proteins and intrinsic resistance to HIV-1 infection. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2009 , 364, 675-87	5.8	207
122	APOBEC-mediated editing of viral RNA. <i>Science</i> , 2004 , 305, 645	33.3	198
121	HIV-1 and interferons: who's interfering with whom?. <i>Nature Reviews Microbiology</i> , 2015 , 13, 403-13	22.2	193
120	Guidelines for naming nonprimate APOBEC3 genes and proteins. <i>Journal of Virology</i> , 2009 , 83, 494-7	6.6	182
119	A sensitive, quantitative assay for human immunodeficiency virus type 1 integration. <i>Journal of Virology</i> , 2002 , 76, 10942-50	6.6	174
118	HIV-1 infection requires a functional integrase NLS. <i>Molecular Cell</i> , 2001 , 7, 1025-35	17.6	174
117	Peripheral immunophenotypes in children with multisystem inflammatory syndrome associated with SARS-CoV-2 infection. <i>Nature Medicine</i> , 2020 , 26, 1701-1707	50.5	170
116	Identification of amino acid residues in APOBEC3G required for regulation by human immunodeficiency virus type 1 Vif and Virion encapsidation. <i>Journal of Virology</i> , 2007 , 81, 3807-15	6.6	162
115	cis Expression of DC-SIGN allows for more efficient entry of human and simian immunodeficiency viruses via CD4 and a coreceptor. <i>Journal of Virology</i> , 2001 , 75, 12028-38	6.6	158
114	HIV-1 sequence variation: drift, shift, and attenuation. <i>Cell</i> , 2001 , 104, 469-72	56.2	157
113	Longitudinal evaluation and decline of antibody responses in SARS-CoV-2 infection		146

112	Unusual polymorphisms in human immunodeficiency virus type 1 associated with nonprogressive infection. <i>Journal of Virology</i> , 2000 , 74, 4361-76	6.6	143
111	Secreted placental alkaline phosphatase as a eukaryotic reporter gene. <i>Methods in Enzymology</i> , 1992 , 216, 362-8	1.7	143
110	RNA-dependent oligomerization of APOBEC3G is required for restriction of HIV-1. <i>PLoS Pathogens</i> , 2009 , 5, e1000330	7.6	134
109	Reassessment of the roles of integrase and the central DNA flap in human immunodeficiency virus type 1 nuclear import. <i>Journal of Virology</i> , 2002 , 76, 12087-96	6.6	132
108	APOBEC-mediated interference with hepadnavirus production. <i>Hepatology</i> , 2005 , 42, 301-9	11.2	122
107	Retroviral mRNA nuclear export elements regulate protein function and virion assembly. <i>EMBO Journal</i> , 2004 , 23, 2632-40	13	116
106	Characterization of the alpha interferon-induced postentry block to HIV-1 infection in primary human macrophages and T cells. <i>Journal of Virology</i> , 2010 , 84, 9254-66	6.6	109
105	Drugs that inhibit TMEM16 proteins block SARS-CoV-2 spike-induced syncytia. <i>Nature</i> , 2021 , 594, 88-93	50.4	103
104	Adjuvanted influenza-H1N1 vaccination reveals lymphoid signatures of age-dependent early responses and of clinical adverse events. <i>Nature Immunology</i> , 2016 , 17, 204-13	19.1	101
103	Pharmacological cyclin-dependent kinase inhibitors inhibit replication of wild-type and drug-resistant strains of herpes simplex virus and human immunodeficiency virus type 1 by targeting cellular, not viral, proteins. <i>Journal of Virology</i> , 2002 , 76, 7874-82	6.6	100
102	The HIV-1 Rev protein: prototype of a novel class of eukaryotic post-transcriptional regulators. <i>Trends in Biochemical Sciences</i> , 1991 , 16, 346-50	10.3	95
101	Ability of the V3 loop of simian immunodeficiency virus to serve as a target for antibody-mediated neutralization: correlation of neutralization sensitivity, growth in macrophages, and decreased dependence on CD4. <i>Journal of Virology</i> , 2001 , 75, 3903-15	6.6	91
100	Human APOBEC3G-mediated editing can promote HIV-1 sequence diversification and accelerate adaptation to selective pressure. <i>Journal of Virology</i> , 2010 , 84, 10402-5	6.6	90
99	Heteromeric interactions regulate butyrophilin (BTN) and BTN-like molecules governing T cell biology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 1039-1044	11.5	83
98	Suppression of HIV-1 infection by APOBEC3 proteins in primary human CD4(+) T cells is associated with inhibition of processive reverse transcription as well as excessive cytidine deamination. <i>Journal of Virology</i> , 2013 , 87, 1508-17	6.6	83
97	A highly conserved RNA folding region coincident with the Rev response element of primate immunodeficiency viruses. <i>Nucleic Acids Research</i> , 1990 , 18, 1613-23	20.1	83
96	Hypermutation of an ancient human retrovirus by APOBEC3G. <i>Journal of Virology</i> , 2008 , 82, 8762-70	6.6	76
95	DNA deamination: not just a trigger for antibody diversification but also a mechanism for defense against retroviruses. <i>Nature Immunology</i> , 2003 , 4, 641-3	19.1	73

94	In vivo attenuation of simian immunodeficiency virus by disruption of a tyrosine-dependent sorting signal in the envelope glycoprotein cytoplasmic tail. <i>Journal of Virology</i> , 2001 , 75, 278-91	6.6	73
93	Comparative assessment of multiple COVID-19 serological technologies supports continued evaluation of point-of-care lateral flow assays in hospital and community healthcare settings. <i>PLoS Pathogens</i> , 2020 , 16, e1008817	7.6	72
92	Endogenous MOV10 inhibits the retrotransposition of endogenous retroelements but not the replication of exogenous retroviruses. <i>Retrovirology</i> , 2012 , 9, 53	3.6	71
91	Further investigation of simian immunodeficiency virus Vif function in human cells. <i>Journal of Virology</i> , 2004 , 78, 12041-6	6.6	71
90	Hepatitis B virus DNA is subject to extensive editing by the human deaminase APOBEC3C. <i>Hepatology</i> , 2007 , 46, 682-9	11.2	68
89	Comparison of cellular ribonucleoprotein complexes associated with the APOBEC3F and APOBEC3G antiviral proteins. <i>Journal of Virology</i> , 2008 , 82, 5636-42	6.6	66
88	Human APOBEC3 induced mutation of human immunodeficiency virus type-1 contributes to adaptation and evolution in natural infection. <i>PLoS Pathogens</i> , 2014 , 10, e1004281	7.6	65
87	Sequence requirements for Rev multimerization in vivo. <i>Virology</i> , 1994 , 202, 186-94	3.6	65
86	Promiscuous RNA binding ensures effective encapsidation of APOBEC3 proteins by HIV-1. <i>PLoS Pathogens</i> , 2015 , 11, e1004609	7.6	64
85	The SOCS-box of HIV-1 Vif interacts with ElonginBC by induced-folding to recruit its Cul5-containing ubiquitin ligase complex. <i>PLoS Pathogens</i> , 2010 , 6, e1000925	7.6	64
84	Expression strategies of the yeast retrotransposon Ty: a short sequence directs ribosomal frameshifting. <i>Nucleic Acids Research</i> , 1986 , 14, 7001-16	20.1	63
83	Transfer of the amino-terminal nuclear envelope targeting domain of human MX2 converts MX1 into an HIV-1 resistance factor. <i>Journal of Virology</i> , 2014 , 88, 9017-26	6.6	61
82	Neutralization potency of monoclonal antibodies recognizing dominant and subdominant epitopes on SARS-CoV-2 Spike is impacted by the B.1.1.7 variant. <i>Immunity</i> , 2021 , 54, 1276-1289.e6	32.3	60
81	Comprehensive investigation of the molecular defect in vif-deficient human immunodeficiency virus type 1 virions. <i>Journal of Virology</i> , 2003 , 77, 5810-20	6.6	58
80	TRIM5 alpha cytoplasmic bodies are highly dynamic structures. <i>Molecular Biology of the Cell</i> , 2007 , 18, 2102-11	3.5	57
79	Deep sequencing of HIV-1 reverse transcripts reveals the multifaceted antiviral functions of APOBEC3G. <i>Nature Microbiology</i> , 2018 , 3, 220-233	26.6	55
78	Target cell-mediated editing of HIV-1 cDNA by APOBEC3 proteins in human macrophages. <i>Journal of Virology</i> , 2011 , 85, 13448-52	6.6	53
77	SRp40 and SRp55 promote the translation of unspliced human immunodeficiency virus type 1 RNA. <i>Journal of Virology</i> , 2010 , 84, 6748-59	6.6	52

76	Cytidine deamination and resistance to retroviral infection: towards a structural understanding of the APOBEC proteins. <i>Virology</i> , 2005 , 334, 147-53	3.6	52
75	Biochemical analyses of the interactions between human immunodeficiency virus type 1 Vpr and p6(Gag). <i>Journal of Virology</i> , 2001 , 75, 10537-42	6.6	52
74	Evidence for IFN γ -induced, SAMHD1-independent inhibitors of early HIV-1 infection. <i>Retrovirology</i> , 2013 , 10, 23	3.6	49
73	Retrovirus RNA trafficking: from chromatin to invasive genomes. <i>Traffic</i> , 2006 , 7, 1440-50	5.7	47
72	The effect of methotrexate and targeted immunosuppression on humoral and cellular immune responses to the COVID-19 vaccine BNT162b2: a cohort study. <i>Lancet Rheumatology</i> , 2021 , 3, e627-637	14.2	47
71	A triple-arginine motif in the amino-terminal domain and oligomerization are required for HIV-1 inhibition by human MX2. <i>Journal of Virology</i> , 2015 , 89, 4676-80	6.6	46
70	Long HIV type 1 reverse transcripts can accumulate stably within resting CD4+ T cells while short ones are degraded. <i>AIDS Research and Human Retroviruses</i> , 2004 , 20, 285-95	1.6	46
69	SARS-CoV-2 can recruit a heme metabolite to evade antibody immunity. <i>Science Advances</i> , 2021 , 7,	14.3	46
68	Determinants of syncytium formation in microglia by human immunodeficiency virus type 1: role of the V1/V2 domains. <i>Journal of Virology</i> , 2000 , 74, 693-701	6.6	45
67	HIV-1 replication and APOBEC3 antiviral activity are not regulated by P bodies. <i>Journal of Virology</i> , 2012 , 86, 11712-24	6.6	41
66	The innate antiviral factor APOBEC3G targets replication of measles, mumps and respiratory syncytial viruses. <i>Journal of General Virology</i> , 2012 , 93, 565-576	4.9	39
65	Matrix mediates the functional link between human immunodeficiency virus type 1 RNA nuclear export elements and the assembly competency of Gag in murine cells. <i>Journal of Virology</i> , 2009 , 83, 8525-35	6.6	35
64	Virion incorporation of human immunodeficiency virus type-1 Vif is determined by intracellular expression level and may not be necessary for function. <i>Virology</i> , 1998 , 248, 182-7	3.6	35
63	Natural resistance to HIV infection: The Vif-APOBEC interaction. <i>Comptes Rendus - Biologies</i> , 2006 , 329, 871-5	1.4	34
62	Immunoproteasome activation enables human TRIM5 α restriction of HIV-1. <i>Nature Microbiology</i> , 2019 , 4, 933-940	26.6	33
61	SnapShot: HIV-1 proteins. <i>Cell</i> , 2008 , 133, 742, 742.e1	56.2	33
60	The interferon-inducible isoform of NCOA7 inhibits endosome-mediated viral entry. <i>Nature Microbiology</i> , 2018 , 3, 1369-1376	26.6	33
59	Estimates of the rate of infection and asymptomatic COVID-19 disease in a population sample from SE England. <i>Journal of Infection</i> , 2020 , 81, 931-936	18.9	32

58	Nuclear import of SAMHD1 is mediated by a classical karyopherin β dependent pathway and confers sensitivity to VpxMAC induced ubiquitination and proteasomal degradation. <i>Retrovirology</i> , 2014 , 11, 29	3.6	32
57	Neutralizing antibody activity in convalescent sera from infection in humans with SARS-CoV-2 and variants of concern. <i>Nature Microbiology</i> , 2021 , 6, 1433-1442	26.6	32
56	Comparative performance of SARS-CoV-2 lateral flow antigen tests and association with detection of infectious virus in clinical specimens: a single-centre laboratory evaluation study. <i>Lancet Microbe, The</i> , 2021 , 2, e461-e471	22.2	31
55	Pan-cancer transcriptomic analysis dissects immune and proliferative functions of APOBEC3 cytidine deaminases. <i>Nucleic Acids Research</i> , 2019 , 47, 1178-1194	20.1	29
54	Oligomerization Requirements for MX2-Mediated Suppression of HIV-1 Infection. <i>Journal of Virology</i> , 2016 , 90, 22-32	6.6	28
53	Multiple components of the nuclear pore complex interact with the amino-terminus of MX2 to facilitate HIV-1 restriction. <i>PLoS Pathogens</i> , 2018 , 14, e1007408	7.6	28
52	Interim results of the safety and immune-efficacy of 1 versus 2 doses of COVID-19 vaccine BNT162b2 for cancer patients in the context of the UK vaccine priority guidelines		27
51	Evolution of a species-specific determinant within human CRM1 that regulates the post-transcriptional phases of HIV-1 replication. <i>PLoS Pathogens</i> , 2011 , 7, e1002395	7.6	26
50	Single dose of BNT162b2 mRNA vaccine against SARS-CoV-2 induces high frequency of neutralising antibody and polyfunctional T-cell responses in patients with myeloproliferative neoplasms. <i>Leukemia</i> , 2021 , 35, 3573-3577	10.7	26
49	Single dose of BNT162b2 mRNA vaccine against severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2) induces neutralising antibody and polyfunctional T-cell responses in patients with chronic myeloid leukaemia. <i>British Journal of Haematology</i> , 2021 , 194, 999-1006	4.5	24
48	Complex Interplay between HIV-1 Capsid and MX2-Independent Alpha Interferon-Induced Antiviral Factors. <i>Journal of Virology</i> , 2016 , 90, 7469-7480	6.6	23
47	New insights into an X-traordinary viral protein. <i>Frontiers in Microbiology</i> , 2014 , 5, 126	5.7	19
46	Nuclear export of human immunodeficiency virus type 1 Vpr is not required for virion packaging. <i>Journal of Virology</i> , 2001 , 75, 8348-52	6.6	19
45	Cooperativity among Rev-associated nuclear export signals regulates HIV-1 gene expression and is a determinant of virus species tropism. <i>Journal of Virology</i> , 2014 , 88, 14207-21	6.6	17
44	Rationalisation of the differences between APOBEC3G structures from crystallography and NMR studies by molecular dynamics simulations. <i>PLoS ONE</i> , 2010 , 5, e11515	3.7	16
43	AIDS/HIV. HIV interplay with SAMHD1. <i>Science</i> , 2012 , 335, 1313-4	33.3	16
42	Resilient SARS-CoV-2 diagnostics workflows including viral heat inactivation 2021 ,		15
41	Real-world evaluation of a novel technology for quantitative simultaneous antibody detection against multiple SARS-CoV-2 antigens in a cohort of patients presenting with COVID-19 syndrome. <i>Analyst, The</i> , 2020 , 145, 5638-5646	5	14

40	Effects of Inner Nuclear Membrane Proteins SUN1/UNC-84A and SUN2/UNC-84B on the Early Steps of HIV-1 Infection. <i>Journal of Virology</i> , 2017 , 91,	6.6	14
39	The production of hybrid Ty:IFN virus-like particles in yeast. <i>Nucleic Acids Research</i> , 1987 , 15, 7571-80	20.1	14
38	Impact of the B.1.1.7 variant on neutralizing monoclonal antibodies recognizing diverse epitopes on SARS-CoV-2 Spike 2021 ,		13
37	Immune evasion activities of accessory proteins Vpu, Nef and Vif are conserved in acute and chronic HIV-1 infection. <i>Virology</i> , 2015 , 482, 72-8	3.6	12
36	Humoral and cellular immunogenicity to a second dose of COVID-19 vaccine BNT162b2 in people receiving methotrexate or targeted immunosuppression: a longitudinal cohort study. <i>Lancet Rheumatology</i> , 2021 ,	14.2	12
35	The GTPase Domain of MX2 Interacts with the HIV-1 Capsid, Enabling Its Short Isoform to Moderate Antiviral Restriction. <i>Cell Reports</i> , 2019 , 29, 1923-1933.e3	10.6	11
34	Resilient SARS-CoV-2 diagnostics workflows including viral heat inactivation. <i>PLoS ONE</i> , 2021 , 16, e0256813	11	11
33	Comparative assessment of multiple COVID-19 serological technologies supports continued evaluation of point-of-care lateral flow assays in hospital and community healthcare settings		10
32	Humoral and cellular immunity to delayed second dose of SARS-CoV-2 BNT162b2 mRNA vaccination in patients with cancer. <i>Cancer Cell</i> , 2021 , 39, 1445-1447	24.3	8
31	SARS-CoV-2 recruits a haem metabolite to evade antibody immunity 2021 ,		8
30	Comparative performance of SARS CoV-2 lateral flow antigen tests demonstrates their utility for high sensitivity detection of infectious virus in clinical specimens		7
29	Combined epidemiological and genomic analysis of nosocomial SARS-CoV-2 infection early in the pandemic and the role of unidentified cases in transmission. <i>Clinical Microbiology and Infection</i> , 2021 ,	9.5	7
28	Insight into the HIV-1 Vif SOCS-box-ElonginBC interaction. <i>Open Biology</i> , 2013 , 3, 130100	7	6
27	Lorenzo-Redondo et al. reply. <i>Nature</i> , 2017 , 551, E10	50.4	5
26	Repeated vaccination against SARS-CoV-2 elicits robust polyfunctional T cell response in allogeneic stem cell transplantation recipients. <i>Cancer Cell</i> , 2021 , 39, 1448-1449	24.3	5
25	Antibody longevity and cross-neutralizing activity following SARS-CoV-2 wave 1 and B.1.1.7 infections 2021 ,		5
24	HIV: Ringside views. <i>Nature</i> , 2014 , 505, 167-8	50.4	4
23	HIV-1 Vpr Induces Widespread Transcriptomic Changes in CD4 T Cells Early Postinfection. <i>MBio</i> , 2021 , 12, e0136921	7.8	4

22	Broad Neutralization of SARS-CoV-2 Variants, Including Omicron, following Breakthrough Infection with Delta in COVID-19-Vaccinated Individuals.. <i>MBio</i> , 2022 , e0379821	7.8	4
21	Kinetics of Early Innate Immune Activation during HIV-1 Infection of Humanized Mice. <i>Journal of Virology</i> , 2019 , 93,	6.6	3
20	How Representative Are Research Tissue Biobanks of the Local Populations? Experience of the Infectious Diseases Biobank at King's College, London, UK. <i>Biopreservation and Biobanking</i> , 2011 , 9, 287-288	3.1	3
19	A plea for justice for jailed medical workers. <i>Science</i> , 2006 , 314, 924-5	33.3	3
18	Combined epidemiological and genomic analysis of nosocomial SARS-CoV-2 transmission identifies community social distancing as the dominant intervention reducing outbreaks		3
17	Clinical utility of targeted SARS-CoV-2 serology testing to aid the diagnosis and management of suspected missed, late or post-COVID-19 infection syndromes: Results from a pilot service implemented during the first pandemic wave. <i>PLoS ONE</i> , 2021 , 16, e0249791	3.7	3
16	Unsung hero Robert C. Gallo. <i>Science</i> , 2009 , 323, 206-7	33.3	2
15	Clinical utility of targeted SARS-CoV-2 serology testing to aid the diagnosis and management of suspected missed, late or post-COVID-19 infection syndromes: results from a pilot service		2
14	TMPRSS2 promotes SARS-CoV-2 evasion from NCOA7-mediated restriction. <i>PLoS Pathogens</i> , 2021 , 17, e1009820	7.6	2
13	APOBEC restriction goes nuclear. <i>Nature Microbiology</i> , 2019 , 4, 6-7	26.6	2
12	MX2-mediated innate immunity against HIV-1 is regulated by serine phosphorylation. <i>Nature Microbiology</i> , 2021 , 6, 1031-1042	26.6	2
11	Concordance of B and T cell responses to SARS-CoV-2 infection, irrespective of symptoms suggestive of COVID-19		1
10	Estimates of the rate of infection and asymptomatic COVID-19 disease in a population sample from SE England		1
9	Indicators of past COVID-19 infection status: Findings from a large occupational cohort of staff and postgraduate research students from a UK university		1
8	Translational Research in the Time of COVID-19-Dissolving Boundaries. <i>PLoS Pathogens</i> , 2020 , 16, e1008898	3.8	1
7	Single dose of BNT162b2 mRNA vaccine against SARS-CoV-2 induces high frequency of neutralising antibody and polyfunctional T-cell responses in patients with myeloproliferative neoplasms		1
6	Homebrew: an economical and sensitive glassmilk-based nucleic-acid extraction method for SARS-CoV-2 diagnostics.. <i>Cell Reports Methods</i> , 2022 , 100186		1
5	Homebrew: Protocol for glassmilk-based nucleic-acid extraction for SARS-CoV-2 diagnostics.. <i>STAR Protocols</i> , 2022 , 3, 101300	1.4	0

4	ChAdOx1 nCoV-19 vaccine elicits monoclonal antibodies with cross-neutralizing activity against SARS-CoV-2 viral variants.. <i>Cell Reports</i> , 2022 , 110757	10.6	o
3	Impaired humoral and T cell response to vaccination against SARS-CoV-2 in chronic myeloproliferative neoplasm patients treated with ruxolitinib.. <i>Blood Cancer Journal</i> , 2022 , 12, 73	7	o
2	Low Frequency of T Cell and Antibody Responses to Vaccination Against Sars-Cov-2 in Patients Post Allogeneic Stem Cell Transplantation in Comparison with Chronic Myeloid Malignancy Patients. <i>Blood</i> , 2021 , 138, 3920-3920	2.2	
1	Minimal impact of ZAP on lentiviral vector production and transduction efficiency. <i>Molecular Therapy - Methods and Clinical Development</i> , 2021 , 23, 147-157	6.4	