

Tapas Kumar Maji

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6080476/tapas-kumar-maji-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

7,205
citations

47
h-index

80
g-index

165
ext. papers

8,105
ext. citations

6.8
avg, IF

6.46
L-index

#	Paper	IF	Citations
153	A Dynamic Chemical Clip in Supramolecular Framework for Sorting Alkylaromatic Isomers using Thermodynamic and Kinetic Preferences. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 19921-19927	16.4	1
152	A Dynamic Chemical Clip in Supramolecular Framework for Sorting Alkylaromatic Isomers using Thermodynamic and Kinetic Preferences. <i>Angewandte Chemie</i> , 2021 , 133, 20074-20080	3.6	
151	Nanocomposite Hydrogel of Pd@ZIF-8 and Laponite : Size-Selective Hydrogenation Catalyst under Mild Conditions. <i>Chemistry - A European Journal</i> , 2021 , 27, 3268-3272	4.8	5
150	Colocalization of light harvesting and catalytic units in a soft coordination polymer hydrogel toward visible-light driven photocatalytic hydrogen production. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 13608-13614	13	6
149	Multicolour lanthanide(III) porous 1D coordination polymers: tunable wide spectrum emission and efficient Cu sensing. <i>Dalton Transactions</i> , 2021 , 50, 13002-13011	4.3	2
148	Covalent grafting of molecular photosensitizer and catalyst on MOF-808: effect of pore confinement toward visible light-driven CO ₂ reduction in water. <i>Energy and Environmental Science</i> , 2021 , 14, 2429-2440	35.4	42
147	Stabilization of ultra-small gold nanoparticles in a photochromic organic cage: modulating photocatalytic CO ₂ reduction by tuning light irradiation. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 5780-5786	13	6
146	Fluorocarbon-Functionalized Superhydrophobic Metal-Organic Framework: Enhanced CO Uptake via Photoinduced Postsynthetic Modification. <i>Inorganic Chemistry</i> , 2021 , 60, 3823-3833	5.1	5
145	Metal-Free Catalysis: A Redox-Active Donor-Acceptor Conjugated Microporous Polymer for Selective Visible-Light-Driven CO Reduction to CH ₄ . <i>Journal of the American Chemical Society</i> , 2021 , 143, 16284-16292	16.4	27
144	Coordination driven self-assembly of donor-acceptor linkers in 3D supramolecular frameworks: Ground state charge transfer and tunable porosity. <i>Materials Research Bulletin</i> , 2021 , 142, 111388	5.1	2
143	Charge-transfer regulated visible light driven photocatalytic H ₂ production and CO reduction in tetrathiafulvalene based coordination polymer gel.. <i>Nature Communications</i> , 2021 , 12, 7313	17.4	13
142	Unraveling the Effect on Luminescent Properties by Postsynthetic Covalent and Noncovalent Grafting of gfp Chromophore Analogues in Nanoscale MOF-808. <i>Inorganic Chemistry</i> , 2020 , 59, 8251-8258	5.1	4
141	Acetylene/Ethylene Separation and Solid-State Structural Transformation via [2 + 2] Cycloaddition Reactions in 3D Microporous Zn Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2020 , 59, 9055-9064	5.1	4
140	Modulating Hierarchical Micro/Mesoporosity by a Mixed Solvent Approach in Al-MOF: Stabilization of MAPbBr Quantum Dots. <i>Chemistry - A European Journal</i> , 2020 , 26, 14671-14678	4.8	5
139	Transfer hydrogenation of alkynes into alkenes by ammonia borane over Pd-MOF catalysts. <i>Dalton Transactions</i> , 2020 , 49, 5024-5028	4.3	12
138	Synergistic Role of Microwave and Perturbation toward Synthesis of Hierarchical Porous MOFs with Tunable Porosity. <i>Inorganic Chemistry</i> , 2020 , 59, 3775-3782	5.1	7
137	MOF Derived CoO@Co/NCNT Nanocomposite for Electrochemical Hydrogen Evolution, Flexible Zinc-Air Batteries, and Overall Water Splitting. <i>Inorganic Chemistry</i> , 2020 , 59, 3160-3170	5.1	38

136	Fragile magnetic ground state of a spin-12 metal-organic kagome lattice. <i>Physical Review B</i> , 2020 , 101,	3.3	2
135	Recent advances in coordination-driven polymeric gel materials: design and applications. <i>Dalton Transactions</i> , 2020 , 49, 7658-7672	4.3	16
134	Semiconductivity and superhydrophobicity in an oligo-(p-phenyleneethynylene) (OPE)-based luminescent MOF. <i>Bulletin of Materials Science</i> , 2020 , 43, 1	1.7	0
133	Stabilization of MAPbBr Perovskite Quantum Dots on Perovskite MOFs by a One-Step Mechanochemical Synthesis. <i>Inorganic Chemistry</i> , 2020 , 59, 1436-1443	5.1	34
132	Bimodal Heterogeneous Functionality in Redox-Active Conjugated Microporous Polymer toward Electrocatalytic Oxygen Reduction and Photocatalytic Hydrogen Evolution. <i>Chemistry - A European Journal</i> , 2020 , 26, 3810-3817	4.8	7
131	Guest-Responsive Reversible Electron Transfer in a Crystalline Porous Framework Supported by a Dynamic Building Node. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 18479-18484	16.4	7
130	Luminescent metal-organic frameworks and their potential applications. <i>Journal of Chemical Sciences</i> , 2020 , 132, 1	1.8	10
129	Guest-Responsive Reversal in Structural Transformation after a [2 + 2] Topochemical Reaction in a 3D Pillared Layer MOF: Uncovering the Role of C-H...O Interaction. <i>Inorganic Chemistry</i> , 2020 , 59, 12793-12801	5.1	2
128	Triphenylamine and terpyridine-zinc(II) complex based donor-acceptor soft hybrid as a visible light-driven hydrogen evolution photocatalyst. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 21968-21972	13	10
127	Guest-Responsive Reversible Electron Transfer in a Crystalline Porous Framework Supported by a Dynamic Building Node. <i>Angewandte Chemie</i> , 2020 , 132, 18637-18642	3.6	
126	Photochromic Conjugated Microporous Polymer Manifesting Bio-Inspired pcFRET and Logic Gate Functioning. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 20991-20997	9.5	17
125	Photo-modulated wide-spectrum chromism in Eu and Eu/Tb photochromic coordination polymer gels: application in decoding secret information. <i>Chemical Science</i> , 2020 , 12, 2674-2682	9.4	14
124	Gfp chromophore integrated conjugated microporous polymers: topological and ESPT effects on emission properties. <i>Chemical Communications</i> , 2019 , 55, 2837-2840	5.8	12
123	In situ Stabilization of Au and Co Nanoparticles in a Redox-Active Conjugated Microporous Polymer Matrix: Facile Heterogeneous Catalysis and Electrocatalytic Oxygen Reduction Reaction Activity. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 5455-5461	9.5	23
122	Polar functional groups anchored to a 2D MOF template for the stabilization of Pd(0) nps for the catalytic C-C coupling reaction. <i>Dalton Transactions</i> , 2019 , 48, 7117-7121	4.3	3
121	Dynamic Resolution of Piezosensitivity in Single Crystals of Conjugated Molecules. <i>Chemistry - A European Journal</i> , 2019 , 25, 6092-6097	4.8	5
120	Adaptive and Guest Responsive Supramolecular Porous Framework: Solvent Modulated Energy Transfer toward Fingerprint Sensing. <i>Crystal Growth and Design</i> , 2019 , 19, 1514-1517	3.5	6
119	Solvent Adaptive Dynamic Metal-Organic Soft Hybrid for Imaging and Biological Delivery. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 5008-5012	16.4	17

118	Photoswitchable J-Aggregated Processable Organogel by Integrating a Photochromic Acceptor. <i>Journal of Organic Chemistry</i> , 2019 , 84, 10946-10952	4.2	8
117	Mechanochemical synthesis of a processable halide perovskite quantum dot/MOF composite by post-synthetic metalation. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 21106-21111	13	39
116	Potential of hydrophobic metal-organic framework-based materials for environmental applications 2019 , 319-354		2
115	Realization of Oxygen Reduction and Evolution Electrocatalysis by In Situ Stabilization of Co Nanoparticles in a Redox-Active Donor-Acceptor Porous Organic Polymer. <i>ChemElectroChem</i> , 2019 , 6, 3756-3763	4.3	10
114	Solvent Adaptive Dynamic Metal-Organic Soft Hybrid for Imaging and Biological Delivery. <i>Angewandte Chemie</i> , 2019 , 131, 5062-5066	3.6	6
113	Regulating Charge-Transfer in Conjugated Microporous Polymers for Photocatalytic Hydrogen Evolution. <i>Chemistry - A European Journal</i> , 2019 , 25, 3867-3874	4.8	34
112	Redox-active and semi-conducting donor-acceptor conjugated microporous polymers as metal-free ORR catalysts. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 5587-5591	13	47
111	Tetracarboxylate Linker-Based Flexible Cu Frameworks: Efficient Separation of CO from CO/N and CH from CH/CH Mixtures. <i>ACS Omega</i> , 2018 , 3, 2018-2026	3.9	15
110	Excitation Energy Transfer Supported Amplified Charge-Transfer Emission in an Anthracenedicarboxylate- and Bipyridophenazine-Based Coordination Complex. <i>Inorganic Chemistry</i> , 2018 , 57, 2953-2956	5.1	7
109	Metallophthalocyanine-based redox active metal-organic conjugated microporous polymers for OER catalysis. <i>Chemical Communications</i> , 2018 , 54, 4465-4468	5.8	40
108	Nanovesicular MOF with Omniphilic Porosity: Bimodal Functionality for White-Light Emission and Photocatalysis by Dye Encapsulation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 23140-23146	9.5	17
107	MOF derived carbon based nanocomposite materials as efficient electrocatalysts for oxygen reduction and oxygen and hydrogen evolution reactions.. <i>RSC Advances</i> , 2018 , 8, 26728-26754	3.7	45
106	Solvent-Modulated Emission Properties in a Superhydrophobic Oligo(p-phenyleneethynylene)-Based 3D Porous Supramolecular Framework. <i>Inorganic Chemistry</i> , 2018 , 57, 8693-8696	5.1	8
105	Tunable Physical States and Optical Properties of Bola-Amphiphilic Oligo-(p-phenyleneethynylene)-Based Supramolecular Networks Assisted by Functional Group Modulation. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 21598-21606	3.8	5
104	Pure white light emission and charge transfer in organogels of symmetrical and unsymmetrical chromophoric oligo-p-(phenyleneethynylene) bola-amphiphiles. <i>Chemical Communications</i> , 2018 , 54, 275-278	5.8	18
103	Charge-Assisted Self-Assembly of ZIF-8 and Laponite Clay toward a Functional Hydrogel Nanocomposite. <i>Inorganic Chemistry</i> , 2018 , 57, 14480-14483	5.1	12
102	Metallated azo-naphthalene diimide based redox-active porous organic polymer as an efficient water oxidation electrocatalyst. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 19834-19842	13	18
101	Binder driven self-assembly of metal-organic cubes towards functional hydrogels. <i>Nature Communications</i> , 2018 , 9, 3587	17.4	40

100	Separation/purification of ethylene from an acetylene/ethylene mixture in a pillared-layer porous metal-organic framework. <i>Chemical Communications</i> , 2017 , 53, 4907-4910	5.8	46
99	Synthesis of nano-porous carbon and nitrogen doped carbon dots from an anionic MOF: a trace cobalt metal residue in carbon dots promotes electrocatalytic ORR activity. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 13573-13580	13	76
98	Flexible MOF@minoclay nanocomposites showing tunable stepwise/gated sorption for C ₂ H ₂ , CO ₂ and separation for CO ₂ /N ₂ and CO ₂ /CH ₄ . <i>Journal of Materials Chemistry A</i> , 2017 , 5, 8423-8430	13	56
97	Colossal Increase in Electric Current and High Rectification Ratio in a Photoconducting, Self-Cleaning, and Luminescent Schottky Barrier NMOF Diode. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 23803-23810	3.8	20
96	Co O @Co/NCNT Nanostructure Derived from a Dicyanamide-Based Metal-Organic Framework as an Efficient Bi-Functional Electrocatalyst for Oxygen Reduction and Evolution Reactions. <i>Chemistry - A European Journal</i> , 2017 , 23, 18049-18056	4.8	60
95	Oriented attachment growth of anisotropic meso/nanoscale MOFs: tunable surface area and CO ₂ separation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 20959-20968	13	19
94	Coordination Polymer Gels with Modular Nanomorphologies, Tunable Emissions, and Stimuli-Responsive Behavior Based on an Amphiphilic Tripodal Gelator. <i>Inorganic Chemistry</i> , 2017 , 56, 9417-9425	5.1	35
93	In Situ Growth of Self-Assembled ZIF-8-Aminoclay Nanocomposites with Enhanced Surface Area and CO Uptake. <i>Inorganic Chemistry</i> , 2017 , 56, 9426-9435	5.1	15
92	MOF-aminoclay composites for superior CO capture, separation and enhanced catalytic activity in chemical fixation of CO. <i>Chemical Communications</i> , 2016 , 52, 11378-11381	5.8	50
91	A discrete Cu cluster and a 3D Mn-Cu framework based on assembly of MnCu clusters: synthesis, structure and magnetic properties. <i>Dalton Transactions</i> , 2016 , 45, 15523-15531	4.3	8
90	Coordination-Driven Fluorescent J-Aggregates in a Perylenetetracarboxylate-Based MOF: Permanent Porosity and Proton Conductivity. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 13622-13629	3.8	31
89	Dynamic, conjugated microporous polymers: visible light harvesting via guest-responsive reversible swelling. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 156-63	3.6	33
88	Self-cleaning MOF: realization of extreme water repellence in coordination driven self-assembled nanostructures. <i>Chemical Science</i> , 2016 , 7, 2251-2256	9.4	73
87	Luminescent Metal-Organic Complexes of Pyrene or Anthracene Chromophores: Energy Transfer Assisted Amplified Exciplex Emission and Al ³⁺ Sensing. <i>Crystal Growth and Design</i> , 2016 , 16, 82-91	3.5	39
86	Post-synthetic metalation in an anionic MOF for efficient catalytic activity and removal of heavy metal ions from aqueous solution. <i>Chemical Communications</i> , 2016 , 52, 2831-4	5.8	98
85	Host-Guest [2+2] Cycloaddition Reaction: Postsynthetic Modulation of CO ₂ Selectivity and Magnetic Properties in a Bimodal Metal-Organic Framework. <i>Chemistry - A European Journal</i> , 2016 , 22, 7792-9	4.8	27
84	Dynamic Entangled Porous Framework for Hydrocarbon (C ₂ -C ₃) Storage, CO ₂ Capture, and Separation. <i>Chemistry - A European Journal</i> , 2016 , 22, 6059-70	4.8	41
83	Understanding guest and pressure-induced porosity through structural transition in flexible interpenetrated MOF by Raman spectroscopy. <i>Journal of Raman Spectroscopy</i> , 2016 , 47, 149-155	2.3	23

82	(113)Cd Nuclear Magnetic Resonance as a Probe of Structural Dynamics in a Flexible Porous Framework Showing Selective O ₂ /N ₂ and CO ₂ /N ₂ Adsorption. <i>Inorganic Chemistry</i> , 2016 , 55, 4166-72	5.1	25
81	Coordination polymer gels: soft metal-organic supramolecular materials and versatile applications. <i>Chemical Communications</i> , 2016 , 52, 8055-74	5.8	141
80	Crystal Dynamics in Multi-stimuli-Responsive Entangled Metal-Organic Frameworks. <i>Chemistry - A European Journal</i> , 2016 , 22, 15864-15873	4.8	39
79	Reversible Polymorphism, Liquid Crystallinity, and Stimuli-Responsive Luminescence in a Bola-amphiphilic System: Structure-Property Correlations Through Nanoindentation and DFT Calculations. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 4086-4092	6.4	19
78	Bimodal self-assembly of an amphiphilic gelator into a hydrogel-nanocatalyst and an organogel with different morphologies and photophysical properties. <i>Chemical Communications</i> , 2016 , 52, 13136-13139	5.8	19
77	1D chains, 2D networks and 3D interdigitated frameworks of isosorbic acid or 4,4'-bipyridyl and isosorbic acid: syntheses, structures, and sorption properties. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 278-289	6.8	8
76	High aspect ratio, processable coordination polymer gel nanotubes based on an AIE-active LMWG with tunable emission. <i>Chemical Communications</i> , 2015 , 51, 14678-81	5.8	41
75	Tunable emission in lanthanide coordination polymer gels based on a rationally designed blue emissive gelator. <i>Chemical Communications</i> , 2015 , 51, 9876-9	5.8	79
74	Pillared-bilayer porous coordination polymers of Zn(II): enhanced hydrophobicity of pore surface by changing the pillar functionality. <i>CrystEngComm</i> , 2015 , 17, 3478-3486	3.3	23
73	Light driven mesoscale assembly of a coordination polymeric gelator into flowers and stars with distinct properties. <i>Chemical Science</i> , 2015 , 6, 6583-6591	9.4	52
72	Rational design of a pyrene based luminescent porous supramolecular framework: excimer emission and energy transfer. <i>RSC Advances</i> , 2015 , 5, 74986-74993	3.7	14
71	A 2-D coordination polymer incorporating cobalt(II), 2-sulfoterephthalate and the flexible bridging ligand 1,3-di(4-pyridyl)propane. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 157-163	6.8	14
70	Highly Luminescent Microporous Organic Polymer with Lewis Acidic Boron Sites on the Pore Surface: Ratiometric Sensing and Capture of F ⁻ Ions. <i>Chemistry - A European Journal</i> , 2015 , 21, 10799-804	4.8	47
69	Redox-Active Metal-Organic Frameworks: Highly Stable Charge-Separated States through Strut/Guest-to-Strut Electron Transfer. <i>Chemistry - A European Journal</i> , 2015 , 21, 11701-6	4.8	50
68	Controlled synthesis of tunable nanoporous carbons for gas storage and supercapacitor application. <i>Microporous and Mesoporous Materials</i> , 2015 , 206, 127-135	5.3	19
67	Interpenetration in coordination polymers: structural diversities toward porous functional materials. <i>Materials Today</i> , 2015 , 18, 97-116	21.8	50
66	Interpenetrated Metal-Organic Frameworks with [Ag(CN) ₂] ⁻ Bridging Ligand: Synthesis, Structural Characterization and Magnetic Study. <i>Proceedings of the National Academy of Sciences India Section A - Physical Sciences</i> , 2014 , 84, 243-249	0.9	
65	Charge-Transfer Nanostructures through Noncovalent Amphiphilic Self-Assembly: Extended Cofacial Donor-Acceptor Arrays. <i>Asian Journal of Organic Chemistry</i> , 2014 , 3, 161-169	3	9

64	Lanthanide-organic frameworks for gas storage and as magneto-luminescent materials. <i>Coordination Chemistry Reviews</i> , 2014 , 273-274, 139-164	23.2	214
63	Synthesis and Structural Characterization of 1D and 2D Coordination Polymers based on Flexible 1,3-Adamantanediacetic Acid and Exo-bidentate Organic Linkers. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014 , 640, 1102-1108	1.3	7
62	In-situ Stabilization of Tin Nanoparticles in Porous Carbon Matrix derived from Metal Organic Framework: High Capacity and High Rate Capability Anodes for Lithium-ion Batteries. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014 , 640, 1115-1118	1.3	27
61	A bimodal anionic MOF: turn-off sensing of Cu(II) and specific sensitization of Eu(III.). <i>Chemical Communications</i> , 2014 , 50, 13567-70	5.8	102
60	Amine-responsive adaptable nanospaces: fluorescent porous coordination polymer for molecular recognition. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 11772-7	16.4	153
59	A hexanuclear Cu(I) cluster supported by cuprophilic interaction: effects of aromatics on luminescence properties. <i>RSC Advances</i> , 2014 , 4, 35167-35170	3.7	12
58	Two 3D metal-organic frameworks of Cd(II): modulation of structures and porous properties based on linker functionalities. <i>CrystEngComm</i> , 2014 , 16, 4877-4885	3.3	16
57	Synthesis, Characterization, and Modeling of a Functional Conjugated Microporous Polymer: CO ₂ Storage and Light Harvesting. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 24369-24376	3.8	48
56	Oligo(p-phenyleneethynylene)-Derived Porous Luminescent Nanoscale Coordination Polymer of Gd(III): Bimodal Imaging and Nitroaromatic Sensing. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 12241-12249	2.8	33
55	Flexible and rigid amine-functionalized microporous frameworks based on different secondary building units: supramolecular isomerism, selective CO ₂ capture, and catalysis. <i>Chemistry - A European Journal</i> , 2014 , 20, 4347-56	4.8	105
54	Two 3D supramolecular frameworks assembled from the dinuclear building block: A crystallographic evidence of carboxylate(O)⋯interaction. <i>Journal of Chemical Sciences</i> , 2014 , 126, 1153-1161	1.8	1
53	Growth of 2D sheets of a MOF on graphene surfaces to yield composites with novel gas adsorption characteristics. <i>Dalton Transactions</i> , 2014 , 43, 7383-6	4.3	59
52	Stoichiometry-controlled two flexible interpenetrated frameworks: higher CO ₂ uptake in a nanoscale counterpart supported by accelerated adsorption kinetics. <i>Inorganic Chemistry</i> , 2014 , 53, 5993-6002	5.1	49
51	Porous polyimides from polycyclic aromatic linkers: Selective CO ₂ capture and hydrogen storage. <i>Polymer</i> , 2014 , 55, 1452-1458	3.9	29
50	Amine-Responsive Adaptable Nanospaces: Fluorescent Porous Coordination Polymer for Molecular Recognition. <i>Angewandte Chemie</i> , 2014 , 126, 11966-11971	3.6	26
49	Mg-MOF-74@SBA-15 hybrids: Synthesis, characterization, and adsorption properties. <i>APL Materials</i> , 2014 , 2, 124107	5.7	25
48	Temperature induced structural transformations and gas adsorption in the zeolitic imidazolate framework ZIF-8: a Raman study. <i>Journal of Physical Chemistry A</i> , 2013 , 117, 11006-12	2.8	151
47	Effect of pillar modules and their stoichiometry in 3D porous frameworks of Zn(II) with [Fe(CN) ₆] ³⁻ : high CO ₂ /N ₂ and CO ₂ /CH ₄ selectivity. <i>Inorganic Chemistry</i> , 2013 , 52, 11385-97	5.1	22

46	Metal-organic frameworks (MOFs) based on mixed linker systems: structural diversities towards functional materials. <i>CrystEngComm</i> , 2013 , 15, 9276	3.3	97
45	Shape assisted fabrication of fluorescent cages of squarate based metal-organic coordination frameworks. <i>Chemical Communications</i> , 2013 , 49, 3937-9	5.8	16
44	A nanoporous borocarbonitride (BC ₄ N) with novel properties derived from a boron-imidazolate-based metal-organic framework. <i>Chemistry - A European Journal</i> , 2013 , 19, 6966-70	4.8	16
43	Bimodal Magneto-Luminescent Dysprosium (Dy ^{III})-Potassium (K ^I)-Oxalate Framework: Magnetic Switchability with High Anisotropic Barrier and Solvent Sensing. <i>Chemistry of Materials</i> , 2013 , 25, 1673-1879	8.6	99
42	Hybrid nanocomposites of ZIF-8 with graphene oxide exhibiting tunable morphology, significant CO ₂ uptake and other novel properties. <i>Chemical Communications</i> , 2013 , 49, 4947-9	5.8	229
41	MOF Nano-Vesicles and Toroids: Self-Assembled Porous Soft-Hybrids for Light Harvesting. <i>Advanced Functional Materials</i> , 2013 , 23, 5585-5590	15.6	77
40	Porous Hybrids: MOF Nano-Vesicles and Toroids: Self-Assembled Porous Soft-Hybrids for Light Harvesting (Adv. Funct. Mater. 45/2013). <i>Advanced Functional Materials</i> , 2013 , 23, 5684-5684	15.6	
39	A metal-organic framework with highly polar pore surfaces: selective CO ₂ adsorption and guest-dependent on/off emission properties. <i>Chemistry - A European Journal</i> , 2012 , 18, 237-44	4.8	61
38	Topological difference in 2D layers steers the formation of rigid and flexible 3D supramolecular isomers: impact on the adsorption properties. <i>Inorganic Chemistry</i> , 2012 , 51, 9141-3	5.1	36
37	Perylene Based Porous Polyimides: Tunable, High Surface Area with Tetrahedral and Pyramidal Monomers. <i>Chemistry of Materials</i> , 2012 , 24, 969-971	9.6	100
36	Selective carbon dioxide uptake and crystal-to-crystal transformation: porous 3D framework to 1D chain triggered by conformational change of the spacer. <i>CrystEngComm</i> , 2012 , 14, 684-690	3.3	33
35	Chiral Porous Metal-Organic Frameworks of Co(II) and Ni(II): Synthesis, Structure, Magnetic Properties, and CO ₂ Uptake. <i>Crystal Growth and Design</i> , 2012 , 12, 975-981	3.5	125
34	Luminescent microporous metal-organic framework with functional lewis basic sites on the pore surface: specific sensing and removal of metal ions. <i>Inorganic Chemistry</i> , 2012 , 51, 10089-91	5.1	178
33	Three-dimensional metal-organic framework with highly polar pore surface: H ₂ and CO ₂ storage characteristics. <i>Inorganic Chemistry</i> , 2012 , 51, 7103-11	5.1	62
32	Unusual room temperature CO ₂ uptake in a fluoro-functionalized MOF: insight from Raman spectroscopy and theoretical studies. <i>Chemical Communications</i> , 2012 , 48, 8487-9	5.8	67
31	Terbium(III), europium(III), and mixed terbium(III)-europium(III) mucate frameworks: hydrophilicity and stoichiometry-dependent color tunability. <i>Inorganic Chemistry</i> , 2012 , 51, 4891-3	5.1	47
30	Highly rigid and stable porous Cu(I) metal-organic framework with reversible single-crystal-to-single-crystal structural transformation. <i>CrystEngComm</i> , 2012 , 14, 4153	3.3	15
29	Guest-responsive reversible swelling and enhanced fluorescence in a super-absorbent, dynamic microporous polymer. <i>Chemistry - A European Journal</i> , 2012 , 18, 4505-9	4.8	84

28	Exciplex formation and energy transfer in a self-assembled metal-organic hybrid system. <i>Chemistry - A European Journal</i> , 2012 , 18, 5848-52	4.8	35
27	Honeycomb Porous Framework of Zinc(II): Effective Host for Palladium Nanoparticles for Efficient Three-Component (A ₃) Coupling and Selective Gas Storage. <i>ChemPlusChem</i> , 2012 , 77, 743-747	2.8	30
26	High heat of hydrogen adsorption and guest-responsive magnetic modulation in a 3D porous pillared-layer coordination framework. <i>Chemical Communications</i> , 2011 , 47, 538-40	5.8	83
25	Guest-specific double- or single-step adsorption in a flexible porous framework based on a mixed-ligand system. <i>Inorganic Chemistry</i> , 2011 , 50, 400-2	5.1	46
24	A two-fold interpenetrated flexible bi-pillared-layer framework of Fe(II) with interesting solvent adsorption property. <i>Journal of Chemical Sciences</i> , 2011 , 123, 883-890	1.8	5
23	Amine-Templated Cobalt(II) Coordination Polymer Exhibiting Novel Magnetic Properties: Effect of Dehydration. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 2057-2063	2.3	26
22	A pillared-bilayer porous coordination polymer with a 1D channel and a 2D interlayer space, showing unique gas and vapor sorption. <i>Chemical Communications</i> , 2011 , 47, 8106-8	5.8	89
21	Extended phenylene based microporous organic polymers with selective carbon dioxide adsorption. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12958		58
20	Versatile functionalities in MOFs assembled from the same building units: interplay of structural flexibility, rigidity and regularity. <i>Journal of Materials Chemistry</i> , 2010 , 20, 1322-1331		66
19	A flexible supramolecular host with a crowned chair octameric water cluster and highly selective adsorption properties. <i>CrystEngComm</i> , 2010 , 12, 2775	3.3	23
18	Fabrication of supramolecular frameworks by tuning the binding site of a tripodal ligand with d 10 metal ions: Interplay of covalent and non-covalent interactions in solid-state structure. <i>Journal of Chemical Sciences</i> , 2010 , 122, 801-806	1.8	5
17	Construction of a 2D Rectangular Grid and 3D Diamondoid Interpenetrated Frameworks and Their Functionalities by Changing the Second Spacers. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 3762-3769	2.3	29
16	Facile and Green Synthesis of SERS Active and Ferromagnetic Silver Nanorods. <i>European Journal of Inorganic Chemistry</i> , 2010 , 2010, 4969-4974	2.3	12
15	Syntheses, Crystal Structures and Adsorption Properties of Ultramicroporous Coordination Polymers Constructed from Hexafluorosilicate Ions and Pyrazine. <i>European Journal of Inorganic Chemistry</i> , 2009 , 2009, 2329-2337	2.3	85
14	New Interpenetrated Copper Coordination Polymer Frameworks having Porous Properties. <i>Chemistry of Materials</i> , 2009 , 21, 5860-5866	9.6	88
13	A bimetallic pillared-layer metal-organic coordination framework with a 3D biporous structure. <i>Dalton Transactions</i> , 2009 , 4426-8	4.3	12
12	Construction of bi-functional inorganic-organic hybrid nanocomposites. <i>Journal of Materials Chemistry</i> , 2008 , 18, 5448		11
11	Chemistry of porous coordination polymers. <i>Pure and Applied Chemistry</i> , 2007 , 79, 2155-2177	2.1	128

10	A flexible interpenetrating coordination framework with a bimodal porous functionality. <i>Nature Materials</i> , 2007 , 6, 142-8	27	701
9	Diversity in magnetic properties of 3D isomorphous networks of Co(II) and Mn(II) constructed by naphthalene-1,4-dicarboxylate. <i>Chemical Communications</i> , 2005 , 4613-5	5.8	54
8	Transformation from a 2D stacked layer to 3D interpenetrated framework by changing the spacer functionality: synthesis, structure, adsorption, and magnetic properties. <i>Inorganic Chemistry</i> , 2005 , 44, 9225-31	5.1	93
7	Guest-induced asymmetry in a metal-organic porous solid with reversible single-crystal-to-single-crystal structural transformation. <i>Journal of the American Chemical Society</i> , 2005 , 127, 17152-3	16.4	309
6	Porous lanthanide-organic framework with zeolite-like topology. <i>Chemical Communications</i> , 2005 , 2436-8	5.8	177
5	Expanding and shrinking porous modulation based on pillared-layer coordination polymers showing selective guest adsorption. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 3269-72	16.4	363
4	Cover Picture: Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption (Angew. Chem. Int. Ed. 25/2004). <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 3205-3205	16.4	
3	Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption. <i>Angewandte Chemie</i> , 2004 , 116, 3331-3334	3.6	91
2	Titelbild: Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption (Angew. Chem. 25/2004). <i>Angewandte Chemie</i> , 2004 , 116, 3267-3267	3.6	
1	Chapter 12: Gated and Stepwise Sorption Processes in Functional Metal-organic Frameworks. <i>Monographs in Supramolecular Chemistry</i> , 412-453	1.1	5