

Simon Coulton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6082470/publications.pdf>

Version: 2024-02-01

76
papers

2,650
citations

218677

26
h-index

197818

49
g-index

85
all docs

85
docs citations

85
times ranked

3571
citing authors

#	ARTICLE	IF	CITATIONS
1	Anticholinergic Medication Use and Cognitive Impairment in the Older Population: The Medical Research Council Cognitive Function and Ageing Study. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1477-1483.	2.6	515
2	Effectiveness of screening and brief alcohol intervention in primary care (SIPS trial): pragmatic cluster randomised controlled trial. <i>BMJ</i> , The, 2013, 346, e8501-e8501.	6.0	223
3	Effectiveness and cost-effectiveness of community singing on mental health-related quality of life of older people: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2015, 207, 250-255.	2.8	155
4	Efficacy of Memantine for Agitation in Alzheimer's Dementia: A Randomised Double-Blind Placebo Controlled Trial. <i>PLoS ONE</i> , 2012, 7, e35185.	2.5	144
5	Randomised trial of a brief physiotherapy intervention compared with usual physiotherapy for neck pain patients: outcomes and patients' preference. <i>BMJ: British Medical Journal</i> , 2005, 330, 75.	2.3	120
6	The Effectiveness of Alcohol Screening and Brief Intervention in Emergency Departments: A Multicentre Pragmatic Cluster Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e99463.	2.5	89
7	The impact of anticholinergic burden in Alzheimer's Dementia-the Laser-AD study. <i>Age and Ageing</i> , 2011, 40, 730-735.	1.6	80
8	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. <i>Addiction</i> , 2016, 111, 1935-1945.	3.3	73
9	Effectiveness and cost-effectiveness of a stepped care intervention for alcohol use disorders in primary care: pilot study. <i>British Journal of Psychiatry</i> , 2009, 195, 448-456.	2.8	71
10	Opportunistic screening for alcohol use disorders in primary care: comparative study. <i>BMJ: British Medical Journal</i> , 2006, 332, 511-517.	2.3	61
11	Low identification of alcohol use disorders in general practice in England. <i>Addiction</i> , 2008, 103, 766-773.	3.3	60
12	Screening and brief interventions for hazardous and harmful alcohol use in primary care: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009, 9, 287.	2.9	57
13	Galvanic vestibular stimulation in hemi-spatial neglect. <i>Frontiers in Integrative Neuroscience</i> , 2014, 8, 4.	2.1	53
14	Interventions for drug-using offenders in the courts, secure establishments and the community.. , 2006, , CD005193.		51
15	Alcohol Screening and Brief Interventions for Offenders in the Probation Setting (SIPS Trial): a Pragmatic Multicentre Cluster Randomized Controlled Trial. <i>Alcohol and Alcoholism</i> , 2014, 49, 540-548.	1.6	48
16	Effectiveness of nurse delivered endoscopy: findings from randomised multi-institution nurse endoscopy trial (MINuET). <i>BMJ: British Medical Journal</i> , 2009, 338, b231-b231.	2.3	47
17	Screening for Alcohol Use in Criminal Justice Settings: An Exploratory Study. <i>Alcohol and Alcoholism</i> , 2012, 47, 423-427.	1.6	44
18	Screening and brief interventions for hazardous and harmful alcohol use in probation services: a cluster randomised controlled trial protocol. <i>BMC Public Health</i> , 2009, 9, 418.	2.9	40

#	ARTICLE	IF	CITATIONS
19	Screening and brief interventions for hazardous alcohol use in accident and emergency departments: a randomised controlled trial protocol. BMC Health Services Research, 2009, 9, 114.	2.2	40
20	“Singing for Breathing”: Participants' perceptions of a group singing programme for people with COPD. Arts and Health, 2014, 6, 59-74.	1.6	39
21	Using Bayes factors to evaluate evidence for no effect: examples from the SIPS project. Addiction, 2018, 113, 240-246.	3.3	39
22	Alcohol Consumption, Early-Onset Drinking, and Health-Related Consequences in Adolescents Presenting at Emergency Departments in England. Journal of Adolescent Health, 2017, 60, 438-446.	2.5	37
23	Identifying the gap between need and intervention for alcohol use disorders in Europe. Addiction, 2011, 106, 31-36.	3.3	36
24	The Effectiveness of Interventions for Drug-Using Offenders in the Courts, Secure Establishments and the Community: A Systematic Review. Substance Use and Misuse, 2009, 44, 374-400.	1.4	34
25	Screening Tools Assessing Risk of Suicide and Self-Harm in Adult Offenders: A Systematic Review. International Journal of Offender Therapy and Comparative Criminology, 2010, 54, 803-828.	1.2	31
26	Randomized trial of a brief physiotherapy intervention compared with usual physiotherapy for neck pain patients: Cost-effectiveness analysis. International Journal of Technology Assessment in Health Care, 2006, 22, 67-75.	0.5	29
27	Cost effectiveness of nurse delivered endoscopy: findings from randomised multi-institution nurse endoscopy trial (MINuET). BMJ: British Medical Journal, 2009, 338, b270-b270.	2.3	27
28	Improving response rates using a monetary incentive for patient completion of questionnaires: an observational study. BMC Medical Research Methodology, 2007, 7, 12.	3.1	24
29	The effectiveness and cost-effectiveness of opportunistic screening and stepped care interventions for older hazardous alcohol users in primary care (AESOPS) “ A randomised control trial protocol. BMC Health Services Research, 2008, 8, 129.	2.2	24
30	The DAMASK trial protocol: a pragmatic randomised trial to evaluate whether GPs should have direct access to MRI for patients with suspected internal derangement of the knee. BMC Health Services Research, 2006, 6, 133.	2.2	22
31	Double-blind, 12-month follow-up, placebo-controlled trial of mifepristone on cognition in alcoholics: the MIFCOG trial protocol. BMC Psychiatry, 2016, 16, 40.	2.6	19
32	Linked randomised controlled trials of face-to-face and electronic brief intervention methods to prevent alcohol related harm in young people aged 14-17 years presenting to Emergency Departments (SIPS junior). BMC Public Health, 2015, 15, 345.	2.9	18
33	Failure to validate the Health Survey for England physical activity module in a cardiac population. Health Policy, 2007, 84, 262-268.	3.0	17
34	What Was Useful about That Session? Clients' and Therapists' Comments after Sessions in the UK Alcohol Treatment Trial (UKATT). Alcohol and Alcoholism, 2009, 44, 306-313.	1.6	15
35	Evaluation of a hospice rapid response community service: a controlled evaluation. BMC Palliative Care, 2012, 11, 11.	1.8	15
36	Assertive Community Treatment For People With Alcohol Dependence: A Pilot Randomized Controlled Trial. Alcohol and Alcoholism, 2017, 52, 234-241.	1.6	15

#	ARTICLE	IF	CITATIONS
37	Effectiveness and Cost-effectiveness of Opportunistic Screening and Stepped-care Interventions for Older Alcohol Users in Primary Care. <i>Alcohol and Alcoholism</i> , 2017, 52, 655-664.	1.6	15
38	Opportunistic screening for alcohol use problems in adolescents attending emergency departments: an evaluation of screening tools. <i>Journal of Public Health</i> , 2019, 41, e53-e60.	1.8	14
39	A quasi-experimental controlled evaluation of the impact of a hospice rapid response community service for end-of-life care on achievement of preferred place of death. <i>Palliative Medicine</i> , 2015, 29, 817-825.	3.1	13
40	Development of risk models for the prediction of new or worsening acute kidney injury on or during hospital admission: a cohort and nested study. <i>Health Services and Delivery Research</i> , 2016, 4, 1-160.	1.4	13
41	Screening for At-Risk Alcohol Consumption in Primary Care: A Randomized Evaluation of Screening Approaches. <i>Alcohol and Alcoholism</i> , 2017, 52, 312-317.	1.6	12
42	Alcohol Screening and Brief Intervention in Police Custody Suites: Pilot Cluster Randomised Controlled Trial (AcCePT). <i>Alcohol and Alcoholism</i> , 2018, 53, 548-559.	1.6	12
43	Assertive Community Treatment for alcohol dependence (ACTAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2012, 13, 19.	1.6	10
44	Participants' preference for type of leaflet used to feed back the results of a randomised trial: a survey. <i>Trials</i> , 2010, 11, 116.	1.6	9
45	Multicentre individual randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people aged 14-15 in a high school setting (SIPS JR-HIGH): study protocol. <i>BMJ Open</i> , 2016, 6, e012474.	1.9	9
46	Pragmatic randomised controlled trial to evaluate the effectiveness and cost effectiveness of a multi-component intervention to reduce substance use and risk-taking behaviour in adolescents involved in the criminal justice system: A trial protocol (RISKIT-CJS). <i>BMC Public Health</i> , 2017, 17, 246.	2.9	9
47	Double-blind, placebo-controlled trial of mifepristone on cognition and depression in alcohol dependence. <i>Trials</i> , 2020, 21, 796.	1.6	9
48	A pilot feasibility cluster randomised controlled trial of screening and brief alcohol intervention to prevent hazardous drinking in young people aged 14-15 years in a high school setting (SIPS JR-HIGH). <i>Public Health Research</i> , 2014, 2, 1-208.	1.3	9
49	Brief intervention to prevent hazardous drinking in young people aged 14-15 in a high school setting (SIPS JR-HIGH): study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 166.	1.6	8
50	Effectiveness of a tailored training programme in behaviour change counselling for community pharmacists: A pilot study. <i>Patient Education and Counseling</i> , 2016, 99, 132-138.	2.2	8
51	Burden of Alcohol Disorders on Emergency Department Attendances and Hospital Admissions in England. <i>Alcohol and Alcoholism</i> , 2019, 54, 516-524.	1.6	8
52	Cost-effectiveness analysis of public health interventions with impacts on health and criminal justice: An applied cross-sectoral analysis of an alcohol misuse intervention. <i>Health Economics (United Kingdom)</i> , 2019, 34, 1071-1087.	1.0	8
53	Using postal randomization to replace telephone randomization had no significant effect on recruitment of patients. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 1046-1051.	5.0	7
54	How does cognitive behaviour therapy work with opioid-dependent clients? Results of the UKCBTMM study. <i>Drugs: Education, Prevention and Policy</i> , 2012, 19, 253-258.	1.3	7

#	ARTICLE	IF	CITATIONS
55	Alcohol-related risk and harm amongst young offenders aged 11-17. <i>International Journal of Prisoner Health</i> , 2015, 11, 75-86.	0.9	7
56	Screening and brief interventions for adolescent alcohol use disorders presenting through emergency departments: a research programme including two RCTs. <i>Programme Grants for Applied Research</i> , 2020, 8, 1-144.	1.0	7
57	The utility of different screening methods to detect hazardous drinking and alcohol use disorders in the Screening and Intervention Program for Sensible Drinking (SIPS) program. <i>Addiction Science & Clinical Practice</i> , 2012, 7, .	2.6	6
58	Interventions for drug-using offenders in the courts, secure establishments and the community.. <i>The Cochrane Library</i> , 2014, 2014, CD005193.	2.8	6
59	Brief interventions to prevent excessive alcohol use in adolescents at low-risk presenting to Emergency Departments: Three-arm, randomised trial of effectiveness and cost-effectiveness. <i>International Journal of Drug Policy</i> , 2021, 93, 103113.	3.3	5
60	Brief alcohol intervention for risky drinking in young people aged 14-15 years in secondary schools: the SIPS JR-HIGH RCT. <i>Public Health Research</i> , 2019, 7, 1-134.	1.3	5
61	A pilot feasibility trial of alcohol screening and brief intervention in the police custody setting (ACCEPT): study protocol for a cluster randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2015, 1, 6.	1.2	4
62	Adolescent perspectives about their participation in alcohol intervention research in emergency care: A qualitative exploration using ethical principles as an analytical framework. <i>PLoS ONE</i> , 2019, 14, e0217855.	2.5	4
63	Alcohol use disorders in older people. <i>Reviews in Clinical Gerontology</i> , 2009, 19, 217-225.	0.5	3
64	Alcohol Misuse among English Youth, Are Harms Attributable to Alcohol or to Underlying Disinhibitory Characteristics?. <i>Alcohol and Alcoholism</i> , 2022, 57, 372-377.	1.6	3
65	RisKit: The participatory development and observational evaluation of a multi-component programme for adolescent risk behaviour reduction. <i>Drugs: Education, Prevention and Policy</i> , 2014, 21, 24-34.	1.3	2
66	Development of a multicentre randomised controlled trial of screening and brief alcohol intervention to prevent risky drinking in young people in a high-school setting (SIPS JR-HIGH). <i>Lancet, The</i> , 2015, 386, S37.	13.7	2
67	Effectiveness and cost-effectiveness of face-to-face and electronic brief interventions versus screening alone to reduce alcohol consumption among high-risk adolescents presenting to Emergency Departments: three-arm pragmatic randomised trial (SIPS Junior High Risk Trial). <i>Addiction</i> , 2022, , .	3.3	2
68	RESULTS OF A CONTROLLED EVALUATION OF A HOSPICE RAPID RESPONSE COMMUNITY SERVICE FOR END OF LIFE CARE. <i>BMJ Supportive and Palliative Care</i> , 2014, 4, A10.2-A10.	1.6	1
69	Alcohol misuse. <i>Clinical Evidence</i> , 2011, 2011, .	0.2	1
70	Screening and brief alcohol intervention to prevent hazardous drinking in adolescents aged 14-15 years in a high-school setting (SIPS JR-HIGH): a feasibility pilot trial. <i>Lancet, The</i> , 2012, 380, S60.	13.7	0
71	Screening and brief alcohol intervention in routine primary care in the UK: 12-month outcomes. <i>Addiction Science & Clinical Practice</i> , 2012, 7, .	2.6	0
72	Alcohol screening, brief intervention, and stepped care with older alcohol users. <i>Addiction Science & Clinical Practice</i> , 2012, 7, .	2.6	0

#	ARTICLE	IF	CITATIONS
73	Can Galvanic Vestibular Stimulation Induce Lasting Relief from Hemi-Spatial Neglect?. Archives of Physical Medicine and Rehabilitation, 2014, 95, e24.	0.9	0
74	A two-arm parallel-group individually randomised prison pilot study of a male remand alcohol intervention for self-efficacy enhancement: the APPRAISE study protocol. BMJ Open, 2021, 11, e040636.	1.9	0
75	Alcohol misuse. Clinical Evidence, 2009, 2009, .	0.2	0
76	OUP accepted manuscript. Alcohol and Alcoholism, 2022, , .	1.6	0