

Gregory Towers

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6083734/gregory-towers-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

6,031
citations

43
h-index

76
g-index

111
ext. papers

7,046
ext. citations

9.1
avg, IF

5.68
L-index

#	Paper	IF	Citations
103	HIV-2/SIV Vpx antagonises NF- κ B activation by targeting p65.. <i>Retrovirology</i> , 2022 , 19, 2	3.6	0
102	Preclinical and randomized phase I studies of plitidepsin in adults hospitalized with COVID-19.. <i>Life Science Alliance</i> , 2022 , 5,	5.8	6
101	Evolution of enhanced innate immune evasion by the SARS-CoV-2 B.1.1.7 UK variant 2021 ,		60
100	SARS-CoV-2 sensing by RIG-I and MDA5 links epithelial infection to macrophage inflammation. <i>EMBO Journal</i> , 2021 , 40, e107826	13	41
99	STING nuclear partners contribute to innate immune signaling responses. <i>IScience</i> , 2021 , 24, 103055	6.1	6
98	Evolution of enhanced innate immune evasion by SARS-CoV-2.. <i>Nature</i> , 2021 ,	50.4	30
97	Emergence of a Novel Protease Inhibitor Resistance Signature in HIV-1 Matrix. <i>MBio</i> , 2020 , 11,	7.8	4
96	Disrupting HIV-1 capsid formation causes cGAS sensing of viral DNA. <i>EMBO Journal</i> , 2020 , 39, e103958	13	25
95	Hepatitis C virus exploits cyclophilin A to evade PKR. <i>ELife</i> , 2020 , 9,	8.9	8
94	MxB sensitivity of HIV-1 is determined by a highly variable and dynamic capsid surface. <i>ELife</i> , 2020 , 9,	8.9	5
93	HIV-1 Vpr antagonizes innate immune activation by targeting karyopherin-mediated NF- κ B/IRF3 nuclear transport. <i>ELife</i> , 2020 , 9,	8.9	11
92	Lentiviral Vector Production Titer Is Not Limited in HEK293T by Induced Intracellular Innate Immunity. <i>Molecular Therapy - Methods and Clinical Development</i> , 2020 , 17, 209-219	6.4	10
91	Variable Baseline Endogenous Retrovirus (PcEV) Expression Is Upregulated in Acutely SIV-Infected Macaques and Correlated to STAT1 Expression in the Spleen. <i>Frontiers in Immunology</i> , 2019 , 10, 901	8.4	1
90	Kinetics of Early Innate Immune Activation during HIV-1 Infection of Humanized Mice. <i>Journal of Virology</i> , 2019 , 93,	6.6	3
89	ChromaClade: combined visualisation of phylogenetic and sequence data. <i>BMC Evolutionary Biology</i> , 2019 , 19, 186	3	3
88	Identifying a nuclear passport for HIV. <i>ELife</i> , 2019 , 8,	8.9	2
87	Virulent Poxviruses Inhibit DNA Sensing by Preventing STING Activation. <i>Journal of Virology</i> , 2018 , 92,	6.6	38

86	Preventing the N-terminal processing of human interferon β and its chimeric derivatives expressed in <i>Escherichia coli</i> . <i>Bioorganic Chemistry</i> , 2018 , 76, 294-302	5.1	4
85	DNA damage induced by topoisomerase inhibitors activates SAMHD1 and blocks HIV-1 infection of macrophages. <i>EMBO Journal</i> , 2018 , 37, 50-62	13	31
84	Cyclosporine H Overcomes Innate Immune Restrictions to Improve Lentiviral Transduction and Gene Editing In Human Hematopoietic Stem Cells. <i>Cell Stem Cell</i> , 2018 , 23, 820-832.e9	18	53
83	Trivalent RING Assembly on Retroviral Capsids Activates TRIM5 α Ubiquitination and Innate Immune Signaling. <i>Cell Host and Microbe</i> , 2018 , 24, 761-775.e6	23.4	48
82	A G1-like state allows HIV-1 to bypass SAMHD1 restriction in macrophages. <i>EMBO Journal</i> , 2017 , 36, 604-616	19	56
81	Are Evolution and the Intracellular Innate Immune System Key Determinants in HIV Transmission?. <i>Frontiers in Immunology</i> , 2017 , 8, 1246	8.4	22
80	Nonhuman TRIM5 Variants Enhance Recognition of HIV-1-Infected Cells by CD8+ T Cells. <i>Journal of Virology</i> , 2016 , 90, 8552-62	6.6	9
79	Selective Inhibition of the Mitochondrial Permeability Transition Pore Protects against Neurodegeneration in Experimental Multiple Sclerosis. <i>Journal of Biological Chemistry</i> , 2016 , 291, 4356-73	5.4	48
78	Infection Counter: Automated Quantification of in Vitro Virus Replication by Fluorescence Microscopy. <i>Viruses</i> , 2016 , 8,	6.2	12
77	HIV-1 uses dynamic capsid pores to import nucleotides and fuel encapsidated DNA synthesis. <i>Nature</i> , 2016 , 536, 349-53	50.4	127
76	TRIM5 α requires Ube2W to anchor Lys63-linked ubiquitin chains and restrict reverse transcription. <i>EMBO Journal</i> , 2015 , 34, 2078-95	13	62
75	Endoplasmic reticulum degradation-enhancing β mannosidase-like protein 1 targets misfolded HLA-B27 dimers for endoplasmic reticulum-associated degradation. <i>Arthritis and Rheumatology</i> , 2014 , 66, 2976-88	9.5	25
74	Interactions between HIV-1 and the cell-autonomous innate immune system. <i>Cell Host and Microbe</i> , 2014 , 16, 10-8	23.4	42
73	Vpx complementation of non-macrophage tropic RR5 viruses reveals robust entry of infectious HIV-1 cores into macrophages. <i>Retrovirology</i> , 2014 , 11, 25	3.6	9
72	A model for cofactor use during HIV-1 reverse transcription and nuclear entry. <i>Current Opinion in Virology</i> , 2014 , 4, 32-6	7.5	73
71	Gene therapy strategies to exploit TRIM derived restriction factors against HIV-1. <i>Viruses</i> , 2014 , 6, 243-63	6.2	25
70	Early biodistribution and persistence of a protective live attenuated SIV vaccine elicits localised innate responses in multiple lymphoid tissues. <i>PLoS ONE</i> , 2014 , 9, e104390	3.7	8
69	SAMHD1-dependent retroviral control and escape in mice. <i>EMBO Journal</i> , 2013 , 32, 2454-62	13	116

68	HIV-1 evades innate immune recognition through specific cofactor recruitment. <i>Nature</i> , 2013 , 503, 402-404	5.4	317
67	HIV-1 capsid undergoes coupled binding and isomerization by the nuclear pore protein NUP358. <i>Retrovirology</i> , 2013 , 10, 81	3.6	76
66	TRIM22 inhibits influenza A virus infection by targeting the viral nucleoprotein for degradation. <i>Journal of Virology</i> , 2013 , 87, 4523-33	6.6	138
65	Early antigen presentation of protective HIV-1 KF11Gag and KK10Gag epitopes from incoming viral particles facilitates rapid recognition of infected cells by specific CD8+ T cells. <i>Journal of Virology</i> , 2013 , 87, 2628-38	6.6	31
64	Inhibition of retroviral replication by members of the TRIM protein family. <i>Current Topics in Microbiology and Immunology</i> , 2013 , 371, 29-66	3.3	24
63	Tetherin restricts herpes simplex virus 1 and is antagonized by glycoprotein M. <i>Journal of Virology</i> , 2013 , 87, 13124-33	6.6	43
62	HLA-specific intracellular epitope processing shapes an immunodominance pattern for HLA-B*57 that is distinct from HLA-B*58:01. <i>Journal of Virology</i> , 2013 , 87, 10889-94	6.6	8
61	Upregulation of TRIM5 α gene expression after live-attenuated simian immunodeficiency virus vaccination in Mauritian cynomolgus macaques, but TRIM5 α genotype has no impact on virus acquisition or vaccination outcome. <i>Journal of General Virology</i> , 2013 , 94, 606-611	4.9	9
60	Diversity of TRIM5 α and TRIMCyp sequences in cynomolgus macaques from different geographical origins. <i>Immunogenetics</i> , 2012 , 64, 267-78	3.2	10
59	Diverse HIV viruses are targeted by a conformationally dynamic antiviral. <i>Nature Structural and Molecular Biology</i> , 2012 , 19, 411-6	17.6	21
58	Adherent human alveolar macrophages exhibit a transient pro-inflammatory profile that confounds responses to innate immune stimulation. <i>PLoS ONE</i> , 2012 , 7, e40348	3.7	39
57	CPSF6 defines a conserved capsid interface that modulates HIV-1 replication. <i>PLoS Pathogens</i> , 2012 , 8, e1002896	7.6	180
56	Lentiviral gene therapy against human immunodeficiency virus type 1, using a novel human TRIM21-cyclophilin A restriction factor. <i>Human Gene Therapy</i> , 2012 , 23, 1176-85	4.8	17
55	HIV integration targeting: a pathway involving Transportin-3 and the nuclear pore protein RanBP2. <i>PLoS Pathogens</i> , 2011 , 7, e1001313	7.6	170
54	HIV-1 Group P is unable to antagonize human tetherin by Vpu, Env or Nef. <i>Retrovirology</i> , 2011 , 8, 103	3.6	56
53	No evidence of XMRV in prostate cancer cohorts in the Midwestern United States. <i>Retrovirology</i> , 2011 , 8, 23	3.6	36
52	Feline tetherin efficiently restricts release of feline immunodeficiency virus but not spreading of infection. <i>Journal of Virology</i> , 2011 , 85, 5840-52	6.6	45
51	Impact of the N348I mutation in HIV-1 reverse transcriptase on nonnucleoside reverse transcriptase inhibitor resistance in non-subtype B HIV-1. <i>Antimicrobial Agents and Chemotherapy</i> , 2011 , 55, 1806-9	5.9	19

50	Phylogenetic analysis of murine leukemia virus sequences from longitudinally sampled chronic fatigue syndrome patients suggests PCR contamination rather than viral evolution. <i>Journal of Virology</i> , 2011 , 85, 10909-13	6.6	15
49	HIV-1 capsid-cyclophilin interactions determine nuclear import pathway, integration targeting and replication efficiency. <i>PLoS Pathogens</i> , 2011 , 7, e1002439	7.6	331
48	No evidence of XMRV or related retroviruses in a London HIV-1-positive patient cohort. <i>PLoS ONE</i> , 2011 , 6, e18096	3.7	22
47	Analysis of the human immunodeficiency virus type 1 M group Vpu domains involved in antagonizing tetherin. <i>Journal of General Virology</i> , 2011 , 92, 2937-2948	4.9	15
46	Hare TRIM5 β restricts divergent retroviruses and exhibits significant sequence variation from closely related lagomorpha TRIM5 genes. <i>Journal of Virology</i> , 2010 , 84, 12463-8	6.6	23
45	The RING-CH ligase K5 antagonizes restriction of KSHV and HIV-1 particle release by mediating ubiquitin-dependent endosomal degradation of tetherin. <i>PLoS Pathogens</i> , 2010 , 6, e1000843	7.6	113
44	Conformational adaptation of Asian macaque TRIMCyp directs lineage specific antiviral activity. <i>PLoS Pathogens</i> , 2010 , 6, e1001062	7.6	41
43	Ultra structural characterisation of tetherin - a protein capable of preventing viral release from the plasma membrane. <i>Viruses</i> , 2010 , 2, 987-94	6.2	
42	Full-length HIV-1 Gag determines protease inhibitor susceptibility within in vitro assays. <i>Aids</i> , 2010 , 24, 1651-5	3.5	61
41	Disease-associated XMRV sequences are consistent with laboratory contamination. <i>Retrovirology</i> , 2010 , 7, 111	3.6	128
40	Antibodies mediate intracellular immunity through tripartite motif-containing 21 (TRIM21). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 19985-90	11.5	318
39	Gag determinants of fitness and drug susceptibility in protease inhibitor-resistant human immunodeficiency virus type 1. <i>Journal of Virology</i> , 2009 , 83, 9094-101	6.6	67
38	Mutation of a single residue renders human tetherin resistant to HIV-1 Vpu-mediated depletion. <i>PLoS Pathogens</i> , 2009 , 5, e1000443	7.6	156
37	Cyclophilin A levels dictate infection efficiency of human immunodeficiency virus type 1 capsid escape mutants A92E and G94D. <i>Journal of Virology</i> , 2009 , 83, 2044-7	6.6	54
36	Simian immunodeficiency virus envelope glycoprotein counteracts tetherin/BST-2/CD317 by intracellular sequestration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 20889-94	11.5	140
35	Truncation of TRIM5 in the Feliformia explains the absence of retroviral restriction in cells of the domestic cat. <i>Journal of Virology</i> , 2009 , 83, 8270-5	6.6	46
34	Active site remodeling switches HIV specificity of antiretroviral TRIMCyp. <i>Nature Structural and Molecular Biology</i> , 2009 , 16, 1036-42	17.6	76
33	A tail of Tetherin: how pandemic HIV-1 conquered the world. <i>Cell Host and Microbe</i> , 2009 , 6, 393-5	23.4	17

32	HIV-1 infection of macrophages is dependent on evasion of innate immune cellular activation. <i>Aids</i> , 2009 , 23, 2255-63	3.5	70
31	Porcine endogenous retroviruses PERV A and A/C recombinant are insensitive to a range of divergent mammalian TRIM5alpha proteins including human TRIM5alpha. <i>Journal of General Virology</i> , 2009 , 90, 702-709	4.9	18
30	Restriction of retroviral replication by APOBEC3G/F and TRIM5alpha. <i>Trends in Microbiology</i> , 2008 , 16, 612-9	12.4	75
29	Cellular restriction of retrovirus particle-mediated mRNA transfer. <i>Journal of Virology</i> , 2008 , 82, 3069-776.6		21
28	Independent evolution of an antiviral TRIMCyp in rhesus macaques. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 3557-62	11.5	169
27	Rhesus macaque TRIM5 alleles have divergent antiretroviral specificities. <i>Journal of Virology</i> , 2008 , 82, 7243-7	6.6	59
26	The control of viral infection by tripartite motif proteins and cyclophilin A. <i>Retrovirology</i> , 2007 , 4, 40	3.6	166
25	Identification of an arsenic-sensitive block to primate lentiviral infection of human dendritic cells. <i>Journal of Virology</i> , 2007 , 81, 12086-90	6.6	20
24	Fusion of cyclophilin A to Fv1 enables cyclosporine-sensitive restriction of human and feline immunodeficiency viruses. <i>Journal of Virology</i> , 2007 , 81, 10055-63	6.6	24
23	An active TRIM5 protein in rabbits indicates a common antiviral ancestor for mammalian TRIM5 proteins. <i>Journal of Virology</i> , 2007 , 81, 11713-21	6.6	62
22	Cyclophilin A renders human immunodeficiency virus type 1 sensitive to Old World monkey but not human TRIM5 alpha antiviral activity. <i>Journal of Virology</i> , 2006 , 80, 4683-90	6.6	98
21	Cyclosporine increases human immunodeficiency virus type 1 vector transduction of primary mouse cells. <i>Journal of Virology</i> , 2006 , 80, 7769-74	6.6	33
20	Isolation of an active Lv1 gene from cattle indicates that tripartite motif protein-mediated innate immunity to retroviral infection is widespread among mammals. <i>Journal of Virology</i> , 2006 , 80, 7332-8	6.6	54
19	Retroviral restriction factors Fv1 and TRIM5alpha act independently and can compete for incoming virus before reverse transcription. <i>Journal of Virology</i> , 2006 , 80, 2100-5	6.6	37
18	Restriction of retroviruses by TRIM5. <i>Future Virology</i> , 2006 , 1, 71-78	2.4	3
17	Control of viral infectivity by tripartite motif proteins. <i>Human Gene Therapy</i> , 2005 , 16, 1125-32	4.8	31
16	Differential restriction of human immunodeficiency virus type 2 and simian immunodeficiency virus SIVmac by TRIM5alpha alleles. <i>Journal of Virology</i> , 2005 , 79, 11580-7	6.6	128
15	Control of Viral Infectivity by Tripartite Motif Proteins. <i>Human Gene Therapy</i> , 2005 , 050830061634001	4.8	

14	Influence of gag on human immunodeficiency virus type 1 species-specific tropism. <i>Journal of Virology</i> , 2004 , 78, 11816-22	6.6	80
13	The human and African green monkey TRIM5alpha genes encode Ref1 and Lv1 retroviral restriction factor activities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 10780-5	11.5	292
12	Restriction of multiple divergent retroviruses by Lv1 and Ref1. <i>EMBO Journal</i> , 2003 , 22, 385-94	13	194
11	Cyclophilin A modulates the sensitivity of HIV-1 to host restriction factors. <i>Nature Medicine</i> , 2003 , 9, 1138-43	9.5	313
10	Characterization of murine leukemia virus restriction in mammals. <i>Journal of Virology</i> , 2003 , 77, 13403-66.6		56
9	As(2)O(3) enhances retroviral reverse transcription and counteracts Ref1 antiviral activity. <i>Journal of Virology</i> , 2003 , 77, 3167-80	6.6	69
8	Post-entry restriction of retroviral infections. <i>AIDS Reviews</i> , 2003 , 5, 156-64	1.5	17
7	One step screening of retroviral producer clones by real time quantitative PCR. <i>Journal of Gene Medicine</i> , 1999 , 1, 352-9	3.5	41
6	HIV-1 Vpr antagonizes innate immune activation by targeting karyopherin-mediated NF- κ B/IRF3 nuclear transport		1
5	SARS-CoV-2 sensing by RIG-I and MDA5 links epithelial infection to macrophage inflammation		5
4	Disrupting HIV-1 capsid formation causes cGAS sensing of viral DNA		4
3	In Vivo Emergence of a Novel Protease Inhibitor Resistance Signature in HIV-1 Matrix		2
2	Induction of transposable element expression is central to innate sensing		2
1	SARS-CoV-2 Spike evolution influences GBP and IFITM sensitivity		1