

Henrik Bjarke Vaegter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6084204/publications.pdf>

Version: 2024-02-01

66
papers

1,938
citations

293460

24
h-index

312153

41
g-index

69
all docs

69
docs citations

69
times ranked

1709
citing authors

#	ARTICLE	IF	CITATIONS
1	Less is more: reliability and measurement error for three versions of the Tampa Scale of Kinesiophobia (TSK-11, TSK-13, and TSK-17) in patients with high-impact chronic pain. <i>Scandinavian Journal of Pain</i> , 2023, 23, 217-224.	0.5	5
2	Pain and executive function: no association between remote exercise-induced hypoalgesia and cognitive inhibition in pain-free participants. <i>Scandinavian Journal of Pain</i> , 2022, 22, 173-185.	0.5	2
3	Obstructive sleep apnea is common in patients with high-impact chronic pain— an exploratory study from an interdisciplinary pain center. <i>Scandinavian Journal of Pain</i> , 2022, 22, 106-117.	0.5	5
4	The association of probable PTSD at baseline and pain-related outcomes after chronic pain rehabilitation: A comparison of DSM-5 and ICD-11 criteria for PTSD. <i>European Journal of Pain</i> , 2022, 26, 709-718.	1.4	6
5	Hypoalgesia after exercises with painful vs. non-painful muscles in healthy subjects— a randomized cross-over study. <i>Scandinavian Journal of Pain</i> , 2022, 22, 614-621.	0.5	3
6	Patterns of Approach to Activity in 851 Patients With Severe Chronic Pain. <i>Clinical Journal of Pain</i> , 2021, 37, 226-236.	0.8	5
7	Impaired exercise-induced hypoalgesia in individuals reporting an increase in low back pain during acute exercise. <i>European Journal of Pain</i> , 2021, 25, 1053-1063.	1.4	21
8	Validation of the Danish International Trauma Questionnaire for posttraumatic stress disorder in chronic pain patients using clinician-rated diagnostic interviews. <i>HÅrre Utbildning</i> , 2021, 12, 1880747.	1.4	11
9	Cryoneurolysis for the management of chronic pain in patients with knee osteoarthritis; a double-blinded randomized controlled sham trial. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 228.	0.8	7
10	Effectiveness of Pain Neurophysiology Education on Musculoskeletal Pain: A Systematic Review and Meta-Analysis. <i>Pain Medicine</i> , 2021, 22, 891-904.	0.9	27
11	Sleep disturbance in patients attending specialized chronic pain clinics in Denmark: a longitudinal study examining the relationship between sleep and pain outcomes. <i>Scandinavian Journal of Pain</i> , 2021, 21, 539-547.	0.5	3
12	Socio-Demographics, Pain Characteristics, Quality of Life and Treatment Values Before and After Specialized Interdisciplinary Pain Treatment: Results from the Danish Clinical Pain Registry (PainData). <i>Journal of Pain Research</i> , 2021, Volume 14, 1215-1230.	0.8	20
13	A Cognitive Functional Therapy+ Pathway Versus an Interdisciplinary Pain Management Pathway for Patients With Severe Chronic Low Back Pain (CONFeTTI Trial): Protocol for a Pragmatic Randomized Controlled Trial. <i>Physical Therapy</i> , 2021, 101, .	1.1	1
14	The effect of pre-analytical handling on the stability of fractalkine, monocyte chemoattractant protein 1 (MCP1), interleukin 6 and interleukin 8 in samples of human cerebrospinal fluid. <i>Journal of Immunological Methods</i> , 2021, 494, 113057.	0.6	0
15	The predictive value of quantitative sensory testing: a systematic review on chronic postoperative pain and the analgesic effect of pharmacological therapies in patients with chronic pain. <i>Pain</i> , 2021, 162, 31-44.	2.0	77
16	Low-dose naltrexone for the treatment of fibromyalgia: protocol for a double-blind, randomized, placebo-controlled trial. <i>Trials</i> , 2021, 22, 804.	0.7	9
17	Alterations in pronociceptive and antinociceptive mechanisms in patients with low back pain: a systematic review with meta-analysis. <i>Pain</i> , 2020, 161, 464-475.	2.0	61
18	Endogenous Modulation of Pain. <i>Clinical Journal of Pain</i> , 2020, 36, 150-161.	0.8	19

#	ARTICLE	IF	CITATIONS
19	Pretreatment Exercise-induced Hypoalgesia is Associated With Change in Pain and Function After Standardized Exercise Therapy in Painful Knee Osteoarthritis. <i>Clinical Journal of Pain</i> , 2020, 36, 16-24.	0.8	33
20	Power of Words: Influence of Preexercise Information on Hypoalgesia after Exerciseâ€”Randomized Controlled Trial. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 2373-2379.	0.2	18
21	Exercise-induced hypoalgesia after acute and regular exercise: experimental and clinical manifestations and possible mechanisms in individuals with and without pain. <i>Pain Reports</i> , 2020, 5, e823.	1.4	71
22	Multiple physical symptoms and individual characteristics â€” A cross-sectional study of the general population. <i>Journal of Psychosomatic Research</i> , 2020, 131, 109941.	1.2	6
23	Pain perception and processing in individuals with posttraumatic stress disorder: a systematic review with meta-analysis. <i>Pain Reports</i> , 2020, 5, e849.	1.4	14
24	<p>Cognitive Inhibition Correlates with Exercise-Induced Hypoalgesia After Aerobic Bicycling in Pain-Free Participants</p>. <i>Journal of Pain Research</i> , 2020, Volume 13, 847-858.	0.8	5
25	Low-Dose Naltrexone for the Treatment of Fibromyalgia: Investigation of Doseâ€”Response Relationships. <i>Pain Medicine</i> , 2020, 21, 2253-2261.	0.9	18
26	Improvements in clinical pain and experimental pain sensitivity after cognitive functional therapy in patients with severe persistent low back pain. <i>Pain Reports</i> , 2020, 5, e802.	1.4	11
27	Author Response to Cibulka. <i>Physical Therapy</i> , 2020, 100, 1044-1045.	1.1	0
28	Preliminary validity and testâ€”retest reliability of two depression questionnaires compared with a diagnostic interview in 99 patients with chronic pain seeking specialist pain treatment. <i>Scandinavian Journal of Pain</i> , 2020, 20, 717-726.	0.5	5
29	Testosterone replacement therapy of opioid-induced male hypogonadism improved body composition but not pain perception: a double-blind, randomized, and placebo-controlled trial. <i>European Journal of Endocrinology</i> , 2020, 182, 539-548.	1.9	21
30	Exercise-Induced Hypoalgesia After Isometric Wall Squat Exercise: A Test-Retest Reliability Study. <i>Pain Medicine</i> , 2019, 20, 129-137.	0.9	37
31	Walking increases pain tolerance in humans: an experimental cross-over study. <i>Scandinavian Journal of Pain</i> , 2019, 19, 813-822.	0.5	15
32	Assessing Endogenous Pain Inhibition: Testâ€”Retest Reliability of Exercise-Induced Hypoalgesia in Local and Remote Body Parts After Aerobic Cycling. <i>Pain Medicine</i> , 2019, 20, 2272-2282.	0.9	16
33	Changing the Narrative in Diagnosis and Management of Pain in the Sacroiliac Joint Area. <i>Physical Therapy</i> , 2019, 99, 1511-1519.	1.1	19
34	Cause-specific mortality of patients with severe chronic pain referred to a multidisciplinary pain clinic: a cohort register-linkage study. <i>Scandinavian Journal of Pain</i> , 2019, 19, 93-99.	0.5	10
35	Hypoalgesia after bicycling at lactate threshold is reliable between sessions. <i>European Journal of Applied Physiology</i> , 2019, 119, 91-102.	1.2	18
36	Systemic Exercise-Induced Hypoalgesia Following Isometric Exercise Reduces Conditioned Pain Modulation. <i>Pain Medicine</i> , 2019, 20, 180-190.	0.9	37

#	ARTICLE	IF	CITATIONS
37	Symptoms of Fibromyalgia According to the 2016 Revised Fibromyalgia Criteria in Chronic Pain Patients Referred to Multidisciplinary Pain Rehabilitation: Influence on Clinical and Experimental Pain Sensitivity. <i>Journal of Pain</i> , 2018, 19, 777-786.	0.7	18
38	Test-Retest Reliability of Exercise-Induced Hypoalgesia After Aerobic Exercise. <i>Pain Medicine</i> , 2018, 19, 2212-2222.	0.9	39
39	Validation of the PTSD-8 Scale in Chronic Pain Patients. <i>Pain Medicine</i> , 2018, 19, 1365-1372.	0.9	13
40	Exercise does not produce hypoalgesia when performed immediately after a painful stimulus. <i>Scandinavian Journal of Pain</i> , 2018, 18, 311-320.	0.5	23
41	Attentional Avoidance is Associated With Increased Pain Sensitivity in Patients With Chronic Posttraumatic Pain and Comorbid Posttraumatic Stress. <i>Clinical Journal of Pain</i> , 2018, 34, 22-29.	0.8	12
42	Brief Psychological Screening Questions Can be Useful for Ruling Out Psychological Conditions in Patients With Chronic Pain. <i>Clinical Journal of Pain</i> , 2018, 34, 113-121.	0.8	15
43	Ten-year prevalence of mental disorders in patients presenting with chronic pain in secondary care: A register linkage cohort study. <i>European Journal of Pain</i> , 2018, 22, 346-354.	1.4	12
44	Increased Pain Sensitivity in Accident-related Chronic Pain Patients With Comorbid Posttraumatic Stress. <i>Clinical Journal of Pain</i> , 2018, 34, 313-321.	0.8	30
45	Kinesiophobia is associated with pain intensity but not pain sensitivity before and after exercise: an explorative analysis. <i>Physiotherapy</i> , 2018, 104, 187-193.	0.2	29
46	The role of posttraumatic stress symptoms on chronic pain outcomes in chronic pain patients referred to rehabilitation. <i>Journal of Pain Research</i> , 2018, Volume 11, 527-536.	0.8	21
47	Assessment of CPM reliability: quantification of the within-subject reliability of 10 different protocols. <i>Scandinavian Journal of Pain</i> , 2018, 18, 729-737.	0.5	40
48	Pain-Related Acceptance as a Mediator in the Fear Avoidance Model of Chronic Pain: A Preliminary Study. <i>Pain Medicine</i> , 2018, 19, 1764-1771.	0.9	7
49	Isometric Back Exercise Has Different Effect on Pressure Pain Thresholds in Healthy Men and Women. <i>Pain Medicine</i> , 2017, 18, pnw176.	0.9	25
50	Exercise increases pressure pain tolerance but not pressure and heat pain thresholds in healthy young men. <i>European Journal of Pain</i> , 2017, 21, 73-81.	1.4	35
51	Exercising non-painful muscles can induce hypoalgesia in individuals with chronic pain. <i>Scandinavian Journal of Pain</i> , 2017, 15, 60-61.	0.5	6
52	Are preoperative experimental pain assessments correlated with clinical pain outcomes after surgery? A systematic review. <i>Scandinavian Journal of Pain</i> , 2017, 15, 44-52.	0.5	74
53	An updated view on the reliability of different protocols for the assessment of conditioned pain modulation. <i>Pain</i> , 2017, 158, 988-988.	2.0	10
54	Preoperative Hypoalgesia After Cold Pressor Test and Aerobic Exercise is Associated With Pain Relief 6 Months After Total Knee Replacement. <i>Clinical Journal of Pain</i> , 2017, 33, 475-484.	0.8	71

#	ARTICLE	IF	CITATIONS
55	Facilitated Pronociceptive Pain Mechanisms in Radiating Back Pain Compared With Localized Back Pain. <i>Journal of Pain</i> , 2017, 18, 973-983.	0.7	27
56	Does size really matter? A multisite study assessing the latent structure of the proposed ICD-11 and DSM-5 diagnostic criteria for PTSD. <i>HÅrre Utbildning</i> , 2017, 8, 1398002.	1.4	30
57	Pain modulatory phenotypes differentiate subgroups with different clinical and experimental pain sensitivity. <i>Pain</i> , 2016, 157, 1480-1488.	2.0	92
58	Hypoalgesia After Exercise and the Cold Pressor Test is Reduced in Chronic Musculoskeletal Pain Patients With High Pain Sensitivity. <i>Clinical Journal of Pain</i> , 2016, 32, 58-69.	0.8	91
59	Prognostic factors for disability and sick leave in patients with subacute non-malignant pain: a systematic review of cohort studies. <i>BMJ Open</i> , 2016, 6, e007616.	0.8	42
60	Acetaminophen for Chronic Pain: A Systematic Review on Efficacy. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 184-189.	1.2	65
61	A 13-Weeks Mindfulness Based Pain Management Program Improves Psychological Distress in Patients with Chronic Pain Compared with Waiting List Controls. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2016, 12, 49-58.	0.6	9
62	Assessment of musculoskeletal pain sensitivity and temporal summation by cuff pressure algometry. <i>Pain</i> , 2015, 156, 2193-2202.	2.0	139
63	Aerobic Exercise and Cold Pressor Test Induce Hypoalgesia in Active and Inactive Men and Women. <i>Pain Medicine</i> , 2015, 16, 923-933.	0.9	53
64	Isometric exercises reduce temporal summation of pressure pain in humans. <i>European Journal of Pain</i> , 2015, 19, 973-983.	1.4	77
65	Prevalence of Neuropathic Pain According to the IASP Grading System in Patients with Chronic Non-Malignant Pain. <i>Pain Medicine</i> , 2014, 15, 120-127.	0.9	23
66	Similarities between exercise-induced hypoalgesia and conditioned pain modulation in humans. <i>Pain</i> , 2014, 155, 158-167.	2.0	170