

# Duarte Gm Barros

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6085063/publications.pdf>

Version: 2024-02-01

13  
papers

137  
citations

1937457

4  
h-index

1372474

10  
g-index

14  
all docs

14  
docs citations

14  
times ranked

193  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Effects of COVID-19 Home Confinement in Dementia Care: Physical and Cognitive Decline, Severe Neuropsychiatric Symptoms and Increased Caregiving Burden. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2020, 35, 153331752097672.	0.9	72
2	Which is the best alternative to estimate muscle mass for sarcopenia diagnosis when DXA is unavailable?. <i>Archives of Gerontology and Geriatrics</i> , 2021, 97, 104517.	1.4	15
3	Home Confinement in Previously Active Older Adults: A Cross-Sectional Analysis of Physical Fitness and Physical Activity Behavior and Their Relationship With Depressive Symptoms. <i>Frontiers in Psychology</i> , 2021, 12, 643832.	1.1	14
4	Dementia and COVID-19: The Ones Not to Be Forgotten. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2020, 35, 153331752094750.	0.9	10
5	“Body & Brain” effects of a multicomponent exercise intervention on physical and cognitive function of adults with dementia - study protocol for a quasi-experimental controlled trial. <i>BMC Geriatrics</i> , 2021, 21, 156.	1.1	7
6	Health-related physical indicators and self-rated quality of life in older adults with neurocognitive disorder. <i>Quality of Life Research</i> , 2021, 30, 2255-2264.	1.5	7
7	Active Older Adults Keep Aerobic Capacity and Experience Small Reductions in Body Strength During Confinement Due to COVID-19 Outbreak. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 1-8.	0.5	4
8	Different subjective and objective measures and cut-points of physical activity in frailty phenotype screening: A need for standardization?. <i>Archives of Gerontology and Geriatrics</i> , 2021, 96, 104479.	1.4	4
9	Contribution of a multicomponent intervention on functional capacity and independence on activities of daily living in individuals with neurocognitive disorder. <i>BMC Geriatrics</i> , 2021, 21, 625.	1.1	3
10	Physical Fitness is a Mediator in the Relationship between Arterial Stiffness and Cognitive Function. <i>Artery Research</i> , 2019, 25, 151-155.	0.3	1
11	Multicomponent Training For Dementia Patients: Body&Brain Project Primary Results On Functional Fitness. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 450-451.	0.2	0
12	Effectiveness of a 6-Month Multicomponent Training on Physical Frailty in Older Adults With Cognitive Impairment. <i>Innovation in Aging</i> , 2020, 4, 175-175.	0.0	0
13	Higher Aortic Stiffness Is Related With Lower Physical Fitness In Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 903-903.	0.2	0