

Eveline Gart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6086687/publications.pdf>

Version: 2024-02-01

12
papers

1,125
citations

1039406

9
h-index

1281420

11
g-index

12
all docs

12
docs citations

12
times ranked

2970
citing authors

#	ARTICLE	IF	CITATIONS
1	Heat-Inactivated Akkermansia muciniphila Improves Gut Permeability but Does Not Prevent Development of Non-Alcoholic Steatohepatitis in Diet-Induced Obese Ldlr ^{-/-} .Leiden Mice. International Journal of Molecular Sciences, 2022, 23, 2325.	1.8	10
2	Intervention with isoleucine or valine corrects hyperinsulinemia and reduces intrahepatic diacylglycerols, liver steatosis, and inflammation in Ldlr ^{-/-} .Leiden mice with manifest obesity associated <sc>NASH</sc>. FASEB Journal, 2022, 36, .	0.2	16
3	Cholesterol Accumulation as a Driver of Hepatic Inflammation Under Translational Dietary Conditions Can Be Attenuated by a Multicomponent Medicine. Frontiers in Endocrinology, 2021, 12, 601160.	1.5	16
4	Krill Oil Treatment Increases Distinct PUFAs and Oxylipins in Adipose Tissue and Liver and Attenuates Obesity-Associated Inflammation via Direct and Indirect Mechanisms. Nutrients, 2021, 13, 2836.	1.7	16
5	Butyrate Protects against Diet-Induced NASH and Liver Fibrosis and Suppresses Specific Non-Canonical TGF- β^2 Signaling Pathways in Human Hepatic Stellate Cells. Biomedicines, 2021, 9, 1954.	1.4	23
6	Propionic acid and not caproic acid, attenuates nonalcoholic steatohepatitis and improves (cerebro) vascular functions in obese Ldlr ^{-/-} .Leiden mice. FASEB Journal, 2020, 34, 9575-9593.	0.2	29
7	Propionic acid intervention in obese Ldlr ^{-/-} .Leiden mice attenuates NASH development, but negatively affects cognition. Proceedings of the Nutrition Society, 2020, 79, .	0.4	1
8	Sex-Specific Differences in Fat Storage, Development of Non-Alcoholic Fatty Liver Disease and Brain Structure in Juvenile HFD-Induced Obese Ldlr ^{-/-} .Leiden Mice. Nutrients, 2019, 11, 1861.	1.7	21
9	Combined Treatment with L-Carnitine and Nicotinamide Riboside Improves Hepatic Metabolism and Attenuates Obesity and Liver Steatosis. International Journal of Molecular Sciences, 2019, 20, 4359.	1.8	31
10	Diet-Independent Correlations between Bacteria and Dysfunction of Gut, Adipose Tissue, and Liver: A Comprehensive Microbiota Analysis in Feces and Mucosa of the Ileum and Colon in Obese Mice with NAFLD. International Journal of Molecular Sciences, 2019, 20, 1.	1.8	929
11	Atorvastatin accelerates clearance of lipoprotein remnants generated by activated brown fat to further reduce hypercholesterolemia and atherosclerosis. Atherosclerosis, 2017, 267, 116-126.	0.4	23
12	The Human Milk Oligosaccharide 2-Fucosyllactose Alleviates Liver Steatosis, ER Stress and Insulin Resistance by Reducing Hepatic Diacylglycerols and Improved Gut Permeability in Obese Ldlr ^{-/-} .Leiden Mice. Frontiers in Nutrition, 0, 9, .	1.6	10