
## Liu Shu-Sheng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6086739/publications.pdf Version: 2024-02-01



LUI SHU-SHENC

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Evolution of cathode-interlayer interfaces and its effect on long-term degradation. Journal of Power Sources, 2020, 453, 227894.   | 7.8 | 18        |
| 2  | Microscopic Studies on the Secondary Phases in LSCF after Cr Poisoning. ECS Transactions, 2019, 91, 1257-1262.   | 0.5 | 2         |
| 3  | Atomic structure observations and reaction dynamics simulations on triple phase boundaries in solid-oxide fuel cells. Communications Chemistry, 2019, 2, .   | 4.5 | 16        |
| 4  | Determination of Factors Governing Surface Composition and Degradation of<br>La <sub>0.6</sub> Sr <sub>0.4</sub> Co <sub>0.2</sub> Fe <sub>0.8</sub> O <sub>3-</sub> <i><sub>î</sub></i> Electrode under Sulfur-Contained Air. Journal of the Electrochemical Society, 2019, 166, F414-F422. | 2.9 | 19        |
| 5  | Dependence of the Electrochemical Performance of Ni/YSZ Anode on Water Vapor Partial Pressure.<br>ECS Transactions, 2019, 91, 1973-1978.   | 0.5 | 2         |
| 6  | Influence of electrolyte substrates on the Sr-segregation and SrSO4 formation in La0.6Sr0.4Co0.2Fe0.8O3_Î′ thin films. MRS Communications, 2019, 9, 236-244.   | 1.8 | 12        |
| 7  | Sulfur poisoning behavior of La1-xSrxCo1-yFeyO3-Ĩ´ thin films with different compositions. Journal of Alloys and Compounds, 2018, 748, 608-619.  | 5.5 | 21        |
| 8  | Time-Dependence of Surface Composition, Transport Properties Degradation, and Thermodynamic<br>Consideration of La0.6Sr0.4Co0.2Fe0.8O3-l´under Chromium Poisoning. Journal of the Electrochemical<br>Society, 2018, 165, F1206-F1216.  | 2.9 | 19        |
| 9  | Multi-Scale, Multi-Physics Approach for Solid Oxide Fuel Cell Anode Reaction. ECS Transactions, 2017, 78, 2835-2844.   | 0.5 | 1         |
| 10 | Image contrast enhancement of Ni/YSZ anode during the sliceâ€andâ€view process in FIB‣EM. Journal of<br>Microscopy, 2016, 261, 326-332.  | 1.8 | 5         |
| 11 | NiCo nanoalloy encapsulated in graphene layers for improving hydrogen storage properties of LiAlH4.<br>Scientific Reports, 2016, 6, 27429.   | 3.3 | 37        |
| 12 | Observation of the Ni/YSZ Interface in a Conventional SOFC. Journal of the Electrochemical Society, 2015, 162, F750-F754.  | 2.9 | 13        |
| 13 | B22-P-06Ni/YSZ Interface in A Conventional Solid Oxide Fuel Cell. Microscopy (Oxford, England), 2015, 64, i105.2-i105.   | 1.5 | 0         |
| 14 | Why solid oxide cells can be reversibly operated in solid oxide electrolysis cell and fuel cell modes?.<br>Physical Chemistry Chemical Physics, 2015, 17, 31308-31315.   | 2.8 | 63        |
| 15 | Boundary Observation and Contrast Tuning of Ni/YSZ Anode by TEM and FIB-SEM. ECS Transactions, 2015, 68, 1275-1279.  | 0.5 | 3         |
| 16 | A Fundamental Study of Boron Deposition and Poisoning of<br>La <sub>0.8</sub> Sr <sub>0.2</sub> MnO <sub>3</sub> Cathode of Solid Oxide Fuel Cells under<br>Accelerated Conditions. Journal of the Electrochemical Society, 2015, 162, F1282-F1291.  | 2.9 | 13        |
| 17 | Microstructure evolution of NiO–YSZ cermet during sintering. Solid State Ionics, 2014, 262, 460-464.   | 2.7 | 13        |
| 18 | Microstructure Observation of Ni/YSZ Boundary by TEM and STEM. ECS Transactions, 2013, 57, 1401-1405.  | 0.5 | 3         |

LIU SHU-SHENG

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Dehydrogenation process of AlH3 observed by TEM. Journal of Alloys and Compounds, 2013, 580, S163-S166.  | 5.5 | 28        |
| 20 | Improved reversible hydrogen storage of LiAlH4 by nano-sized TiH2. International Journal of Hydrogen<br>Energy, 2013, 38, 2770-2777.   | 7.1 | 41        |
| 21 | Significantly improved dehydrogenation of LiAlH4 destabilized by K2TiF6. International Journal of<br>Hydrogen Energy, 2012, 37, 3261-3267.   | 7.1 | 57        |
| 22 | Thermodynamics study of hydrogen storage materials. Journal of Chemical Thermodynamics, 2012, 46, 86-93.   | 2.0 | 24        |
| 23 | Metals (Ni, Fe)-Incorporated Titanate Nanotubes Induced Destabilization of LiBH <sub>4</sub> . Journal of Physical Chemistry C, 2011, 115, 9780-9786.                                  | 3.1 | 35        |
| 24 | Improved dehydrogenation of MgH2–Li3AlH6 mixture with TiF3 addition. International Journal of<br>Hydrogen Energy, 2011, 36, 11785-11793.   | 7.1 | 19        |
| 25 | Progress in improving thermodynamics and kinetics of new hydrogen storage materials. Frontiers of Physics, 2011, 6, 151-161.   | 5.0 | 6         |
| 26 | Transcriptome analysis and comparison reveal divergence between two invasive whitefly cryptic species. BMC Genomics, 2011, 12, 458.  | 2.8 | 99        |
| 27 | Improved hydrogen desorption properties of ammonia borane by Ni-modified metal-organic<br>frameworks. International Journal of Hydrogen Energy, 2011, 36, 6698-6704.                   | 7.1 | 61        |
| 28 | The dehydrogenation performance and reaction mechanisms of Li3AlH6 with TiF3 additive.<br>International Journal of Hydrogen Energy, 2010, 35, 4554-4561.                               | 7.1 | 31        |
| 29 | Hydrogen storage properties of destabilized MgH2–Li3AlH6 system. International Journal of Hydrogen<br>Energy, 2010, 35, 8122-8129.   | 7.1 | 42        |
| 30 | Superior hydrogen storage properties of MgH2–10Âwt.% TiC composite. Energy, 2010, 35, 3417-3421.   | 8.8 | 92        |
| 31 | Effect of ball milling time on the hydrogen storage properties of TiF3-doped LiAlH4. International<br>Journal of Hydrogen Energy, 2009, 34, 8079-8085.                                 | 7.1 | 87        |
| 32 | The Dehydrogenation Reactions and Kinetics of 2LiBH4â^'Al Composite. Journal of Physical Chemistry C, 2009, 113, 18424-18430.  | 3.1 | 47        |
| 33 | The destabilization mechanism and de/re-hydrogenation kinetics of MgH2–LiAlH4 hydrogen storage system. Journal of Power Sources, 2008, 185, 1514-1518.                                 | 7.8 | 101       |
| 34 | Enhanced Hydrogen Storage Performance of LiBH <sub>4</sub> â^`SiO <sub>2</sub> â^`TiF <sub>3</sub><br>Composite. Journal of Physical Chemistry C, 2008, 112, 4005-4010.                | 3.1 | 67        |
| 35 | Facile fabrication of long α-Fe2O3, α-Fe and γ-Fe2O3 hollow fibers using sol–gel combined co-electrospinning technology. Journal of Colloid and Interface Science, 2007, 308, 265-270. | 9.4 | 99        |