Supa Pengpid

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6087494/publications.pdf

Version: 2024-02-01

352 papers 5,607 citations

33 h-index 50 g-index

367 all docs

367 docs citations

367 times ranked

6425 citing authors

#	Article	IF	CITATIONS
1	Factors Affecting COVID-19 Vaccine Acceptance: An International Survey among Low- and Middle-Income Countries. Vaccines, 2021, 9, 515.	4.4	207
2	Prevalence of Overweight/Obesity and Its Associated Factors among University Students from 22 Countries. International Journal of Environmental Research and Public Health, 2014, 11, 7425-7441.	2.6	170
3	Physical inactivity and associated factors among university students in 23 low-, middle- and high-income countries. International Journal of Public Health, 2015, 60, 539-549.	2.3	166
4	Overweight and Obesity and Associated Factors among School-Aged Adolescents in Ghana and Uganda. International Journal of Environmental Research and Public Health, 2011, 8, 3859-3870.	2.6	80
5	Prevalence and Determinants of Traditional, Complementary and Alternative Medicine Provider Use among Adults from 32 Countries. Chinese Journal of Integrative Medicine, 2018, 24, 584-590.	1.6	77
6	The Prevalence and Social Determinants of Hypertension among Adults in Indonesia: A Cross-Sectional Population-Based National Survey. International Journal of Hypertension, 2018, 2018, 1-9.	1.3	72
7	Sleep duration and health correlates among university students in 26 countries. Psychology, Health and Medicine, 2016, 21, 208-220.	2.4	69
8	Depression among university students in Kenya: Prevalence and sociodemographic correlates. Journal of Affective Disorders, 2014, 165, 120-125.	4.1	68
9	Socioeconomic Factors in Adherence to HIV Therapy in Low- and Middle-income Countries. Journal of Health, Population and Nutrition, 2013, 31, 150-70.	2.0	66
10	Correlates of healthy fruit and vegetable diet in students in low, middle and high income countries. International Journal of Public Health, 2015, 60, 79-90.	2.3	65
11	Sedentary Behaviour, Physical Activity and Life Satisfaction, Happiness and Perceived Health Status in University Students from 24 Countries. International Journal of Environmental Research and Public Health, 2019, 16, 2084.	2.6	64
12	Suicidal Ideation and Associated Factors among School-Going Adolescents in Thailand. International Journal of Environmental Research and Public Health, 2012, 9, 462-473.	2.6	62
13	The utilization of traditional, complementary and alternative medicine for non-communicable diseases and mental disorders in health care patients in Cambodia, Thailand and Vietnam. BMC Complementary and Alternative Medicine, 2016, 16, 92.	3.7	62
14	Nocturnal sleep problems among university students from 26 countries. Sleep and Breathing, 2015, 19, 499-508.	1.7	61
15	Leisure Time Physical Inactivity and Sedentary Behaviour and Lifestyle Correlates among Students Aged 13–15 in the Association of Southeast Asian Nations (ASEAN) Member States, 2007–2013. International Journal of Environmental Research and Public Health, 2016, 13, 217.	2.6	60
16	The globalization of whitening: prevalence of skin lighteners (or bleachers) use and its social correlates among university students in 26 countries. International Journal of Dermatology, 2016, 55, 165-172.	1.0	60
17	Fruits and Vegetables Consumption and Associated Factors among In-School Adolescents in Five Southeast Asian Countries. International Journal of Environmental Research and Public Health, 2012, 9, 3575-3587.	2.6	58
18	Oral Health Behaviour and Social and Health Factors in University Students from 26 Low, Middle and High Income Countries. International Journal of Environmental Research and Public Health, 2014, 11, 12247-12260.	2.6	57

#	Article	IF	Citations
19	Early Substance Use Initiation and Suicide Ideation and Attempts among School-Aged Adolescents in Four Pacific Island Countries in Oceania. International Journal of Environmental Research and Public Health, 2015, 12, 12291-12303.	2.6	55
20	Suicidal behaviors and associated factors among university students in six countries in the Association of Southeast Asian Nations (ASEAN). Asian Journal of Psychiatry, 2017, 26, 32-38.	2.0	55
21	Bullying and Its Associated Factors among School-Aged Adolescents in Thailand. Scientific World Journal, The, 2013, 2013, 1-6.	2.1	52
22	High prevalence of depressive symptoms in a national sample of adults in Indonesia: Childhood adversity, sociodemographic factors and health risk behaviour. Asian Journal of Psychiatry, 2018, 33, 52-59.	2.0	48
23	Prevalence of overweight/obesity and central obesity and its associated factors among a sample of university students in India. Obesity Research and Clinical Practice, 2014, 8, e558-e570.	1.8	45
24	Prevalence and associated factors of illicit drug use among university students in the association of southeast Asian nations (ASEAN). Substance Abuse Treatment, Prevention, and Policy, 2017, 12, 9.	2.2	44
25	<p>The use of herbal medicines among chronic disease patients in Thailand: a cross-sectional survey</p> . Journal of Multidisciplinary Healthcare, 2019, Volume 12, 573-582.	2.7	44
26	Injury and Social Correlates among in-School Adolescents in Four Southeast Asian Countries. International Journal of Environmental Research and Public Health, 2012, 9, 2851-2862.	2.6	43
27	Oral and Hand Hygiene Behaviour and Risk Factors among In-School Adolescents in Four Southeast Asian Countries. International Journal of Environmental Research and Public Health, 2014, 11, 2780-2792.	2.6	43
28	Fruits and vegetables consumption and associated factors among in-school adolescents in seven African countries. International Journal of Public Health, 2010, 55, 669-678.	2.3	42
29	Utilization and Practice of Traditional/Complementary/Alternative Medicine (T/CAM) in Southeast Asian Nations (ASEAN) Member States. Studies on Ethno-Medicine, 2015, 9, 209-218.	0.1	42
30	Health Risk Behaviour among In-School Adolescents in the Philippines: Trends between 2003, 2007 and 2011, A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2016, 13, 73.	2.6	42
31	Depression and Associated Factors Among University Students in Western Nigeria. Journal of Psychology in Africa, 2013, 23, 459-465.	0.6	41
32	Screening and Brief Interventions for Hazardous and Harmful Alcohol Use among University Students in South Africa: Results from a Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2013, 10, 2043-2057.	2.6	40
33	Screening and brief interventions for hazardous and harmful alcohol use among hospital outpatients in South Africa: results from a randomized controlled trial. BMC Public Health, 2013, 13, 644.	2.9	38
34	Risk of eating disorders among university students in Bangladesh. International Journal of Adolescent Medicine and Health, 2015, 27, 93-100.	1.3	37
35	Depressive symptoms and social demographic, stress and health risk behaviour among university students in 26 low-, middle- and high-income countries. International Journal of Psychiatry in Clinical Practice, 2015, 19, 259-265.	2.4	37
36	Bullying victimization and externalizing and internalizing symptoms among in-school adolescents from five ASEAN countries. Children and Youth Services Review, 2019, 106, 104473.	1.9	36

3

#	Article	lF	CITATIONS
37	Mental health, childhood abuse and HIV sexual risk behaviour among university students in Ivory Coast. Annals of General Psychiatry, 2013, 12, 18.	2.7	35
38	Comparison of health risk behavior, awareness, and health benefit beliefs of health science and nonâ€health science students: An international study. Australian Journal of Cancer Nursing, 2016, 18, 180-187.	1.6	35
39	Loneliness: Its correlates and associations with health risk behaviours among university students in 25 countries. Journal of Psychology in Africa, 2017, 27, 247-255.	0.6	35
40	Risk of disordered eating attitudes and its relation to mental health among university students in ASEAN. Eating and Weight Disorders, 2018, 23, 349-355.	2.5	35
41	Utilization of traditional and complementary medicine in Indonesia: Results of a national survey in 2014–15. Complementary Therapies in Clinical Practice, 2018, 33, 156-163.	1.7	35
42	Hygiene Behaviour and Associated Factors among In-School Adolescents in Nine African Countries. International Journal of Behavioral Medicine, 2011, 18, 150-159.	1.7	34
43	Associations between behavioural risk factors and overweight and obesity among adults in population-based samples from 31 countries. Obesity Research and Clinical Practice, 2017, 11, 158-166.	1.8	34
44	Prevalence and Associated Factors of Frailty in Community-Dwelling Older Adults in Indonesia, 2014–2015. International Journal of Environmental Research and Public Health, 2020, 17, 10.	2.6	34
45	The Prevalence of Underweight, Overweight/Obesity and Their Related Lifestyle Factors in Indonesia, 2014–15. AIMS Public Health, 2017, 4, 633-649.	2.6	33
46	Heavy Internet use and its associations with health risk and health-promoting behaviours among Thai university students. International Journal of Adolescent Medicine and Health, 2014, 26, 187-194.	1.3	32
47	<p>Skipping Breakfast and Its Association with Health Risk Behaviour and Mental Health Among University Students in 28 Countries</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 2889-2897.	2.4	32
48	Mass masking as a way to contain COVID-19 and exit lockdown in low- and middle-income countries. Journal of Infection, 2020, 81, e1-e5.	3.3	31
49	Mental health consequences of intimate partner violence in Vhembe district, South Africa. General Hospital Psychiatry, 2013, 35, 545-550.	2.4	30
50	Risky HIV sexual behaviour and depression among University of Nairobi students. Annals of General Psychiatry, 2015, 14, 16.	2.7	30
51	Prevalence of Alcohol Use and Associated Factors in Urban Hospital Outpatients in South Africa. International Journal of Environmental Research and Public Health, 2011, 8, 2629-2639.	2.6	29
52	Loneliness correlates and associations with health variables in the general population in Indonesia. International Journal of Mental Health Systems, 2019, 13, 24.	2.7	29
53	Sleep Duration, Sleep Quality, Body Mass Index, and Waist Circumference among Young Adults from 24 Low- and Middle-Income and Two High-Income Countries. International Journal of Environmental Research and Public Health, 2017, 14, 566.	2.6	28
54	Exploring the psychometric properties of the CESâ€Dâ€10 and its practicality in detecting depressive symptomatology in 27 low―and middleâ€income countries. International Journal of Psychology, 2020, 55, 435-445.	2.8	28

#	Article	IF	CITATIONS
55	Helmet Use and Associated Factors among Thai Motorcyclists during Songkran Festival. International Journal of Environmental Research and Public Health, 2012, 9, 3286-3297.	2.6	27
56	Unintentional Injuries and Psychosocial Correlates among in-School Adolescents in Malaysia. International Journal of Environmental Research and Public Health, 2015, 12, 14936-14947.	2.6	27
57	Risk and Protective Factors Affecting Sexual Risk Behavior Among School-Aged Adolescents in Fiji, Kiribati, Samoa, and Vanuatu. Asia-Pacific Journal of Public Health, 2016, 28, 404-415.	1.0	27
58	Health and behavioral factors associated with binge drinking among university students in nine ASEAN countries. Substance Abuse Treatment, Prevention, and Policy, 2017, 12, 32.	2.2	27
59	Leisure-Time Sedentary Behavior Is Associated with Psychological Distress and Substance Use among School-Going Adolescents in Five Southeast Asian Countries: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2019, 16, 2091.	2.6	27
60	The prevalence of edentulism and their related factors in Indonesia, 2014/15. BMC Oral Health, 2018, 18, 118.	2.3	26
61	High Sedentary Behaviour and Low Physical Activity are Associated with Anxiety and Depression in Myanmar and Vietnam. International Journal of Environmental Research and Public Health, 2019, 16, 1251.	2.6	26
62	Associations of physical partner violence and sexual violence victimization on health risk behaviours and mental health among university students from 25 countries. BMC Public Health, 2020, 20, 937.	2.9	26
63	Early Sexual Debut and Associated Factors among In-school Adolescents in Six Caribbean Countries. West Indian Medical Journal, 2015, 64, 351-6.	0.4	26
64	Suicidal ideation and associated factors among students aged 13–15 years in Association of Southeast Asian Nations (ASEAN) member states, 2007–2013. International Journal of Psychiatry in Clinical Practice, 2017, 21, 201-208.	2.4	25
65	Prevalence, demographic and psychosocial correlates for school truancy among students aged 13–15 in the Association of Southeast Asian Nations (ASEAN) member states. Journal of Child and Adolescent Mental Health, 2017, 29, 197-203.	1.7	25
66	Knowledge, Attitude and Practice of Breast Self-examination Among Female University Students from 24 Low, Middle Income and Emerging Economy Countries. Asian Pacific Journal of Cancer Prevention, 2014, 15, 8637-8640.	1.2	25
67	Obesity and health problems among South African healthcare workers: do healthcare workers take care of themselves?. South African Family Practice: Official Journal of the South African Academy of Family Practice/Primary Care, 2011, 53, 563-567.	0.6	24
68	High-risk alcohol use and associated socio-demographic, health and psychosocial factors in patients with HIV infection in three primary health care clinics in South Africa. International Journal of STD and AIDS, 2017, 28, 651-659.	1.1	24
69	<p>Early Substance Use Initiation And Psychological Distress Among Adolescents In Five ASEAN Countries: A Cross-Sectional Study</p> . Psychology Research and Behavior Management, 2019, Volume 12, 1003-1008.	2.8	24
70	Prevalence and associated factors of psychological distress among a national sample of in-school adolescents in Morocco. BMC Psychiatry, 2020, 20, 475.	2.6	24
71	Cannabis and Amphetamine Use Among Adolescents in Five Asian Countries. Central Asian Journal of Global Health, 2017, 6, 288.	0.6	23
72	Lifetime Spousal Violence Victimization and Perpetration, Physical Illness, and Health Risk Behaviours among Women in India. International Journal of Environmental Research and Public Health, 2018, 15, 2737.	2.6	23

#	Article	IF	CITATIONS
73	High Carbonated Soft Drink Intake is Associated with Health Risk Behavior and Poor Mental Health among School-Going Adolescents in Six Southeast Asian Countries. International Journal of Environmental Research and Public Health, 2020, 17, 132.	2.6	23
74	Suicide Attempt and Associated Factors Among Adolescents in Five Southeast Asian Countries in 2015. Crisis, 2020, 41, 296-303.	1.2	23
75	Overweight and Obesity and Associated Factors among School-Aged Adolescents in Six Pacific Island Countries in Oceania. International Journal of Environmental Research and Public Health, 2015, 12, 14505-14518.	2.6	22
76	Heavy Drinking and Social and Health Factors in University Students from 24 Low, Middle Income and Emerging Economy Countries. Community Mental Health Journal, 2016, 52, 239-244.	2.0	22
77	Social and behavioural factors associated with risky sexual behaviours among university students in nine ASEAN countries: a multi-country cross-sectional study. Sahara J, 2018, 15, 71-79.	0.7	22
78	The efficacy of a brief intervention to reduce alcohol use in persons with HIV in South Africa, a randomized clinical trial. PLoS ONE, 2019, 14, e0220799.	2.5	22
79	Adults' Acceptance of COVID-19 Vaccine for Children in Selected Lower- and Middle-Income Countries. Vaccines, 2022, 10, 11.	4.4	22
80	Knowledge about, attitude toward, and practice of skin lightening products use and its social correlates among university students in five Association of Southeast Asian Nations (ASEAN) countries. International Journal of Dermatology, 2017, 56, 277-283.	1.0	21
81	Parental involvement and health risk behaviours among school-going adolescents in six African countries. Journal of Psychology in Africa, 2018, 28, 212-217.	0.6	21
82	Alcohol Use and Health-Related Quality of Life among Hospital Outpatients in South Africa. Alcohol and Alcoholism, 2012, 47, 291-295.	1.6	20
83	Underestimation of weight and its associated factors in overweight and obese university students from 21 low, middle and emerging economy countries. Obesity Research and Clinical Practice, 2015, 9, 234-242.	1.8	20
84	Multimorbidity in Chronic Conditions: Public Primary Care Patients in Four Greater Mekong Countries. International Journal of Environmental Research and Public Health, 2017, 14, 1019.	2.6	20
85	Prevalence, social and health correlates of insomnia among persons 15 years and older in Indonesia. Psychology, Health and Medicine, 2019, 24, 757-768.	2.4	20
86	<p>Behavioral Risk Factors Of Non-Communicable Diseases Among A Nationally Representative Sample Of School-Going Adolescents In Indonesia</p> . International Journal of General Medicine, 2019, Volume 12, 387-394.	1.8	20
87	Prevalence and Social Correlates of Sexual Intercourse among School-Going Adolescents in Thailand. Scientific World Journal, The, 2011, 11, 1812-1820.	2.1	19
88	Hygiene behaviour and health attitudes in African countries. Current Opinion in Psychiatry, 2012, 25, 149-154.	6.3	19
89	The predictive validity and effects of using the transtheoretical model to increase the physical activity of healthcare workers in a public hospital in South Africa. Translational Behavioral Medicine, 2012, 2, 384-391.	2.4	19
90	Tobacco Use, Beliefs and Risk Awareness in University Students from 24 Low, Middle and Emerging Economy Countries. Asian Pacific Journal of Cancer Prevention, 2014, 15, 10033-10038.	1.2	19

#	Article	IF	CITATIONS
91	Subjective happiness and health behavior among a sample of university students in India. Social Behavior and Personality, 2013, 41, 1045-1056.	0.6	18
92	Efficacy of a church-based lifestyle intervention programme to control high normal blood pressure and/or high normal blood glucose in church members: a randomized controlled trial in Pretoria, South Africa. BMC Public Health, 2014, 14, 568.	2.9	18
93	Prevalence of overweight and underweight and its associated factors among male and female university students in Thailand. HOMO-Journal of Comparative Human Biology, 2015, 66, 176-186.	0.7	18
94	Dietary consumption and happiness and depression among university students: A cross-national survey. Journal of Psychology in Africa, 2017, 27, 372-377.	0.6	18
95	Cannabis and Amphetamine Use and Associated Factors Among School-Going Adolescents in Nine African Countries. Journal of Child and Adolescent Substance Abuse, 2018, 27, 112-118.	0.5	18
96	Vigorous physical activity, perceived stress, sleep and mental health among university students from 23 low- and middle-income countries. International Journal of Adolescent Medicine and Health, 2018, 32, .	1.3	18
97	Hand Grip Strength and Its Sociodemographic and Health Correlates among Older Adult Men and Women (50 Years and Older) in Indonesia. Current Gerontology and Geriatrics Research, 2018, 2018, 1-8.	1.6	18
98	Alcohol Use and Misuse Among School-Going Adolescents in Thailand: Results of a National Survey in 2015. International Journal of Environmental Research and Public Health, 2019, 16, 1898.	2.6	18
99	<p>The prevalence, awareness, treatment, and control of hypertension among adults: the first cross-sectional national population-based survey in Laos</p> . Vascular Health and Risk Management, 2019, Volume 15, 27-33.	2.3	18
100	<p>Fruit and Vegetable Consumption is Protective from Short Sleep and Poor Sleep Quality Among University Students from 28 Countries</p> . Nature and Science of Sleep, 2020, Volume 12, 627-633.	2.7	18
101	Female genital mutilation and intimate partner violence in the Ivory Coast. BMC Women's Health, 2014, 14, 13.	2.0	17
102	Factors associated with self-rated health status among university students from 26 low, middle and high income countries. Journal of Psychology in Africa, 2015, 25, 448-453.	0.6	17
103	Prevalence, risk awareness and health beliefs of behavioural risk factors for cardiovascular disease among university students in nine ASEAN countries. BMC Public Health, 2018, 18, 237.	2.9	17
104	Rural–urban health disparities among older adults in South Africa. African Journal of Primary Health Care and Family Medicine, 2019, 11, e1-e6.	0.8	17
105	Prevalence and correlates of underweight and overweight/obesity among women in India: results from the National Family Health Survey $2015\hat{a} \in 2016 < p$. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2019, Volume 12, 647-653.	2.4	17
106	<p>Prevalence And Associated Factors Of Enacted, Internalized And Anticipated Stigma Among People Living With HIV In South Africa: Results Of The First National Survey</p> . HIV/AIDS - Research and Palliative Care, 2019, Volume 11, 275-285.	0.8	17
107	Psychological Distress and Its Associated Factors Among School-Going Adolescents in Tanzania. Psychological Studies, 2020, 65, 174-181.	1.0	17
108	Associations of loneliness with poor physical health, poor mental health and health risk behaviours among a nationally representative communityâ€dwelling sample of middleâ€aged and older adults in India. International Journal of Geriatric Psychiatry, 2021, 36, 1722-1731.	2.7	17

#	Article	IF	Citations
109	An evaluation of the implementation of integrated community home-based care services in Vhembe District, South Africa. Indian Journal of Palliative Care, 2011, 17, 137.	1.0	17
110	Screening and concurrent brief intervention of conjoint hazardous or harmful alcohol and tobacco use in hospital out-patients in Thailand: a randomized controlled trial. Substance Abuse Treatment, Prevention, and Policy, 2015, 10, 22.	2.2	16
111	The Association of Dietary Behaviors and Physical Activity Levels with General and Central Obesity among ASEAN University Students. AIMS Public Health, 2017, 4, 301-303.	2.6	16
112	Loneliness and Health Risk Behaviors Among ASEAN Adolescents. Iranian Journal of Psychiatry and Behavioral Sciences, 2017, 11 , .	0.4	16
113	Awareness of Breast Cancer Risk among Female University Students from 24 Low, Middle Income and Emerging Economy Countries. Asian Pacific Journal of Cancer Prevention, 2014, 15, 7875-7878.	1.2	16
114	Prevalence of psychological distress and associated factors in urban hospital outpatients in South Africa. South African Journal of Psychiatry, 2012, 18, 6.	0.4	15
115	Prevalence of health behaviors and their associated factors among a sample of university students in India. International Journal of Adolescent Medicine and Health, 2014, 26, 531-540.	1.3	15
116	Traumatic experiences, posttraumatic stress symptoms, depression, and health-risk behavior in relation to injury among University of Nairobi students in Kenya. International Journal of Psychiatry in Medicine, 2015, 50, 299-316.	1.8	15
117	Body Mass Index and Waist Circumference in Patients with HIV in South Africa and Associated Socio-demographic, Health Related and Psychosocial Factors. AIDS and Behavior, 2018, 22, 1972-1986.	2.7	15
118	The prevalence and social determinants of fruit and vegetable consumption among adults in Kenya: a cross-sectional national population-based survey, 2015. Pan African Medical Journal, 2018, 31, 137.	0.8	15
119	Prevalence and Associated Factors of Loneliness Among National Samples of In-School Adolescents in Four Caribbean Countries. Psychological Reports, 2021, 124, 2669-2683.	1.7	15
120	Overweight and Obesity among Adults in Iraq: Prevalence and Correlates from a National Survey in 2015. International Journal of Environmental Research and Public Health, 2021, 18, 4198.	2.6	15
121	Intimate Partner Violence Victimization and Associated Factors among Male and Female University Students in 22 Countries in Africa, Asia and the Americas. African Journal of Reproductive Health, 2016, 20, 29-39.	1.1	15
122	The degree to which physiotherapy literature includes physical activity as a component of health promotion in practice and entry level education: a scoping systematic review. Physiotherapy Theory and Practice, 2014, 30, 12-19.	1.3	14
123	Anxiety and depressive features in chronic disease patients in Cambodia, Myanmar and Vietnam. South African Journal of Psychiatry, 2016, 22, 4.	0.4	14
124	Lifestyle and mental health among school-going adolescents in Namibia. Journal of Psychology in Africa, 2017, 27, 69-73.	0.6	14
125	Happiness and health behaviours among university students from 24 low, middle and high income countries. Journal of Psychology in Africa, 2017, 27, 61-68.	0.6	14
126	Nonfatal Injuries and Psychosocial Correlates among Middle School Students in Cambodia and Vietnam. International Journal of Environmental Research and Public Health, 2017, 14, 280.	2.6	14

#	Article	IF	CITATIONS
127	Self-Reported Sleep Duration and Its Correlates with Sociodemographics, Health Behaviours, Poor Mental Health, and Chronic Conditions in Rural Persons 40 Years and Older in South Africa. International Journal of Environmental Research and Public Health, 2018, 15, 1357.	2.6	14
128	<p>Prevalence and socio-behavioral factors associated with sugar-sweetened beverages consumption among 15 years and older persons in South Africa</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2019, Volume 12, 937-945.	2.4	14
129	<p>Unintentional injuries and socio-psychological correlates among school-going adolescents in four ASEAN countries</p> . International Journal of General Medicine, 2019, Volume 12, 263-271.	1.8	14
130	The prevalence of underweight and overweight/obesity and its correlates among adults in Laos: a cross-sectional national population-based survey, 2013. Eating and Weight Disorders, 2020, 25, 265-273.	2.5	14
131	Trends in the prevalence of twenty health indicators among adolescents in United Arab Emirates: cross-sectional national school surveys from 2005, 2010 and 2016. BMC Pediatrics, 2020, 20, 357.	1.7	14
132	Prevalence and Correlates of Sexual Risk Behavior among School-Going Adolescents in Four Caribbean Countries. Behavioral Sciences (Basel, Switzerland), 2020, 10, 166.	2.1	14
133	Associations of alcohol use with mental health and alcohol exposure among school-going students in Cambodia. Nagoya Journal of Medical Science, 2016, 78, 415-422.	0.3	14
134	Anticipated stigma in chronic illness patients in Cambodia, Myanmar and Vietnam. Nagoya Journal of Medical Science, 2016, 78, 423-435.	0.3	14
135	Knowledge, attitudes, and practices about tuberculosis and choice of communication channels in Thailand. Journal of Infection in Developing Countries, 2016, 10, 694-703.	1.2	14
136	Knowledge, Attitudes, and Practices Regarding Tuberculosis in Timor-Leste: Results From the Demographic and Health Survey 2016. Journal of Preventive Medicine and Public Health, 2019, 52, 115-122.	1.9	14
137	The Impact of Chronic Diseases on the Quality of Life of Primary Care Patients in Cambodia, Myanmar and Vietnam. Iranian Journal of Public Health, 2018, 47, 1308-1316.	0.5	14
138	Religiosity and Health Risk Behaviour Among University Students in 26 Low, Middle and High Income Countries. Journal of Religion and Health, 2016, 55, 2131-2140.	1.7	13
139	Association between tobacco use, depression, and anxiety: A cross-national study among university students from 30 low- and middle-income countries. Journal of Psychology in Africa, 2017, 27, 483-487.	0.6	13
140	Prehypertension and psychosocial risk factors among university students in ASEAN countries. BMC Cardiovascular Disorders, 2017, 17, 230.	1.7	13
141	Sedentary Behaviour and 12 Sleep Problem Indicators among Middle-Aged and Elderly Adults in South Africa. International Journal of Environmental Research and Public Health, 2019, 16, 1422.	2.6	13
142	Underweight and overweight or obesity and associated factors among school-going adolescents in five ASEAN countries, 2015. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2019, 13, 3075-3080.	3.6	13
143	OVERWEIGHT, OBESITY AND ASSOCIATED FACTORS AMONG 13-15 YEARS OLD STUDENTS IN THE ASSOCIATION OF SOUTHEAST ASIAN NATIONS MEMBER COUNTRIES, 2007-2014. Southeast Asian Journal of Tropical Medicine and Public Health, 2016, 47, 250-62.	1.0	13
144	Correlates of illicit drug use among university students in Africa and the Caribbean. Journal of Psychology in Africa, 2016, 26, 390-393.	0.6	12

#	Article	IF	Citations
145	Intimate partner sexual violence and risk for femicide, suicidality and substance use among women in antenatal care and general out-patients in Thailand. BMC Women's Health, 2018, 18, 37.	2.0	12
146	Cognitive Functioning and Associated Factors in Older Adults: Results from the Indonesian Family Life Survey-5 (IFLS-5) in 2014-2015. Current Gerontology and Geriatrics Research, 2019, 2019, 1-7.	1.6	12
147	Prevalence and social and health determinants of preâ€diabetes and diabetes among adults in Laos: a crossâ€sectional national populationâ€based survey, 2013. Tropical Medicine and International Health, 2019, 24, 65-72.	2.3	12
148	The prevalence and associated factors of underweight and overweight/obesity among adults in Kenya: evidence from a national cross-sectional community survey. Pan African Medical Journal, 2020, 36, 338.	0.8	12
149	Attitudes and Practice of Cervical Cancer Screening among Female University Students from 25 Low, Middle Income and Emerging Economy Countries. Asian Pacific Journal of Cancer Prevention, 2014, 15, 7235-7239.	1.2	12
150	Knowledge, Attitudes and Practice of Testicular Self-examination among Male University Students from Bangladesh, Madagascar, Singapore, South Africa and Turkey. Asian Pacific Journal of Cancer Prevention, 2015, 16, 4741-4743.	1.2	12
151	Utilization of complementary and traditional medicine practitioners among middle-aged and older adults in India: results of a national survey in 2017–2018. BMC Complementary Medicine and Therapies, 2021, 21, 262.	2.7	12
152	Effect of exposure to clinic-based health education interventions on behavioural intention to prevent mother-to-child transmission of HIV infection. Sahara J, 2006, 3, 394-402.	0.7	11
153	Non-seatbelt use and associated factors among Thai drivers during Songkran festival. BMC Public Health, 2012, 12, 608.	2.9	11
154	The efficacy of a brief intervention to reduce alcohol misuse in patients with HIV in South Africa: study protocol for a randomized controlled trial. Trials, 2012, 13, 190.	1.6	11
155	Concurrent Tobacco Use and Binge Drinking Among University Students in 30 Countries in Africa, Asia, Latin America, and the Caribbean. International Journal of Mental Health and Addiction, 2018, 16, 164-174.	7.4	11
156	Parental involvement, health behaviour and mental health among school-going adolescents in seven Pacific Island countries. Journal of Human Behavior in the Social Environment, 2018, 28, 1068-1077.	1.9	11
157	Prevalence and Correlates of Behavioral Non-Communicable Diseases Risk Factors among Adolescents in the Seychelles: Results of a National School Survey in 2015. International Journal of Environmental Research and Public Health, 2019, 16, 2651.	2.6	11
158	The Prevalence and Social Determinants of Fruit and Vegetable Consumption and Its Associations With Noncommunicable Diseases Risk Factors Among Adults in Laos. Asia-Pacific Journal of Public Health, 2019, 31, 157-166.	1.0	11
159	Sexual risk behaviour and its correlates among adolescents in Mozambique: results from a national school survey in 2015. Sahara J, 2021, 18, 26-32.	0.7	11
160	Prevalence and correlates of non-daily and daily cannabis use among persons 15 years and older in South Africa: results of a national survey in 2017. Substance Abuse Treatment, Prevention, and Policy, 2021, 16, 25.	2.2	11
161	Self-rated oral health status and social and health determinants among community dwelling adults in Kenya. African Health Sciences, 2020, 19, 3146-3153.	0.7	11
162	Anxiety-induced sleep disturbances among in-school adolescents in the United Arab Emirates: Prevalence and associated factors. Asian Journal of Social Health and Behavior, 2022, 5, 18.	3.8	11

#	Article	IF	Citations
163	SEXUALITY OF 16- TO 17- YEAR-OLD SOUTH AFRICANS IN THE CONTEXT OF HIV/AIDS. Social Behavior and Personality, 2006, 34, 239-256.	0.6	10
164	Mental health correlates of HIV risk behaviour and STIs/HIV infection among university students from 22 low, middle and high income countries. Journal of Psychology in Africa, 2015, 25, 121-126.	0.6	10
165	Contraceptive non-use and associated factors among university students in 22 countries African Health Sciences, 2016, 15, 1056.	0.7	10
166	The Use of Herbal Remedies and Supplementary Products among Chronic Disease Patients in Vietnam. Studies on Ethno-Medicine, 2017, 11, 137-145.	0.1	10
167	<p>Use of traditional medicines and traditional practitioners by children in Indonesia: findings from a national population survey in 2014–2015</p> . Journal of Multidisciplinary Healthcare, 2019, Volume 12, 291-298.	2.7	10
168	Prevalence of truancy in a national sample of school going adolescents in Laos is associated with potential risk and protective factors. Children and Youth Services Review, 2019, 107, 104521.	1.9	10
169	Trends of dietary behaviour, physical activity, interpersonal violence and hand hygiene behaviour among school-going adolescents in Oman: cross-sectional national surveys from 2005, 2010 and 2015. Vulnerable Children and Youth Studies, 2020, 15, 269-278.	1.1	10
170	The Prevalence and Correlates of Suicidal Ideation, Plans and Suicide Attempts among 15- to 69-Year-Old Persons in Eswatini. Behavioral Sciences (Basel, Switzerland), 2020, 10, 172.	2.1	10
171	<p>Single and Multiple Suicide Attempts: Prevalence and Correlates in School-Going Adolescents in Liberia in 2017</p> . Psychology Research and Behavior Management, 2020, Volume 13, 1159-1164.	2.8	10
172	Prevalence and correlates of suicidal behaviour among adults in Malawi: a nationally representative cross-sectional survey in 2017. International Journal of Mental Health Systems, 2021, 15, 57.	2.7	10
173	Sexual risk behaviour and its correlates among adolescents in Indonesia, Laos, Thailand and Timor-Leste: results from national school surveys in 2015. International Journal of Adolescent Medicine and Health, 2021, 33, 501-509.	1.3	10
174	Associations between intimate partner violence, depression, and suicidal behavior among women attending antenatal and general outpatients hospital services in Thailand. Nigerian Journal of Clinical Practice, 2017, 20, 892.	0.6	10
175	Dietary Behaviors, Psychological Well-Being, and Mental Distress Among University Students in ASEAN. Iranian Journal of Psychiatry and Behavioral Sciences, 2017, 11, .	0.4	10
176	Sun Protection Use Behaviour among University Students from 25 Low, Middle Income and Emerging Economy Countries. Asian Pacific Journal of Cancer Prevention, 2015, 16, 1385-1389.	1.2	10
177	Dental health status and oral health behavior among university students from five ASEAN countries. Nagoya Journal of Medical Science, 2017, 79, 123-133.	0.3	10
178	Drinking Motives, Sensation Seeking, and Alcohol Use Among Thai High School Students. Social Behavior and Personality, 2012, 40, 1255-1262.	0.6	9
179	Problem Alcohol Use and Associated Factors in a Sample of University Students in South Africa. Journal of Psychology in Africa, 2013, 23, 243-249.	0.6	9
180	Prehypertension and associated factors among university students in the Philippines. International Journal of Adolescent Medicine and Health, 2014, 26, 245-252.	1.3	9

#	Article	IF	Citations
181	Traditional, complementary and alternative medicine use in a community population in Lao PDR. Tropical Journal of Obstetrics and Gynaecology, 2016, 13, 95.	0.3	9
182	Parental involvement and mental health among school-going adolescents in five Caribbean countries. Journal of Psychology in Africa, 2018, 28, 394-399.	0.6	9
183	<p>Prevalence and correlates of past 12-month suicide attempt among in-school adolescents in Guatemala</p> . Psychology Research and Behavior Management, 2019, Volume 12, 523-529.	2.8	9
184	Correlates of sedentary behavior among university students with depression from 22 low- and middle-income countries. Journal of Human Behavior in the Social Environment, 2019, 29, 833-839.	1.9	9
185	Alcohol use among adults in Kenya: Results from the National Non-Communicable Diseases Risk Factor survey, 2015. Journal of Psychology in Africa, 2019, 29, 49-53.	0.6	9
186	Past 12â€month history of single and multiple suicide attempts among a national sample of schoolâ€going adolescents in Tonga. Asia-Pacific Psychiatry, 2020, 13, e12425.	2.2	9
187	Cannabis and amphetamine use and socio-ecological (proximal and distal) factors among school-going adolescents in four countries in the Caribbean and four countries in South America. International Journal of Adolescent Medicine and Health, 2021, 33, .	1.3	9
188	Prevalence and correlates of single and multiple unintentional non-fatal injuries among school-going adolescents in Liberia. Injury, 2021, 52, 787-792.	1.7	9
189	Trying to lose weight among non-overweight university students from 22 low, middle and emerging economy countries. Asia Pacific Journal of Clinical Nutrition, 2015, 24, 177-83.	0.4	9
190	Nurses' Knowledge, Attitudes, and Coping Related to HIV and AIDS in a Rural Hospital in South Africa. Studies on Ethno-Medicine, 2011, 5, 25-32.	0.1	8
191	Health Behaviour and Self-reported Academic Performance among University Students: An International Study. Mediterranean Journal of Social Sciences, 2014, , .	0.2	8
192	Multiple health risk behaviours and posttraumatic stress disorder symptoms among university students from 22 countries. Journal of Psychology in Africa, 2014, 24, 499-503.	0.6	8
193	Factors Associated with Unintentional Injury among University Students in 26 Countries. Public Health Nursing, 2015, 32, 440-452.	1.5	8
194	Concurrent alcohol and tobacco use among school-going adolescents in Namibia: Prevalence and risk factors. Journal of Psychology in Africa, 2018, 28, 141-146.	0.6	8
195	High sedentary behaviour and low physical activity are associated with lower health related quality of life in Myanmar and Vietnam. Cogent Psychology, 2019, 6, .	1.3	8
196	Maternal alcohol use during pregnancy in a general national population in South Africa. South African Journal of Psychiatry, 2019, 25, 1236.	0.4	8
197	High psychological distress among school-going adolescents in Afghanistan: prevalence and correlates from a national survey. Vulnerable Children and Youth Studies, 2020, 15, 40-47.	1.1	8
198	Prevalence and correlates of suicidal behavior among a national populationâ€based sample of adults in Kiribati. Asia-Pacific Psychiatry, 2021, 13, e12444.	2.2	8

#	Article	IF	Citations
199	Unintentional injuries and socio-psychological correlates among school-going adolescents in Mozambique. Vulnerable Children and Youth Studies, 2020, 15, 32-39.	1.1	8
200	Sexual behaviour and its correlates among adolescents in Brunei Darussalam. International Journal of Adolescent Medicine and Health, $2021, 33, \ldots$	1.3	8
201	High prevalence of unintentional injuries and socio-psychological correlates among school-going adolescents in Timor-Leste. International Journal of Adolescent Medicine and Health, 2021, 33, 253-259.	1.3	8
202	Physical activity, health and well-being among a nationally representative population-based sample of middle-aged and older adults in India, 2017–2018. Heliyon, 2021, 7, e08635.	3.2	8
203	HIV counselling and testing utilisation and attitudes of male inmates in a South African prison. Sahara J, 2011, 8, 107-114.	0.7	7
204	Physical Fighting and Social Correlates among In-School Adolescents in the Caribbean. Mediterranean Journal of Social Sciences, 2014, , .	0.2	7
205	Prevalence of health risk behaviors and their associated factors among university students in Kyrgyzstan. International Journal of Adolescent Medicine and Health, 2014, 26, 175-185.	1.3	7
206	Conjoint moderate or high risk alcohol and tobacco use among male out-patients in Thailand. South African Journal of Psychiatry, 2016, 22, 5.	0.4	7
207	Childhood physical and sexual abuse, and adult health risk behaviours among university students from 24 countries in Africa, the Americas and Asia. Journal of Psychology in Africa, 2016, 26, 149-155.	0.6	7
208	Prevalence and social and health correlates of insomnia symptoms among middle-and older-age persons in rural South Africa. Journal of Psychology in Africa, 2018, 28, 472-478.	0.6	7
209	Prevalence, and social and health correlates of insomnia among persons 15 years and older in South Africa. South African Journal of Psychology, 2019, 49, 467-478.	2.0	7
210	A survey of the training of traditional, complementary, and alternative medicine in universities in Thailand. Journal of Multidisciplinary Healthcare, 2019, Volume 12, 119-124.	2.7	7
211	High physical activity is associated with post-traumatic stress disorder among individuals aged 15 years and older in South Africa. South African Journal of Psychiatry, 2019, 25, 1329.	0.4	7
212	Traditional Health Practitioners in Indonesia: Their Profile, Practice and Treatment Characteristics. Complementary Medicine Research, 2019, 26, 93-100.	1.2	7
213	Trends of Alcohol Use, Dietary Behaviour, Interpersonal Violence, Mental Health, Oral and Hand Hygiene Behaviour among Adolescents in Lebanon: Cross-Sectional National School Surveys from 2005, 2011 and 2017. International Journal of Environmental Research and Public Health, 2020, 17, 7096.	2.6	7
214	Prevalence and correlates of the metabolic syndrome in a cross-sectional community-based sample of 18–100 year-olds in Morocco: Results of the first national STEPS survey in 2017. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2020, 14, 1487-1493.	3.6	7
215	Suicide attempt and associated factors among in-school adolescents in Mozambique. Journal of Psychology in Africa, 2020, 30, 130-134.	0.6	7
216	Prevalence of bullying victimisation and associated factors among in-school adolescents in Mozambique. Journal of Psychology in Africa, 2020, 30, 64-68.	0.6	7

#	Article	IF	CITATIONS
217	Associations of number of victimizations with mental health indicators and health-risk behaviours among a nationally representative sample of in-school adolescents in Curaçao. Child Abuse and Neglect, 2021, 111, 104831.	2.6	7
218	Ideal Cardiovascular Health in a Nationally Representative Population-Based Sample of Adults in Malawi. Global Heart, 2021, 16, 24.	2.3	7
219	Loneliness is associated with poor mental health, social-environmental factors, and health risk behaviours among national samples of in-school adolescents in four Caribbean countries. Psychology, Health and Medicine, 2022, 27, 559-570.	2.4	7
220	Prevalence and correlates of hazardous, harmful or dependent alcohol use and drug use amongst persons 15 years and older in South Africa: Results of a national survey in 2017. African Journal of Primary Health Care and Family Medicine, 2021, 13, e1-e8.	0.8	7
221	Underweight and overweight/obesity among adults in Afghanistan: prevalence and correlates from a national survey in 2018. Journal of Health, Population and Nutrition, 2021, 40, 25.	2.0	7
222	Elder abuse and health outcomes among community-dwelling older adults in India: results of a national survey in 2017-2018. Journal of Elder Abuse and Neglect, 2021, 33, 327-341.	1.1	7
223	Parental Involvement, Health Behaviors and Mental Health among School-going Adolescents in Six Asian Countries. ASR Chiang Mai University Journal of Social Sciences and Humanities, 2016, 3, .	0.1	7
224	Screening and brief intervention for alcohol problems in Dr George Mukhari Hospital out-patients in Gauteng, South Africa: a single-blinded randomized controlled trial protocol. BMC Public Health, 2012, 12, 127.	2.9	6
225	Concurrent tobacco use and risky drinking in South Africa: Results from the South African National Health and Nutrition Examination Survey. Journal of Psychology in Africa, 2018, 28, 316-322.	0.6	6
226	Cannabis and Amphetamine Use and Socio-Ecological Proximal and Distal Factors Among School-Going Adolescents in Six Pacific Island Countries. Psychological Studies, 2018, 63, 391-397.	1.0	6
227	Effectiveness of a cluster-randomized controlled trial community-based lifestyle intervention program to control prehypertension and/or prediabetes in Thailand. International Journal of Diabetes in Developing Countries, 2019, 39, 123-131.	0.8	6
228	High Sedentary Behavior Is Associated with Depression among Rural South Africans. International Journal of Environmental Research and Public Health, 2019, 16, 1413.	2.6	6
229	Hand and Oral Hygiene Practices among Adolescents in Dominican Republic, Suriname and Trinidad and Tobago: Prevalence, Health, Risk Behavior, Mental Health and Protective Factors. International Journal of Environmental Research and Public Health, 2020, 17, 7860.	2.6	6
230	Prevalence and correlates of dental service utilisation among a national general adult population sample in Sudan. BMC Oral Health, 2021, 21, 61.	2.3	6
231	Geriatric Conditions and Functional Disability among a National Community-Dwelling Sample of Older Adults in India in 2017–2018. Geriatrics (Switzerland), 2021, 6, 71.	1.7	6
232	Prevalence and Correlates of Physical Fighting Among School Going Students Aged 13 - 15 in the Association of Southeast Asian Nations (ASEAN) Member States. Iranian Journal of Pediatrics, 2017, 27, .	0.3	6
233	Childhood Emotional, Physical, and Sexual Abuse and Associations With Mental Health and Health-Risk Behaviors Among University Students in the Association of Southeast Asian Nations (ASEAN). Child Studies in Asia-Pacific Context, 2017, 7, 15-26.	0.3	6
234	Tobacco use and associated health risk behaviours among university students in 27 countries. International Journal of Adolescent Medicine and Health, 2020, .	1.3	6

#	Article	IF	CITATIONS
235	Mental health, partner violence and HIV risk among women with protective orders against violent partners in Vhembe district, South Africa. Asian Journal of Psychiatry, 2013, 6, 494-499.	2.0	5
236	Sexual Assault and Other Types of Intimate Partner Violence in Women With Protection Orders in Vhembe District, South Africa. Violence and Victims, 2014, 29, 857-871.	0.7	5
237	Depression symptoms: Their association with socio-demographic factors and health among adults in South Africa. Journal of Psychology in Africa, 2018, 28, 62-65.	0.6	5
238	Concurrent binge drinking and current tobacco use and its social and health correlates among adults in Laos. Journal of Human Behavior in the Social Environment, 2019, 29, 403-414.	1.9	5
239	High alcohol use and misuse among a national sample of school adolescents in Benin in 2016. Drugs: Education, Prevention and Policy, 2020, 27, 328-333.	1.3	5
240	Prevalence and correlates of multiple behavioural risk factors of non-communicable diseases among university students from 24 countries. Journal of Public Health, 2020, 43, 857-866.	1.8	5
241	Common mental disorders among patients attending monk healers and primary health care centres in Thailand: a cross-sectional study. International Journal of Mental Health Systems, 2020, 14, 78.	2.7	5
242	Ethnic and Gender Disparities in Healthy Ageing among People 50 Years and Older in South Africa. Geriatrics (Switzerland), 2021, 6, 79.	1.7	5
243	Polysubstance use among national samples of in-school adolescents in Tonga and Vanuatu. Asian Journal of Psychiatry, 2021, 65, 102819.	2.0	5
244	Prevalence and associated factors of oral and hand hygiene behaviour among adolescents in six Southeast Asian countries. International Journal of Adolescent Medicine and Health, 2021, 33, 421-427.	1.3	5
245	Prevalence and Predictors of Current and Former Tobacco Use among Older Adults in Indonesia. Asian Pacific Journal of Cancer Prevention, 2019, 20, 395-401.	1.2	5
246	Hunger and Psychobehavioural Problems Among Adolescents in the Association of Southeast Asian Nations (ASEAN) Member Countries. Iranian Journal of Psychiatry and Behavioral Sciences, 2017, 11, .	0.4	5
247	Dietary health behaviour and beliefs among university students from 26 low, middle and high income countries. Asia Pacific Journal of Clinical Nutrition, 2015, 24, 744-52.	0.4	5
248	Health risk behaviours among adolescents in Argentina: trends between 2007, 2012 and 2018 national cross-sectional school surveys. BMC Pediatrics, 2021, 21, 464.	1.7	5
249	Drinking and Driving among University Students in 22 Low, Middle Income and Emerging Economy Countries. Iranian Journal of Public Health, 2015, 44, 1330-8.	0.5	5
250	The association of nutrition behaviors and physical activity with general and central obesity in Caribbean undergraduate students. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 38, 278-85.	1.1	5
251	Successful ageing among a national community-dwelling sample of older adults in India in 2017–2018. Scientific Reports, 2021, 11, 22186.	3.3	5
252	Alcohol Use and Associated Factors among Older Adults in Northern Thailand. Journal of Human Ecology: International, Interdisciplinary Journal of Man-environment Relationship, 2013, 42, 187-193.	0.1	4

#	Article	IF	CITATIONS
253	Predictors of Non-adherence to Anti-Tuberculosis Medication in Tuberculosis Patients in Thailand. Journal of Human Ecology: International, Interdisciplinary Journal of Man-environment Relationship, 2015, 52, 26-31.	0.1	4
254	Traditional, complementary and alternative medicine use of chronic disease patients in a community population in Myanmar. Tropical Journal of Obstetrics and Gynaecology, 2016, 13, 150.	0.3	4
255	Alcohol use and problem drinking in South Africa: Results from a national-population-based survey 2014-2015. Journal of Psychology in Africa, 2018, 28, 147-151.	0.6	4
256	High carbonated soft drink consumption is associated with externalizing but not internalizing behaviours among university students in five ASEAN states. Psychology Research and Behavior Management, 2019, Volume 12, 585-592.	2.8	4
257	Prevalence of Worry-Induced Sleep Disturbance and Associated Factors among a National Sample of In-School Adolescents in Lebanon. Behavioral Sciences (Basel, Switzerland), 2020, 10, 148.	2.1	4
258	Prevalence and associated factors of child abuse and its effects on anxiety and depression among children in Sierra Leone: Results of the 2017 Multiple Indicator Cluster Survey. Journal of Psychology in Africa, 2020, 30, 466-470.	0.6	4
259	Chronic conditions, multimorbidity, and quality of life among patients attending monk healers and primary care clinics in Thailand. Health and Quality of Life Outcomes, 2021, 19, 61.	2.4	4
260	Prevalence and associated factors of psychological distress among a national sample of in-school adolescents in Liberia. Journal of Psychology in Africa, 2021, 31, 197-202.	0.6	4
261	Prevalence and associated factors of loneliness among a national sample of in-school adolescents in Morocco. Journal of Psychology in Africa, 2021, 31, 303-309.	0.6	4
262	Tobacco Use and Its Association with Mental Morbidity and Health Compromising Behaviours in Adolescents in Indonesia. Asian Pacific Journal of Cancer Prevention, 2021, 22, 31-35.	1.2	4
263	Prevalence and correlates of perceived teeth health status and oral health behavior among school-going adolescents in Cambodia. Nagoya Journal of Medical Science, 2016, 78, 493-500.	0.3	4
264	COVID-19 handling report for pre-case, case (pre-hospital and hospital), and post-case phases in the elderly as vulnerable populations in 6 Asia Pacific countries. Global Health & Medicine, 2020, 2, 350-359.	1.4	4
265	Depression and generalised anxiety and associated factors among adults in Bhutan: Results of national cross-sectional survey in 2019. Asian Journal of Psychiatry, 2022, 67, 102959.	2.0	4
266	Prevalence and correlates of major depressive disorder among a national sample of middle-aged and older adults in India. Aging and Mental Health, 2022, , 1-6.	2.8	4
267	TOBACCO AND ALCOHOL USE AMONG CHRONIC DISEASE PATIENTS IN CAMBODIA, MYANMAR AND VIETNAM. Southeast Asian Journal of Tropical Medicine and Public Health, 2016, 47, 536-45.	1.0	4
268	Evaluation of the Effectiveness of Protection Orders for Female Victims of Intimate Partner Violence in Vhembe District of South Africa. Journal of Psychology in Africa, 2013, 23, 489-493.	0.6	3
269	Content analysis of food advertising strategies and ethical implications on South African television. Journal of Psychology in Africa, 2015, 25, 73-79.	0.6	3
270	<p>Two-year results of a community-based randomized controlled lifestyle intervention trial to control prehypertension and/or prediabetes in Thailand: a brief report</p> . International Journal of General Medicine, 2019, Volume 12, 131-135.	1.8	3

#	Article	IF	CITATIONS
271	Overweight or obesity and related lifestyle and psychosocial factors among adolescents in Brunei Darussalam. International Journal of Adolescent Medicine and Health, 2020, 32, .	1.3	3
272	Prevalence and correlates of interpersonal violence among in-school adolescents in Tanzania. Journal of Psychology in Africa, 2020, 30, 330-335.	0.6	3
273	Mental morbidity and its associations with socio-behavioural factors and chronic conditions in rural middle- and older-aged adults in South Africa. Journal of Psychology in Africa, 2020, 30, 257-263.	0.6	3
274	Current cannabis and lifetime amphetamine use among in-school adolescents in five ASEAN countries: socio-ecological perspectives. Vulnerable Children and Youth Studies, 2020, 15, 318-328.	1.1	3
275	Depressive symptoms among clients attending monk healers and primary care clinics in Thailand: a comparative follow-up study. Primary Health Care Research and Development, 2021, 22, e38.	1.2	3
276	Prevalence and correlates of psychological distress (using a 2-item screener) among national samples of in-school adolescents in four Caribbean countries. Vulnerable Children and Youth Studies, 2021, 16, 358-368.	1.1	3
277	Trends of 20 Health Risk Behaviours Among Adolescents in Morocco: Results of Three National Cross-Sectional School Surveys of 2006, 2010 and 2016. International Journal of General Medicine, 2021, Volume 14, 1611-1619.	1.8	3
278	Multiple behavioural risk factors of non-communicable diseases among adolescents in four Caribbean countries: prevalence and correlates. International Journal of Adolescent Medicine and Health, 2021, .	1.3	3
279	Participants' Views on Lifestyle Intervention Program Enhancing Long-Term Health-Related Behaviors Improvement among Prehypertension and/or Prediabetes Mellitus Older Adults: A Qualitative Study Examined in Thailand at Health Promoting Hospitals. Inquiry (United States), 2021, 58, 004695802110252.	0.9	3
280	Prevalence and associated factors of skipping breakfast among university students from 28 countries: a cross-sectional study. International Journal of Adolescent Medicine and Health, 2019, .	1.3	3
281	Pathological Internet Use and Psychosocial Risk Factors among ASEAN University Students. Iranian Journal of Psychiatry and Behavioral Sciences, 2018, 12, .	0.4	3
282	Perceived discrimination and health outcomes among middle-aged and older adults in India: results of a national survey in 2017–2018. BMC Geriatrics, 2021, 21, 559.	2.7	3
283	Health risk behaviour is associated with psychological distress among school-going adolescents in five association of Southeast Asian Nations (ASEAN) countries. International Journal of Adolescent Medicine and Health, 2021, 33, 261-265.	1.3	3
284	Prevalence and Factors Associated with Physical Punishment and Psychological Aggression Towards Children in Laos: Results of the 2017 Social Indicator Survey. Iranian Journal of Psychiatry and Behavioral Sciences, 2020, 14, .	0.4	3
285	Tobacco use and associated mental symptoms and health risk behaviours amongst individuals 15 years or older in South Africa. South African Journal of Psychiatry, 2020, 26, 1499.	0.4	3
286	HIV Knowledge, Attitudes, and Sexual Behaviour among Tourism Workers in Gauteng Province, South Africa. Journal of Human Ecology: International, Interdisciplinary Journal of Man-environment Relationship, 2011, 36, 103-110.	0.1	2
287	Factors Associated with Tuberculosis Reinfection and Treatment Failure in Taung Sub-District, South Africa. Studies on Ethno-Medicine, 2012, 6, 23-30.	0.1	2
288	Determinants of Knowledge of HIV Status in Cambodia: Results from a Population-based Survey. Journal of Human Ecology: International, Interdisciplinary Journal of Man-environment Relationship, 2014, 47, 27-33.	0.1	2

#	Article	IF	Citations
289	Perceptions of alcohol risk among people on antiretroviral treatment in South Africa: a qualitative study. Journal of Psychology in Africa, 2014, 24, 388-392.	0.6	2
290	Anxiety and depression symptoms following smoking cessation and/or brief alcohol treatment among moderate risk smokers and drinkers. Journal of Psychology in Africa, 2015, 25, 361-363.	0.6	2
291	Post-traumatic stress disorder and health risk behaviour among persons 15 years and older in South Africa. Journal of Psychology in Africa, 2018, 28, 360-364.	0.6	2
292	High alcohol use and misuse in a representative sample of in-school adolescents in the Seychelles. Journal of Psychology in Africa, 2019, 29, 505-510.	0.6	2
293	Prevalence of anxiety-induced sleep disturbance and associated factors among a national sample of in-school adolescents in Benin. Journal of Psychology in Africa, 2020, 30, 578-582.	0.6	2
294	Associations of serious physical injuries with posttraumatic stress and depressive symptoms: a cross-sectional survey among university students in 26 countries. BMC Psychology, 2020, 8, 129.	2.1	2
295	Social determinants of depression among adults in South Africa. Journal of Human Behavior in the Social Environment, 2020, 30, 525-532.	1.9	2
296	Prevalence and correlates of suicidal behaviour among a national population-based sample of adults in Zambia. South African Journal of Psychiatry, 2021, 27, 1566.	0.4	2
297	Prevalence and correlates of pre-diabetes and diabetes among a national population-based sample of adults in Zambia: results of the first national STEPS survey in 2017. International Journal of Diabetes in Developing Countries, 2021, 41, 419-426.	0.8	2
298	Ideal Cardiovascular Health Behaviours in Nationally Representative School-Based Samples of Adolescents in the Caribbean. Vascular Health and Risk Management, 2021, Volume 17, 187-194.	2.3	2
299	Prevalence and Correlates of Functional Disability among Community-Dwelling Older Adults in India: Results of a National Survey in 2017-2019. Elderly Health Journal, 0, , .	0.0	2
300	The prevalence and correlates of suicidal behaviour among adolescents in Trinidad and Tobago. Journal of Psychology in Africa, 2021, 31, 424-429.	0.6	2
301	Relationship Between Sedentary Behaviors and Sleep Duration in University Students from Five ASEAN Countries. Iranian Journal of Psychiatry and Behavioral Sciences, 2019, 13, .	0.4	2
302	Relationship Between Depression, Generalized Anxiety, and Metabolic Syndrome Among Buddhist Temples Population in Nakhon Pathom-Thailand. Iranian Journal of Psychiatry and Behavioral Sciences, 2018, In Press, .	0.4	2
303	Prevalence and correlates of insomnia symptoms among older adults in India: Results of a national survey in 2017-2018. Archives of Mental Health, 2021, 22, 139.	0.1	2
304	The Predictors Influencing the Rational Use of Antibiotics Among Public Sector: A Community-Based Survey in Thailand. Drug, Healthcare and Patient Safety, 2022, Volume 14, 27-36.	2.5	2
305	National trends in ideal cardiovascular health among adults in Bhutan from three cross-sectional surveys in 2007, 2014, and 2019. Scientific Reports, 2022, 12, 5660.	3.3	2
306	Food insecurity is associated with multiple psychological and behavioural problems among adolescents in five Caribbean countries. Psychology, Health and Medicine, 2021, , 1-14.	2.4	2

#	Article	IF	CITATIONS
307	Polysubstance use among national samples of in-school adolescents in Dominican Republic, Jamaica, and Trinidad and Tobago. Journal of Psychology in Africa, 2022, 32, 187-193.	0.6	2
308	Alcohol misuse prevalence and correlates among school adolescents from national surveys in Saint Lucia and Saint Vincent and the Grenadines. Journal of Psychology in Africa, 2022, 32, 275-281.	0.6	2
309	Factors that Contribute to Tuberculosis Control in Primary Health Care Services at Mutale Primary Health Care Sub-District of the Limpopo Province, South Africa. Journal of Human Ecology: International, Interdisciplinary Journal of Man-environment Relationship, 2010, 29, 75-85.	0.1	1
310	Knowledge and experiences of child care workers regarding care and management of children with special needs in Gauteng, South Africa. Journal of Child and Adolescent Mental Health, 2013, 25, 131-138.	1.7	1
311	Effects of tobacco use on non-adherence to antiretroviral therapy among HIV-positive patients in South Africa. Journal of Psychology in Africa, 2019, 29, 265-269.	0.6	1
312	Correlates of sedentary behaviour among adolescents and adults with hazardous, harmful or dependent drinking in South Africa. South African Journal of Psychiatry, 2019, 25, 1217.	0.4	1
313	Sedentary behaviour and sleep problems among young, middle-aged, and older persons in South Africa: A brief report. Journal of Psychology in Africa, 2019, 29, 401-404.	0.6	1
314	Prevalence and Correlates of Heavy Episodic Alcohol Consumption among Adults in Ecuador: Results of the First National STEPS Survey in 2018. International Journal of Environmental Research and Public Health, 2020, 17, 9017.	2.6	1
315	Prevalence and correlates of psychological distress among a national population-based sample of adults in Solomon Islands. International Journal of Social Psychiatry, 2021, 67, 687-695.	3.1	1
316	High prevalence of school truancy in a national sample of in-school adolescents in Kuwait: Internalizing, externalizing and social risk factors. Journal of Human Behavior in the Social Environment, 2020, 30, 687-694.	1.9	1
317	Quality of life among patients with common mental disorders attending monk healers and primary care clinics in Thailand. Journal of Public Mental Health, 2021, 20, 145-153.	1.1	1
318	Prevalence and associated factors of weapon carrying among university students from 25 countries. Journal of Psychology in Africa, 2021, 31, 87-92.	0.6	1
319	The prevalence and correlates of substance use disorders among patients of two different treatment settings in Thailand. Substance Abuse Treatment, Prevention, and Policy, 2021, 16, 10.	2.2	1
320	Prevalence and associated factors of metabolic syndrome among a national population-based sample of 18–108-year-olds in Iraq: results of the 2015 STEPS survey. International Journal of Diabetes in Developing Countries, 2021, 41, 427-434.	0.8	1
321	Prevalence and correlates of psychological distress among a national population-based sample of adults in Kiribati. Journal of Human Behavior in the Social Environment, 2021, 31, 941-950.	1.9	1
322	Prevalence and associated factors of self-reported ischaemic heart disease and/or stroke: a cross-sectional nationally representative community-based study of adults in Malawi in 2017. BMJ Open, 2021, 11, e048167.	1.9	1
323	Prevalence and correlates of fruit and vegetable consumption among adolescents in Laos. International Journal of Adolescent Medicine and Health, 2020, .	1.3	1
324	Cardiovascular diseases among adults in Afghanistan: Prevalence and associated factors from a national household survey in 2018. Population Medicine, 2021, 3, 1-8.	0.8	1

#	Article	IF	CITATIONS
325	Physical inactivity among older adults with and without functional disabilities in South Africa. African Journal for Physical Activity and Health Sciences, 2020, 26, 252-260.	0.1	1
326	Psychological distress among a cross-sectional national sample of adolescents in South Africa: Prevalence and associated factors. Journal of Psychology in Africa, 0, , 1-6.	0.6	1
327	National trends in metabolic syndrome among adults in Mongolia from three cross-sectional surveys in 2009, 2013 and 2019. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2022, 16, 102375.	3.6	1
328	Health Care Responsiveness by Conventional, Traditional and Complementary Medicine Providers in a National Sample of Middle-Aged and Older Adults in India in 2017–2018. Journal of Multidisciplinary Healthcare, 2022, Volume 15, 773-782.	2.7	1
329	Suicidal ideation, plans, and attempts: Prevalence and associated factors in school-going adolescents in Sierra Leone in 2017. Journal of Psychology in Africa, 2021, 31, 637-644.	0.6	1
330	Determinants of quality of life among patients attending monk healers and primary healthcare centers in Thailand. Population Medicine, 2021 , 3 , 1 -9.	0.8	1
331	Prevalence and Associated Factors of Self-rated Oral Health among a National Population-based Sample of Adults in Sudan: Results of the 2016 STEPS Survey. Oral Health & Preventive Dentistry, 2021, 19, 391-397.	0.5	1
332	Current tobacco use is associated with mental morbidity and health risk behaviours among school-going adolescents in Liberia and Mauritius. Journal of Substance Use, 2023, 28, 452-458.	0.7	1
333	Psychosocial Factors Associated With Adherence to COVID-19 Preventive Measures in Low-Middle-Income Countries, December 2020 to February 2021. International Journal of Public Health, 0, 67, .	2.3	1
334	Suicidal ideation and associated factors among clients of primary care and religious care centers in Thailand. Asian Journal of Social Health and Behavior, 2022, 5, 57.	3.8	1
335	Trends in sedentary behaviour and associated factors among adults in Mongolia: results from national cross-sectional surveys in 2009, 2013 and 2019. BMJ Open, 2022, 12, e058330.	1.9	1
336	Prevalence and behavioural risk factors of light or moderate and heavy cigarette smoking in 32 countries. Journal of Psychology in Africa, 2016, 26, 535-540.	0.6	0
337	Body weight and weight perception among African and Caribbean university students: Correlation with depression symptoms. Journal of Psychology in Africa, 2017, 27, 443-446.	0.6	0
338	Correlates of physical activity among adults with anxiety symptoms in South Africa. Journal of Psychology in Africa, 2019, 29, 361-365.	0.6	0
339	An exploratory factor analysis of core competencies of public health professionals at primary care service level in Northeastern Thailand. SAGE Open Medicine, 2020, 8, 205031212094053.	1.8	0
340	Factors associated with high sedentary behaviour among adolescents and adults with psychological distress in South Africa. South African Journal of Psychology, 2020, 50, 565-573.	2.0	0
341	Tobacco use and subjective well-being in university students from 29 countries: A brief report. Journal of Psychology in Africa, 2020, 30, 354-357.	0.6	0
342	Tobacco use and associated mental symptoms and health risk behaviours amongst individuals 15 years or older in South Africa. South African Journal of Psychiatry, 0, 26, .	0.4	0

#	Article	IF	CITATIONS
343	Prevalence and Correlates of Self-Reported Cardiovascular Diseases Among a Nationally Representative Population-Based Sample of Adults in Ecuador in 2018. Vascular Health and Risk Management, 2021, Volume 17, 195-202.	2.3	0
344	The Prevalence and Associated Factors of Cancer Screening Uptake Among a National Population-Based Sample of Adults in Marshall Islands. Cancer Control, 2021, 28, 107327482199749.	1.8	0
345	Association Between Body Weight and Weight Misperception and Depressive Symptoms in Southeast Asian Nations (ASEAN) University Students: A Cross-National and Cross-Sectional Survey, 2014 - 2015. Iranian Journal of Psychiatry and Behavioral Sciences, 2018, 12, .	0.4	0
346	Comparison of Fall Risk Assessment Tools for Older Indonesian Adults in the Elderly Home and the Community. The Indonesian Journal of Occupational Safety and Health, 2019, 8, 241.	0.1	0
347	Physical activity correlates in binge drinking university students from 24 countries. Journal of Human Behavior in the Social Environment, 2020, 30, 809-815.	1.9	0
348	Problem drinking among a cross-sectional national sample of adolescents in South Africa: Prevalence and associated factors. Journal of Psychology in Africa, 2021, 31, 533-538.	0.6	0
349	Prevalence and determinants of tobacco use among school going adolescents in Cambodia and Vietnam: a cross-sectional study. JPMA the Journal of the Pakistan Medical Association, 2017, 67, 1024-1029.	0.2	0
350	Work participation and mental and physical health outcomes among a national community-dwelling sample of older adult men and women in India. Journal of Human Behavior in the Social Environment, 2023, 33, 407-418.	1.9	0
351	Traditional and cyberbullying victimization and adverse mental and behavioural outcomes among school adolescents from Saint Vincent and the Grenadines. Journal of Human Behavior in the Social Environment, 0, , 1-14.	1.9	0
352	National Cross-Sectional Data on Ideal Cardiovascular Health Among Adults in Mongolia in 2019. Global Heart, 2022, 17, .	2.3	0