List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6087777/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Carfilzomib and dexamethasone maintenance following salvage ASCT in multiple myeloma: A randomised phase 2 trial by the Nordic Myeloma Study Group. European Journal of Haematology, 2022, 108, 34-44.	2.2	10
2	Regional differences in treatment and outcome for myeloma patients in Sweden: A population based Swedish myeloma register study. Cancer Reports, 2022, 5, e1614.	1.4	1
3	Burden of Treatment-Induced Peripheral Neuropathy in Patients with Multiple Myeloma in Sweden. Acta Haematologica, 2021, 144, 519-527.	1.4	0
4	Germline variants at SOHLH2 influence multiple myeloma risk. Blood Cancer Journal, 2021, 11, 76.	6.2	6
5	Bone Marrow Neutrophils of Multiple Myeloma Patients Exhibit Myeloid-Derived Suppressor Cell Activity. Journal of Immunology Research, 2021, 2021, 1-10.	2.2	12
6	Final Overall Survival Analysis of the TOURMALINE-MM1 Phase III Trial of Ixazomib, Lenalidomide, and Dexamethasone in Patients With Relapsed or Refractory Multiple Myeloma. Journal of Clinical Oncology, 2021, 39, 2430-2442.	1.6	53
7	Health-related quality of life in transplant ineligible newly diagnosed multiple myeloma patients treated with either thalidomide or lenalidomide-based regimen until progression: a prospective, open-label, multicenter, randomized, phase 3 study. Haematologica, 2020, 105, 1650-1659.	3.5	19
8	Genetic predisposition for multiple myeloma. Leukemia, 2020, 34, 697-708.	7.2	25
9	International Myeloma Working Group risk stratification model for smoldering multiple myeloma (SMM). Blood Cancer Journal, 2020, 10, 102.	6.2	126
10	Prognostic and predictive performance of R-ISS with SKY92 in older patients with multiple myeloma: the HOVON-87/NMSG-18 trial. Blood Advances, 2020, 4, 6298-6309.	5.2	22
11	Search for multiple myeloma risk factors using Mendelian randomization. Blood Advances, 2020, 4, 2172-2179.	5.2	27
12	Autologous haematopoietic stem-cell transplantation versus bortezomib–melphalan–prednisone, with or without bortezomib–lenalidomide–dexamethasone consolidation therapy, and lenalidomide maintenance for newly diagnosed multiple myeloma (EMN02/HO95): a multicentre, randomised, open-label, phase 3 study. Lancet Haematology,the, 2020, 7, e456-e468.	4.6	244
13	Updated Analysis of Daratumumab Plus Lenalidomide and Dexamethasone (D-Rd) Versus Lenalidomide and Dexamethasone (Rd) in Patients with Transplant-Ineligible Newly Diagnosed Multiple Myeloma (NDMM): The Phase 3 Maia Study. Blood, 2020, 136, 24-26.	1.4	29
14	Safety and Preliminary Efficacy Results from a Phase Ib/II Study of Cobimetinib As a Single Agent and in Combination with Venetoclax with or without Atezolizumab in Patients with Relapsed/Refractory Multiple Myeloma. Blood, 2020, 136, 45-46.	1.4	7
15	Upfront Autologous Hematopoietic Stem-Cell Transplantation Improves Overall Survival in Comparison with Bortezomib-Based Intensification Therapy in Newly Diagnosed Multiple Myeloma: Long-Term Follow-up Analysis of the Randomized Phase 3 EMN02/HO95 Study. Blood, 2020, 136, 37-38.	1.4	16
16	A Prospective Phase 2 Study to Assess Minimal Residual Disease after Ixazomib, Lenalidomide and Dexamethasone Treatment for Newly Diagnosed Transplant Eligible Multiple Myeloma Patients. Blood, 2020, 136, 40-41.	1.4	4
17	Sequence variation at the MTHFD1L-AKAP12 and FOPNL loci does not influence multiple myeloma survival in Sweden. Blood Cancer Journal, 2019, 9, 57.	6.2	2
18	Phenome-wide association analysis of LDL-cholesterol lowering genetic variants in PCSK9. BMC Cardiovascular Disorders, 2019, 19, 240.	1.7	22

#	Article	IF	CITATIONS
19	Transcriptome-wide association study of multiple myeloma identifies candidate susceptibility genes. Human Genomics, 2019, 13, 37.	2.9	14
20	Eosinophils in anti-neutrophil cytoplasmic antibody associated vasculitis. BMC Rheumatology, 2019, 3, 9.	1.6	13
21	Insights on Multiple Myeloma Treatment Strategies. HemaSphere, 2019, 3, e163.	2.7	33
22	All-oral ixazomib, cyclophosphamide, and dexamethasone for transplant-ineligible patients with newly diagnosed multiple myeloma. European Journal of Cancer, 2019, 106, 89-98.	2.8	25
23	Genetic correlation between multiple myeloma and chronic lymphocytic leukaemia provides evidence for shared aetiology. Blood Cancer Journal, 2019, 9, 1.	6.2	40
24	A Randomized Phase 2 Trial Comparing Carfilzomib-Dexamethasone Vs Observation As Maintenance after Induction with Carfilzomib-Cyclophosphamide-Dexamethasone in Salvage ASCT in Multiple Myeloma: A Trial By the Nordic Myeloma Study Group. Blood, 2019, 134, 601-601.	1.4	5
25	Real-World Treatment Patterns from the HUMANS Study in Multiple Myeloma in Denmark. Blood, 2019, 134, 5030-5030.	1.4	0
26	Utilizing Multiple Linked Populations Registers to Estimate Incidence and Prevalence of Multiple Myeloma in Sweden and Denmark from the Real-World HUMANS Study. Blood, 2019, 134, 5037-5037.	1.4	0
27	Lenalidomide versus lenalidomideÂ+Âdexamethasone prolonged treatment after secondâ€ine lenalidomideÂ+Âdexamethasone induction in multiple myeloma. Cancer Medicine, 2018, 7, 2256-2268.	2.8	1
28	The multiple myeloma risk allele at 5q15 lowers ELL2 expression and increases ribosomal gene expression. Nature Communications, 2018, 9, 1649.	12.8	22
29	Identification of multiple risk loci and regulatory mechanisms influencing susceptibility to multiple myeloma. Nature Communications, 2018, 9, 3707.	12.8	86
30	A platform for phenotypic discovery of therapeutic antibodies and targets applied on Chronic Lymphocytic Leukemia. Npj Precision Oncology, 2018, 2, 18.	5.4	14
31	Whole-exome sequencing exploration of acquired uniparental disomies in B-cell precursor acute lymphoblastic leukemia. Leukemia, 2018, 32, 2058-2062.	7.2	3
32	Bone marrow eosinophils in plasma cell disorders. Experimental Hematology, 2018, 66, 27-31.e5.	0.4	3
33	Ixazomib-Thalidomide-Low Dose Dexamethasone (ITd) Induction Followed By Maintenance Therapy with Ixazomib or Placebo in Newly Diagnosed Multiple Myeloma Patients Not Eligible for Autologous Stem Cell Transplantation; Results from the Randomized Phase II HOVON-126/Nmsg 21#13 Trial. Blood, 2018, 132, 800-800.	1.4	6
34	Natural history of relapsed myeloma, refractory to immunomodulatory drugs and proteasome inhibitors: a multicenter IMWG study. Leukemia, 2017, 31, 2443-2448.	7.2	259
35	Assessing the effect of obesity-related traits on multiple myeloma using a Mendelian randomisation approach. Blood Cancer Journal, 2017, 7, e573-e573.	6.2	12
36	Identification of sequence variants influencing immunoglobulin levels. Nature Genetics, 2017, 49, 1182-1191.	21.4	90

#	Article	IF	CITATIONS
37	Adverse event management in patients with relapsed and refractory multiple myeloma taking pomalidomide plus lowâ€dose dexamethasone: A pooled analysis. European Journal of Haematology, 2017, 99, 199-206.	2.2	21
38	NOX2-dependent immunosuppression in chronic myelomonocytic leukemia. Journal of Leukocyte Biology, 2017, 102, 459-466.	3.3	21
39	Impact of prior therapy on the efficacy and safety of oral ixazomib-lenalidomide-dexamethasone <i>vs</i> . placebo-lenalidomide-dexamethasone in patients with relapsed/refractory multiple myeloma in TOURMALINE-MM1. Haematologica, 2017, 102, 1767-1775.	3.5	48
40	Direct evidence for a polygenic etiology in familial multiple myeloma. Blood Advances, 2017, 1, 619-623.	5.2	15
41	A single-arm, open-label, phase 2 clinical trial evaluating disease response following treatment with BI-505, a human anti-intercellular adhesion molecule-1 monoclonal antibody, in patients with smoldering multiple myeloma. PLoS ONE, 2017, 12, e0171205.	2.5	39
42	Oral Ixazomib, Lenalidomide, and Dexamethasone for Multiple Myeloma. New England Journal of Medicine, 2016, 374, 1621-1634.	27.0	861
43	Melphalan, prednisone, and lenalidomide versus melphalan, prednisone, and thalidomide in untreated multiple myeloma. Blood, 2016, 127, 1109-1116.	1.4	102
44	Safety and efficacy of pomalidomide plus low-dose dexamethasone in STRATUS (MM-010): a phase 3b study in refractory multiple myeloma. Blood, 2016, 128, 497-503.	1.4	144
45	Genome-wide association study identifies multiple susceptibility loci for multiple myeloma. Nature Communications, 2016, 7, 12050.	12.8	146
46	Impaired phagocytosis and reactive oxygen species production in phagocytes is associated with systemic vasculitis. Arthritis Research and Therapy, 2016, 18, 92.	3.5	16
47	Phagocyte function decreases after high-dose treatment with melphalan and autologous stem cell transplantation in patients with multiple myeloma. Experimental Hematology, 2016, 44, 342-351.e5.	0.4	4
48	Cost effectiveness of pomalidomide in patients with relapsed and refractory multiple myeloma in Sweden. Acta OncolÃ ³ gica, 2016, 55, 554-560.	1.8	14
49	Impact of prior therapy on efficacy and safety of oral ixazomib-lenalidomide-dexamethasone (IRd) vs placebo-Rd in patients (pts) with relapsed/refractory multiple myeloma (RRMM) in TOURMALINE-MM1 Journal of Clinical Oncology, 2016, 34, 8039-8039.	1.6	2
50	Natural History of Relapsed Myeloma, Refractory to Immunomodulatory Drugs and Proteasome Inhibitors: A Multicenter IMWG Study. Blood, 2016, 128, 4414-4414.	1.4	0
51	Novel gene targets detected by genomic profiling in a consecutive series of 126 adults with acute lymphoblastic leukemia. Haematologica, 2015, 100, 55-61.	3.5	43
52	A Phase I Dose-Escalation Study of Antibody BI-505 in Relapsed/Refractory Multiple Myeloma. Clinical Cancer Research, 2015, 21, 2730-2736.	7.0	41
53	Antagonistic Human FcÎ ³ RIIB (CD32B) Antibodies Have Anti-Tumor Activity and Overcome Resistance to Antibody Therapy InÂVivo. Cancer Cell, 2015, 27, 473-488.	16.8	108
54	Variants in ELL2 influencing immunoglobulin levels associate with multiple myeloma. Nature Communications, 2015, 6, 7213.	12.8	101

#	Article	IF	CITATIONS
55	Targeting CD38 with Daratumumab Monotherapy in Multiple Myeloma. New England Journal of Medicine, 2015, 373, 1207-1219.	27.0	948
56	Randomized Phase 2 Study of the All-Oral Combination of Investigational Proteasome Inhibitor (PI) Ixazomib Plus Cyclophosphamide and Low-Dose Dexamethasone (ICd) in Patients (Pts) with Newly Diagnosed Multiple Myeloma (NDMM) Who Are Transplant-Ineligible (NCT02046070). Blood, 2015, 126, 26-26.	1.4	16
57	The Rev II Trial: Lenalidomide and Dexamethasone As Second Line Treatment in Myeloma Followed By Extended Lenalidomid Vs Len/Dex. Blood, 2015, 126, 3047-3047.	1.4	1
58	An Updated Analysis of the Stratus Trial (MM-010): Safety and Efficacy of Pomalidomide Plus Low-Dose Dexamethasone (POM + LoDEX) in Patients (Pts) with Relapsed/Refractory Multiple Myeloma (RRMM). Blood, 2015, 126, 4225-4225.	1.4	3
59	Ixazomib, an Investigational Oral Proteasome Inhibitor (PI), in Combination with Lenalidomide and Dexamethasone (IRd), Significantly Extends Progression-Free Survival (PFS) for Patients (Pts) with Relapsed and/or Refractory Multiple Myeloma (RRMM): The Phase 3 Tourmaline-MM1 Study (NCT01564537), Blood. 2015. 126. 727-727.	1.4	32
60	Genetic and epigenetic characterization of hypodiploid acute lymphoblastic leukemia. Oncotarget, 2015, 6, 42793-42802.	1.8	25
61	Expert panel consensus statement on the optimal use of pomalidomide in relapsed and refractory multiple myeloma. Leukemia, 2014, 28, 1573-1585.	7.2	108
62	Randomized Phase III Trial in Non-Transplant Eligible Patients with Newly Diagnosed Symptomatic Multiple Myeloma Comparing Melphalan-Prednisone-Thalidomide Followed By Thalidomide Maintenance (MPT-T) Versus Melphalan-Prednisone-Lenalidomide Followed By Maintenance with Lenalidomide (MPR-R); A Joint Study of the Dutch-Belgian Cooperative Trial Group for Hematology Oncology (HOVON) and the Nordic Myeloma Study Group (NMSC). Blood, 2014, 124, 179-179	1.4	6
63	Pomalidomide + Low-Dose Dexamethasone in Patients with Refractory or Relapsed and Refractory Multiple Myeloma and Renal Impairment: Analysis of Patients from the Phase 3b Stratus Trial (MM-010). Blood, 2014, 124, 4755-4755.	1.4	10
64	Dose-dependent efficacy of daratumumab (DARA) as monotherapy in patients with relapsed or refractory multiple myeloma (RR MM) Journal of Clinical Oncology, 2014, 32, 8513-8513.	1.6	19
65	The STRATUS trial (MM-010): A single-arm phase 3b study of pomalidomide plus low-dose dexamethasone (POM + LoDEX) in refractory or relapsed and refractory multiple myeloma Journal of Clinical Oncology, 2014, 32, TPS8625-TPS8625.	1.6	2
66	Outcomes for Older Patients in Stratus (MM-010), a Single-Arm, and Phase 3b Study of Pomalidomide + Low-Dose Dexamethasone in Refractory or Relapsed and Refractory Multiple Myeloma. Blood, 2014, 124, 4770-4770.	1.4	1
67	The Epitope Targeted by Apoptosis-Inducing ICAM-1 Antibody B11 Is Highly Expressed in Multiple Myeloma Blood, 2009, 114, 4897-4897.	1.4	4
68	Targeted Therapy by Using Tissue Specific Promoter and Granules as Storage Compartments for Therapeutic Proteins in Hematopoietic Cells Blood, 2009, 114, 4508-4508.	1.4	0
69	Biphenotypic bigenotypic lymphoma with simultaneous expression of PAX5/BSAP and B- and T-cell markers. European Journal of Haematology, 2007, 79, 159-165.	2.2	12
70	Reactivation of Latent Epstein Barr Virus Infection Induces Remission of Splenic Lymphoma with Villous Lymphocytes. International Journal of Hematology, 2005, 81, 413-416.	1.6	1
71	Activation of cytotoxic lymphocytes by interferon-α: role of oxygen radical-producing mononuclear phagocytes. Journal of Leukocyte Biology, 2004, 76, 1207-1213.	3.3	21
72	Natural killer cell dysfunction and apoptosis induced by chronic myelogenous leukemia cells: role of reactive oxygen species and regulation by histamine. Blood, 2000, 96, 1961-1968.	1.4	148

#	Article	IF	CITATIONS
73	Natural killer cell dysfunction and apoptosis induced by chronic myelogenous leukemia cells: role of reactive oxygen species and regulation by histamine. Blood, 2000, 96, 1961-8.	1.4	68