## Do Young Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6088273/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Longâ€ŧerm effects of entecavir and tenofovir treatment on the fibrotic burden in patients with chronic hepatitis B. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 200-207.	1.4	5
2	Longâ€ŧerm renal safety between patients with chronic hepatitis B receiving tenofovir vs. entecavir therapy: A multicenter study. Journal of Viral Hepatitis, 2022, 29, 289-296.	1.0	7
3	Atezolizumab/Bevacizumab vs. Lenvatinib as First-Line Therapy for Unresectable Hepatocellular Carcinoma: A Real-World, Multi-Center Study. Cancers, 2022, 14, 1747.	1.7	36
4	Gammaâ€glutamyl transpeptidase dynamics as a biomarker for advanced fibrosis in nonâ€alcoholic fatty liver disease. Journal of Gastroenterology and Hepatology (Australia), 2022, 37, 1624-1632.	1.4	6
5	Negligible HCC risk during stringently defined untreated immune-tolerant phase of chronic hepatitis B. European Journal of Internal Medicine, 2021, 84, 68-73.	1.0	12
6	Prognostic Value of Alpha-Fetoprotein in Patients Who Achieve a Complete Response to Transarterial Chemoembolization for Hepatocellular Carcinoma. Yonsei Medical Journal, 2021, 62, 12.	0.9	6
7	Hepatocellular carcinoma statistics in South Korea. Clinical and Molecular Hepatology, 2021, 27, 512-514.	4.5	25
8	The Role of Urinary N-Acetyl-β-d-glucosaminidase in Cirrhotic Patients with Acute Kidney Injury: Multicenter, Prospective Cohort Study. Journal of Clinical Medicine, 2021, 10, 4328.	1.0	6
9	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. European Journal of Gastroenterology and Hepatology, 2021, 33, 885-893.	0.8	4
10	Cirrhosis, Age, and Liver Stiffness-Based Models Predict Hepatocellular Carcinoma in Asian Patients with Chronic Hepatitis B. Cancers, 2021, 13, 5609.	1.7	5
11	Hepatocellular carcinoma and death and transplantation in chronic hepatitis B treated with entecavir or tenofovir disoproxil fumarate. Scientific Reports, 2020, 10, 13537.	1.6	18
12	Decrease in waist-to-hip ratio reduced the development of chronic kidney disease in non-obese non-alcoholic fatty liver disease. Scientific Reports, 2020, 10, 8996.	1.6	13
13	High body mass index hinders fibrosis improvement in patients receiving longâ€term tenofovir therapy in hepatitis B virusâ€related cirrhosis. Journal of Viral Hepatitis, 2020, 27, 1119-1126.	1.0	6
14	Hepatocellular Carcinoma in Korea between 2012 and 2014: an Analysis of Data from the Korean Nationwide Cancer Registry. Journal of Liver Cancer, 2020, 20, 135-147.	0.3	15
15	A survey on transarterial chemoembolization refractoriness and a real-world treatment pattern for hepatocellular carcinoma in Korea. Clinical and Molecular Hepatology, 2020, 26, 24-32.	4.5	31
16	Development and validation of a prognostic model for patients with hepatocellular carcinoma undergoing radiofrequency ablation. Cancer Medicine, 2019, 8, 5023-5032.	1.3	25
17	Longitudinal assessment of alpha-fetoprotein for early detection of hepatocellular carcinoma in patients with cirrhosis. Scandinavian Journal of Gastroenterology, 2019, 54, 1283-1290.	0.6	13
18	Transarterial Chemoembolization in Treatment-NaÃ <sup>-</sup> ve and Recurrent Hepatocellular Carcinoma: A Propensity-Matched Outcome Analysis. Digestive Diseases and Sciences, 2019, 64, 3660-3668.	1.1	8

**Do Young Кім** 

#	Article	IF	CITATIONS
19	Validation of the Liver Disease Quality of Life Instrument 1.0 in Patients with Chronic Hepatitis B: A Prospective Study. Journal of Clinical Medicine, 2019, 8, 656.	1.0	6
20	Feasibility of dynamic risk assessment for patients with repeated trans-arterial chemoembolization for hepatocellular carcinoma. BMC Cancer, 2019, 19, 363.	1.1	8
21	Development of a New Nomogram Including Neutrophil-to-Lymphocyte Ratio to Predict Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. Cancers, 2019, 11, 509.	1.7	37
22	Paper Alert. European Journal of Gastroenterology and Hepatology, 2019, 31, 1295-1298.	0.8	14
23	Retrospective analysis of stereotactic body radiation therapy efficacy over radiofrequency ablation for hepatocellular carcinoma. Radiotherapy and Oncology, 2019, 131, 81-87.	0.3	70
24	Association between hepatic steatosis and the development of hepatocellular carcinoma in patients with chronic hepatitis B. Clinical and Molecular Hepatology, 2019, 25, 52-64.	4.5	77
25	An integrated analysis of elbasvir/grazoprevir in Korean patients with hepatitis C virus genotype 1b infection. Clinical and Molecular Hepatology, 2019, 25, 400-407.	4.5	7
26	Elbasvir/grazoprevir in Asiaâ€Pacific/Russian participants with chronic hepatitis C virus genotype 1, 4, or 6 infection. Hepatology Communications, 2018, 2, 595-606.	2.0	19
27	Sarcopenia Predicts Prognosis in Patients with Newly Diagnosed Hepatocellular Carcinoma, Independent of Tumor Stage and Liver Function. Cancer Research and Treatment, 2018, 50, 843-851.	1.3	45
28	Improvement of Liver Fibrosis after Long-Term Antiviral Therapy Assessed by Fibroscan in Chronic Hepatitis B Patients With Advanced Fibrosis. American Journal of Gastroenterology, 2017, 112, 882-891.	0.2	42
29	Reply to Huang et al American Journal of Gastroenterology, 2017, 112, 1478-1479.	0.2	0
30	The relationship between visceral obesity and hepatic steatosis measured by controlled attenuation parameter. PLoS ONE, 2017, 12, e0187066.	1.1	24
31	The Relationship between Type 2 Diabetes Mellitus and Non-Alcoholic Fatty Liver Disease Measured by Controlled Attenuation Parameter. Yonsei Medical Journal, 2016, 57, 885.	0.9	31
32	Discrimination of Nonalcoholic Steatohepatitis Using Transient Elastography in Patients with Nonalcoholic Fatty Liver Disease. PLoS ONE, 2016, 11, e0157358.	1.1	62
33	Addition of tumor multiplicity improves the prognostic performance of the hepatoma arterialâ€embolization prognostic score. Liver International, 2016, 36, 100-107.	1.9	76
34	Clinical outcomes and predictors for relapse after cessation of oral antiviral treatment in chronic hepatitis B patients. Journal of Gastroenterology, 2016, 51, 830-839.	2.3	78
35	Noninvasive Prediction of Erosive Esophagitis Using a Controlled Attenuation Parameter (CAP)-Based Risk Estimation Model. Digestive Diseases and Sciences, 2016, 61, 507-516.	1.1	3
36	Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. Scandinavian Journal of Gastroenterology, 2016, 51, 344-353.	0.6	68

**Do Young Кім** 

#	Article	IF	CITATIONS
37	Predicting Liver-Related Events Using Transient Elastography in Chronic Hepatitis C Patients with Sustained Virological Response. Gut and Liver, 2016, 10, 429-36.	1.4	16
38	Complete response at first chemoembolization is still the most robust predictor for favorable outcome in hepatocellular carcinoma. Journal of Hepatology, 2015, 62, 1304-1310.	1.8	148
39	Normal Controlled Attenuation Parameter Values: A Prospective Study of Healthy Subjects Undergoing Health Checkups and Liver Donors in Korea. Digestive Diseases and Sciences, 2015, 60, 234-242.	1.1	14
40	Controlled attenuation parameter ( <scp>CAP</scp> ) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. Liver International, 2014, 34, 102-109.	1.9	143
41	Dynamics of the Liver Stiffness Value Using Transient Elastography during the Perioperative Period in Patients with Valvular Heart Disease. PLoS ONE, 2014, 9, e92795.	1.1	17
42	Factors Affecting the Accuracy of Controlled Attenuation Parameter (CAP) in Assessing Hepatic Steatosis in Patients with Chronic Liver Disease. PLoS ONE, 2014, 9, e98689.	1.1	33
43	Tenofovir disoproxil fumarate monotherapy for nucleos(t)ide-naÃ <sup>-</sup> ve chronic hepatitis B patients in Korea: data from the clinical practice setting in a single-center cohort. Clinical and Molecular Hepatology, 2014, 20, 261.	4.5	10
44	Prognostic value of α-fetoprotein and des-γ-carboxy prothrombin responses in patients with hepatocellular carcinoma treated with transarterial chemoembolization. BMC Cancer, 2013, 13, 5.	1.1	60
45	Efficacy of switching to telbivudine plus adefovir in suboptimal responders to lamivudine plus adefovir. World Journal of Gastroenterology, 2013, 19, 7671.	1.4	6
46	Partial Virological Response to Adefovir Add-On Lamivudine Rescue Therapy in Patients with Lamivudine-Resistant Chronic Hepatitis B. Digestion, 2013, 87, 196-203.	1.2	2
47	The Accuracy of Noninvasive Methods in Predicting the Development of Hepatocellular Carcinoma and Hepatic Decompensation in Patients With Chronic Hepatitis B. Journal of Clinical Gastroenterology, 2012, 46, 518-525.	1.1	49
48	Applicability of <scp>BCLC</scp> stage for prognostic stratification in comparison with other staging systems: single centre experience from longâ€ŧerm clinical outcomes of 1717 treatmentâ€naÃ⁻ve patients with hepatocellular carcinoma. Liver International, 2012, 32, 1120-1127.	1.9	91
49	Combined measurement of preoperative αâ€fetoprotein and desâ€Î³â€carboxy prothrombin predicts recurrence after curative resection in patients with hepatitisâ€Bâ€related hepatocellular carcinoma. International Journal of Cancer, 2012, 131, 2332-2341.	2.3	35
50	Performance of Transient Elastography for the Staging of Liver Fibrosis in Patients with Chronic Hepatitis B: A Meta-Analysis. PLoS ONE, 2012, 7, e44930.	1.1	242
51	Gastroduodenal Complications After Concurrent Chemoradiation Therapy in Patients With Hepatocellular Carcinoma: Endoscopic Findings and Risk Factors. International Journal of Radiation Oncology Biology Physics, 2011, 81, 1343-1351.	0.4	42
52	Partial virological response to entecavir in treatment-naive patients with chronic hepatitis B. Antiviral Therapy, 2011, 16, 469-477.	0.6	20
53	A Case of Esophageal Intramural Pseudodiverticulosis. Gut and Liver, 2011, 5, 93-95.	1.4	28
54	A Case of Bronchilolitis Obliterans Organizing Pneumonia in a Patient with Ulcerative Colitis. Tuberculosis and Respiratory Diseases, 2010, 68, 175.	0.7	0