

Andreas Schnepf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6089853/publications.pdf>

Version: 2024-02-01

135
papers

4,797
citations

81900

39
h-index

123424

61
g-index

167
all docs

167
docs citations

167
times ranked

1506
citing authors

#	ARTICLE	IF	CITATIONS
1	New coinage metal-coordinated intermetalloid E10 clusters (R3P)AuGe9(Hyp)3Pt(PPh3) (R ⁻ = ⁻ Bu, Et). Mendeleev Communications, 2022, 32, 60-62.	1.6	1
2	{Ge8[Fe(CO)4]8}7 ⁻ : An Anionic Cubic Germanium-Iron-Cluster Featuring an Unpaired Electron.. Dalton Transactions, 2022, , .	3.3	2
3	GeCl _x [Co(CO) ₃ PR ₃] ₄ (x = 0-3; R =) Tj ETQq1 1 0.784314 rgBT /Ove compounds.. Dalton Transactions, 2021, 50, 10789-10797.	3.3	2
4	A new reductant in gold cluster chemistry gives a superatomic gold gallium cluster. Chemical Communications, 2021, 57, 3551-3554.	4.1	8
5	Higher stability within metalloid tin clusters via Cation-Anion interaction.. Dalton Transactions, 2021, 50, 16013-16020.	3.3	0

6

#	ARTICLE	IF	CITATIONS
19	Cascade-Reaction Leading to an Intramolecular [2 + 4] Cycloaddition of a Phenyl Group by a Reactive Ge-Si Double Bond. <i>Inorganic Chemistry</i> , 2020, 59, 6279-6286.	4.0	5
20	Synthesis and Photodimerization of 2- and 2,3-Disubstituted Anthracenes: Influence of Steric Interactions and London Dispersion on Diastereoselectivity. <i>Journal of Organic Chemistry</i> , 2019, 84, 10120-10135.	3.2	14
21	The influence of the FeCp(CO) ₂ ⁺ moiety on the dynamics of the metalloid [Ge ₉ (Si(SiMe ₃) ₃) ₃] ⁺ cluster in thf: synthesis and characterization by time-resolved absorption spectroscopy. <i>Dalton Transactions</i> , 2019, 48, 15577-15582.	3.3	18
22	Synthese und Charakterisierung von drei mehrschaligen metalloiden Goldclustern der Zusammensetzung Au ₃₂ (R ₃ P) ₁₂ Cl ₈ . <i>Angewandte Chemie</i> , 2019, 131, 5962-5966.	2.0	13
23	Reactions of GeCl ₂ with the Thiolate LiSC(SiMe ₃) ₃ : From thf Activation to Insertion of GeCl ₂ Molecules into C-S Bonds. <i>Chemistry - A European Journal</i> , 2019, 25, 7210-7217.	3.3	14
24	On the reaction of GeCl ₂ -dioxane with KFeCp(CO) ₂ : isolation and characterization of novel bimetallic clusters. <i>Dalton Transactions</i> , 2019, 48, 3831-3834.	3.3	10
25	Synthesis and Characterization of Three Multi-Shell Metalloid Gold Clusters Au ₃₂ (R ₃ P) ₁₂ Cl ₈ . <i>Angewandte Chemie - International Edition</i> , 2019, 58, 5902-5905.	13.8	44
26	Sn ₂₀ (Si ^t Bu) ₃ ₁₀ Cl ₂ – the largest metalloid group 14 cluster shows a raspberry-like arrangement of smaller units. <i>Chemical Communications</i> , 2019, 55, 12148-12151.	4.1	15
27	[Ge ₉ {Si(SiMe ₃) ₃ } ₃] ₂ {Ge(SiMe ₃) ₃ } ⁺ : The Mixed Substituted Metalloid Germanium Cluster and the Intermetalloid Cluster [ZnGe ₁₈ {Si(SiMe ₃) ₃ } ₄ {Ge(SiMe ₃) ₃ } ₂] ₂ . <i>Zeitschrift Für Anorganische Und Allgemeine Chemie</i> , 2019, 645, 335-339.		
28	Halides of the Heavier Group...14 Homologues Germanium, Tin, and Lead – A Journey through Unusual Compounds and Oxidation States. <i>Chemistry - A European Journal</i> , 2019, 25, 144-157.	3.3	7
29	Ceric Ammonium Nitrate and Ceric Ammonium Chloride as Precursors for Ceric Siloxides: Ammonia and Ammonium Inclusion. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 79-90.	2.0	6
30	Ge ₁₄ Br ₈ (PEt ₃) ₄ : Ein Subhalogenidcluster des Germaniums. <i>Angewandte Chemie</i> , 2018, 130, 4152-4156.	2.0	2
31	Ge ₁₄ Br ₈ (PEt ₃) ₄ : A Subhalide Cluster of Germanium. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 4088-4092.	13.8	12
32	Borenium and boronium ions of 5,6-dihydro-dibenzo[c,e][1,2]azaborinine and the reaction with non-nucleophilic base: trapping of a dimer and a trimer of BN-phenanthryne by 4,4'-di- <i>tert</i> -butyl-2,2'-bipyridine. <i>Pure and Applied Chemistry</i> , 2018, 90, 711-722.	1.9	2
33	Au ₇₀ S ₂₀ (PPh ₃) ₁₂ : an intermediate sized metalloid gold cluster stabilized by the Au ₄ S ₄ ring motif and Au-PPh ₃ groups. <i>Chemical Communications</i> , 2018, 54, 248-251.	4.1	42
34	[PtZn ₂ Ge ₁₈ (Hyp) ₈] (Hyp = Si(SiMe ₃) ₃): A Neutral Polynuclear Chain Compound with Ge ₉ (Hyp) ₃ Units. <i>Inorganic Chemistry</i> , 2018, 57, 12603-12609.	4.0	20
35	LiGe(SiMe ₃) ₃ : A New Substituent for the Synthesis of Metalloid Tin Clusters from Metastable Sn(I) Halide Solutions. <i>Molecules</i> , 2018, 23, 1022.	3.8	7
36	Synthesis and Characterization of Gold Silyl Compounds with Different Phosphine or Phosphite Groups for Reduction Reactions. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 3840-3848.	2.0	18

#	ARTICLE	IF	CITATIONS
37	6,6- Å^2 , 11,11- Å^2 -Tetra((triisopropylsilyl)ethynyl)-anti-[2.2](1,4)tetracenophane: a covalently coupled tetracene dimer and its structural, electrochemical, and photophysical characterization. <i>Organic Chemistry Frontiers</i> , 2017, 4, 853-860.	4.5	11
38	Metalloid Ge ₉ R ₃ -Clusters with Various Silyl Substituents: From Shielded to Open Cluster Cores. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 805-810.	2.0	31
39	Au ₁₀₈ S ₂₄ (PPh ₃) ₁₆ : A Highly Symmetric Nanoscale Gold Cluster Confirms the General Concept of Metalloid Clusters. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 393-396.	13.8	78
40	[Hyp-Au-Sn ₉ (Hyp) ₃ -Au-Sn ₉ (Hyp) ₃ -Au-Hyp] $\hat{\text{a}}^{\sim}$: the longest intermetalloid chain compound of tin. <i>Chemical Communications</i> , 2017, 53, 11314-11317.	4.1	18
41	{[Si(SiMe ₃) ₃] ₃] ₂ Ge ₉ -SiMe ₂ -(C ₆ H ₄) ₂ SiMe ₃ }. The Connection of Metalloid Clusters via an Organic Linker. <i>Inorganic Chemistry</i> , 2017, 56, 9693-9697.	4.0	24
42	Au ₁₀₈ S ₂₄ (PPh ₃) ₁₆ : BestÄtigung des allgemeinen Konzeptes metalloider Cluster durch einen hochsymmetrischen nanoskaligen Goldcluster. <i>Angewandte Chemie</i> , 2017, 129, 402-406.	2.0	26
43	Bulky Phenyl Modifications of the Silanide Ligand Si(SiMe ₃) ₃ " Synthesis and Reactivity. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2017, 643, 1759-1765.	1.2	2
44	The Synthesis of [Sn ₁₀ (Si(SiMe ₃) ₃) ₄] ²⁺ Using a Metastable Sn(II) Halide Solution Synthesized via a Co-condensation Technique. <i>Journal of Visualized Experiments</i> , 2016, . .	0.3	3
45	The Sterically Demanding Thiosilyl Group SSi(SiMe ₃) ₃ as a Ligand in Transition Metal Chemistry. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2016, 642, 670-675.	1.2	13
46	IPr ₃ Si ₃ Cl ₅ ⁺ : A Highly Reactive Cation with Silanide Character. <i>Chemistry - A European Journal</i> , 2016, 22, 10748-10753.	3.3	12
47	Der grÄÛte metalloide Cluster der 14.Ä...Gruppe, Ge ₁₈ [Si(SiMe ₃) ₃] ₆ : eine Zwischenstufe auf dem Weg zu elementarem Germanium. <i>Angewandte Chemie</i> , 2016, 128, 3270-3274.	2.0	27
48	The Largest Metalloid GroupÄ...14 Cluster, Ge ₁₈ [Si(SiMe ₃) ₃] ₆ : An Intermediate on the Way to Elemental Germanium. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 3216-3219.	13.8	51
49	Reactivity of [Ge ₉ {Si(SiMe ₃) ₃] ₃] ⁺ Towards TransitionÄMetal M ²⁺ Cations: Coordination and Redox Chemistry. <i>Chemistry - A European Journal</i> , 2016, 22, 18787-18793.	3.3	34
50	Metalloid Clusters. <i>Structure and Bonding</i> , 2016, , 135-200.	1.0	10
51	Chemistry applying metalloid tin clusters. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2016, 191, 662-664.	1.6	3
52	{Sn ₁₀ [Si(SiMe ₃) ₃] ₄ } ²⁺ : A Highly Reactive Metalloid Tin Cluster with an Open Ligand Shell. <i>Chemistry - A European Journal</i> , 2015, 21, 2992-2997.	3.3	26
53	Reactions with a Metalloid Tin Cluster {Sn ₁₀ [Si(SiMe ₃) ₃] ₄ } ²⁺ : Ligand Elimination versus Coordination Chemistry. <i>Chemistry - A European Journal</i> , 2015, 21, 8222-8228.	3.3	16
54	{Ge ₉ [Si(SiMe ₃) ₂ (SiPh ₃)] ₃ } ⁺ : Ligand Modification in Metalloid Germanium Cluster Chemistry. <i>Inorganic Chemistry</i> , 2015, 54, 7083-7088.	4.0	34

#	ARTICLE	IF	CITATIONS
55	The Influence of a Single Transition Metal Atom on the Reactivity of Main Group Metal Clusters in the Gas Phase. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 2701-2707.	1.2	13
56	Metalloid Sn clusters: properties and the novel synthesis via a disproportionation reaction of a monohalide. <i>Reviews in Inorganic Chemistry</i> , 2014, 34, 93-118.	4.1	18
57	Dative Bonds in Main Group Compounds: A Case for Fewer Arrows!. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 370-374.	13.8	210
58	Dative or Not Dative?. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 6047-6048.	13.8	135
59	Nanoscale Molecular Silver Cluster Compounds in Gram Quantities. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 3064-3066.	13.8	20
60	Synthesis of Metastable SiIX ₂ Solutions (X= F, Cl). A Novel Binary Halide for Synthesis. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 1658-1664.	1.2	21
61	Application of GaCp as a Ligand in Coordination Chemistry: Similarities and Differences to GaCp*. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 4146-4149.	2.0	9
62	Characterisation of Germanium Monohalides by Solid-State NMR Spectroscopy and First Principles Quantum Chemical Calculations. <i>Australian Journal of Chemistry</i> , 2013, 66, 1202.	0.9	5
63	GeCp ^{big} ₂ [Cp ^{big} = C ₅ (CH ₂) ₂ C ₆ H ₄ â€‹i>/i>Pr) ₅]: A Flexible Sandwich Molecule. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 354-359.	1.2	4
64	{Sn ₁₀ Si(SiMe ₃) ₂ [Si(SiMe ₃) ₃] ₄ }] ₂ : cluster enlargement via degradation of labile ligands. <i>Main Group Metal Chemistry</i> , 2013, 36, .	1.6	7
65	[Ge ₁₂ {FeCp(CO) ₂ }] ₈ {FeCp(CO) ₂ }: A Ge ₁₂ Core Resembles the Arrangement of the High-Pressure Modification Germaniumâ€‹(II). <i>Angewandte Chemie - International Edition</i> , 2013, 52, 1834-1838.	13.8	27
66	{Sn ₉ [Si(SiMe ₃) ₃] ^{âˆ—} } and {Sn ₈ Si[Si(SiMe ₃) ₃] ^{âˆ—} }: Variations of the E9 Cage of Metalloid Group 14 Clusters. <i>Inorganic Chemistry</i> , 2012, 51, 3989-3995.	4.0	21
67	{Sn ₉ [Si(SiMe ₃) ₃] ₃ }] ₂ : A Metalloid Tin Cluster Compound With a Sn ₉ Core of Oxidation State Zero. <i>Inorganic Chemistry</i> , 2012, 51, 8583-8588.	4.0	27
68	{Sn ₁₀ [Si(SiMe ₃) ₃] ₅ }] ^{âˆ—} : An Anionic Metalloid Tin Cluster from an Isolable Sn ⁺¹ Halide Solution. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012, 638, 589-593.	1.2	19
69	[Si(SiMe ₃) ₃] ₃ Ge ₉ M(CO) ₃ âˆ— (M = Cr, Mo, W): Coordination Chemistry with metalloid Clusters. <i>Dalton Transactions</i> , 2011, 40, 6704.	3.3	62
70	The Formal Combination of Three Singlet Biradicaloid Entities to a Singlet Hexaradicaloid Metalloid Ge ₁₄ [Si(SiMe ₃) ₃] ₅ [Li(THF) ₂] ₃ Cluster. <i>Journal of the American Chemical Society</i> , 2011, 133, 2518-2524.	13.7	49
71	A Chemical View of the Giant Au ₁₀₂ (SR) ₄₄ (SR = P-Mercaptobenzoic Acid) Cluster: Metalloid Aluminum and Gallium Clusters as Path Making Examples of This Novel Type Open Our Eyes for Structure and Bonding of Metalloid Aun(SR) _m (n > m) Clusters. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011, 637, 15-23.	1.2	27
72	A Convenient Synthesis of Cyclopentadienylgallium - The Awakening of a Sleeping Beauty in Organometallic Chemistry. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, n/a-n/a.	2.0	24

#	ARTICLE	IF	CITATIONS
73	[Sn ₄ Si(SiMe ₃) ₃] ₄ {SiMe ₃ } ₂ : A Model Compound for the Unexpected First-Order Transition from a Singlet Biradicaloid to a Classical Bonded Molecule. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 7273-7277.	13.8	17
74	Metalloid Cluster Compounds of Group 14: Bonding Properties and Subsequent Reactions. Phosphorus, Sulfur and Silicon and the Related Elements, 2011, 186, 1370-1374.	1.6	4
75	Sn(II) halides: Novel binary compounds of tin and their application in synthetic chemistry. <i>Journal of Organometallic Chemistry</i> , 2010, 695, 941-944.	1.8	26
76	Reaktionen des metalloiden Clusteranions {Ge ₉ [Si(SiMe ₃) ₃]}- in der Gasphase. Oxidations- und Reduktionsschritte geben Einblicke in den Bereich zwischen metalloiden Clustern und Zintl-Ionen. Reactions of the Metalloid Cluster Anion {Ge ₉ [Si(SiMe ₃) ₃]}- in. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2010, 636, 1173-1182.	1.2	15
77	The formation of a metalloid Sn ₁₀ [Si(SiMe ₃) ₃] ₆ cluster compound and its relation to the $\hat{I}^{\pm\hat{I}^2}$ tin phase transition. <i>Dalton Transactions</i> , 2010, 39, 1872-1876.	3.3	45
78	Metalloid cluster compounds of germanium: novel structural motives on the way to elemental germanium!. <i>New Journal of Chemistry</i> , 2010, 34, 2079.	2.8	58
79	Sn[Si(SiMe ₃) ₃] ₃ ⁺ and Sn ₃ [Si(SiMe ₃) ₃] ₄ : first insight into the mechanism of the disproportionation of a tin monohalide gives access to the shortest double bond of tin. <i>Chemical Communications</i> , 2010, 46, 6756.	4.1	26
80	Synthese von Zinn(II)-bromid. Ein neues binäres Halogenid für die Synthesechemie. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, 1541-1548.	1.2	23
81	[Si(SiMe ₃) ₃] ₆ Ge ₁₈ M (M = Zn, Cd, Hg): neutral metalloid cluster compounds of germanium as highly soluble building blocks for supramolecular chemistry. <i>Dalton Transactions</i> , 2009, , 9141.	3.3	94
82	[(OtBu) ₂ C ₆ H ₃] ₃ Ge+a free germyl cation with aryl ligands. <i>Dalton Transactions</i> , 2009, , 773-776.	3.3	33
83	{Ge ₉ R ₃ Cr(CO) ₅ } ⁺ and {Ge ₉ R ₃ Cr(CO) ₃ } ⁺ : a metalloid cluster (Ge ₉ R ₃ ⁺) as a flexible ligand in coordination chemistry [R = Si(SiMe ₃) ₃]. <i>Chemical Communications</i> , 2009, , 3208.	4.1	75
84	Metalloid Cluster Compounds of Germanium: Synthesis and Properties and Subsequent Reactions. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 1007-1018.	2.0	39
85	Si@Al ₅₆ [N(2,6-iPr ₂ C ₆ H ₃)SiMe ₃] ₁₂ : The Largest Neutral Metalloid Aluminum Cluster, a Molecular Model for a Silicon-Poor Aluminum-Silicon Alloy?. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 8201-8206.	13.8	27
86	Ge ₁₄ [Ge(SiMe ₃) ₃] ₅ Li ₃ (THF) ₆ : the largest metalloid cluster compound of germanium: on the way to fullerene-like compounds?. <i>Chemical Communications</i> , 2008, , 4643.	4.1	39
87	[Si(SiMe ₃) ₃] ₆ Ge ₁₈ M (M = Cu, Ag, Au): metalloid cluster compounds as unusual building blocks for a supramolecular chemistry. <i>Dalton Transactions</i> , 2008, , 4436.	3.3	101
88	Ge ₄ Br ₄ [Mn(CO) ₅] ₄ and Ge ₆ Br ₂ [Mn(CO) ₅] ₆ : first germanium cluster compounds containing Mn(CO) ₅ ligands. <i>Dalton Transactions</i> , 2007, , 5400.	3.3	13
89	{Ge ₁₀ Si[Si(SiMe ₃) ₃] ₄ (SiMe ₃) ₂ Me} ⁺ : A Ge ₁₀ Si framework reveals a structural transition onto elemental germanium. <i>Chemical Communications</i> , 2007, , 192-194.	4.1	38
90	Metalloid group 14 cluster compounds: An introduction and perspectives to this novel group of cluster compounds. <i>Chemical Society Reviews</i> , 2007, 36, 745-758.	38.1	132

#	ARTICLE	IF	CITATIONS
91	[AuGe ₁₈ {Si(SiMe ₃) ₃ } ₆] ⁺ : A Soluble Au-Ge Cluster on the Way to a Molecular Cable?. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 5314-5316.	13.8	104
92	Modellbetrachtungen zum Verständnis unerwarteter Eigenschaften der metalloiden Clusterverbindung [Ga ₈₄ (N(SiMe ₃) ₂) ₂₀][Li ₆ Br ₂ (THF) ₂₀]·2Toluol. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 63-76.	1.2	25
93	Ge ₂ Co ₆ (CO) ₂₀ : Ein Ge-Co-Cluster ausgehend von gelöstem GeBr. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2007, 633, 938-940.	1.2	6
94	Molecular Structure in the Solid State of Bis(pentamethylcyclopentadienyl)germanium. <i>Organometallics</i> , 2006, 25, 2378-2380.	2.3	14
95	Ge[N(SiMe ₂ iPr) ₂] ₂ : Ein neues Germylen und dessen Koordinationschemie führt zu der kürzesten Ge-Co-Bindung. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 935-938.	1.2	19
96	The Stepwise Fragmentation and Modification of a Structurally well-defined Metalloid Cluster in the Gas-Phase from [Ge ₉ R ₃] ⁺ (R = Si(SiMe ₃) ₃) to [Ge ₉] ⁺ and [Ge ₉ Si] ⁺ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2006, 632, 1710-1716.	1.2	30
97	Metalloid cluster compounds of germanium: A novel class of germanium cluster compounds of formulae Ge _n R _m (n > m). <i>Coordination Chemistry Reviews</i> , 2006, 250, 2758-2770.	18.8	44
98	Na ₆ [Ge ₁₀ {Fe(CO) ₄ }]·18THF: A Centaur Polyhedron of Germanium Atoms. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 5373-5376.	13.8	34
99	On the Redox Chemistry of Gel Bromide. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 2120-2123.	2.0	17
100	Subvalent Compounds Featuring Direct Metal-Metal Bonds: The Zn-Zn Bond in [Cp* ₂ Zn ₂]. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 3006-3008.	13.8	53
101	Subvalent Compounds Featuring Direct Metal-Metal Bonds: The Zn-Zn Bond in [(C ₅ Me ₅) ₂ Zn ₂]. <i>ChemInform</i> , 2005, 36, no.	0.0	0
102	Ge ₈ R ₆ : The ligands define the bonding situation within the cluster core. <i>Dalton Transactions</i> , 2005, , 3277.	3.3	46
103	Ge(I) BROMIDE: A NEW SOURCE FOR GERMANIUM CLUSTER COMPOUNDS. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2004, 179, 695-698.	1.6	10
104	Novel Compounds of Elements of Group 14: Ligand-Stabilized Clusters with "Naked" Atoms. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 664-666.	13.8	59
105	Novel Compounds of Elements of Group 14: Ligand-Stabilized Clusters with "Naked" Atoms. <i>ChemInform</i> , 2004, 35, no.	0.0	0
106	Two Metalloid Ga ₂₂ Clusters Containing a Novel Ga ₂₂ Core with an Icosahedral Ga ₁₂ Center.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
107	Two Metalloid Ga ₂₂ Clusters Containing a Novel Ga ₂₂ Core with an Icosahedral Ga ₁₂ Center. <i>Chemistry - A European Journal</i> , 2004, 10, 1977-1981.	3.3	28
108	[Ge ₉ {Si(SiMe ₃) ₃ } ₃]: ein löslicher polyedrischer Ge ₉ -Cluster, stabilisiert durch nur drei Silylliganden. <i>Angewandte Chemie</i> , 2003, 115, 2728-2729.	2.0	79

#	ARTICLE	IF	CITATIONS
109	[Ge ₈ {N(SiMe ₃) ₂ }] ₆ : eine ligandenstabilisierte Ge-Clusterverbindung mit formal nullwertigen Ge-Atomen. <i>Angewandte Chemie</i> , 2003, 115, 940-942.	2.0	50
110	Synthesis of Germanium(I) Bromide. A First Step Towards New Germanium Cluster Compounds?. <i>ChemInform</i> , 2003, 34, no.	0.0	0
111	[Ge ₉ {Si(SiMe ₃) ₃ }] ₃ : A Soluble Polyhedral Ge ₉ Cluster Stabilized by only Three Silyl Ligands.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
112	[Ge ₉ {Si(SiMe ₃) ₃ }] ₃ : A Soluble Polyhedral Ge ₉ Cluster Stabilized by Only Three Silyl Ligands. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 2624-2625.	13.8	136
113	[Ge ₈ {N(SiMe ₃) ₂ }] ₆ : A Ligand-Stabilized Ge Cluster Compound with Formally Zero-Valent Ge Atoms. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 911-913.	13.8	72
114	Preparation and Precise Structural Determination of a Second Ga ₈₄ Cluster Compound. A First Hint for Cluster Doping and Its Fundamental Consequences in the Field of Chemistry and Physics of Nanoscaled Metalloid Cluster Material. <i>Inorganic Chemistry</i> , 2003, 42, 7731-7733.	4.0	48
115	Nanostructural Element Modifications: Synthesis and Structure of Elementoid Gallium Clusters. <i>ACS Symposium Series</i> , 2002, , 154-167.	0.5	21
116	[Ga ₆ R ₈]- (R=SiPh ₂ Me): Eine metalloide Clusterverbindung mit einem unerwarteten Ga ₆ -Ger ^{1/4} st. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2002, 628, 157-161.	1.2	23
117	Synthese von Germanium(I)-bromid. Ein erster Schritt zu neuen Clusterverbindungen des Germaniums?. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2002, 628, 2914-2918.	1.2	55
118	[Ga ₂₂ {N(SiMe ₃) ₂ }] ₁₀ 2 ⁺ : eine metalloide Clusterverbindung mit einer Variation des Ga ₂₂ -Ger ^{1/4} stes Diese Arbeit wurde von der Deutschen Forschungsgemeinschaft und dem Fonds der Chemischen Industrie gef ¹ rdert.. <i>Angewandte Chemie</i> , 2002, 114, 1959.	2.0	20
119	Metalloide Aluminium- und Galliumcluster: Elementmodifikationen im molekularen Ma ¹ stab?. <i>Angewandte Chemie</i> , 2002, 114, 3682-3704.	2.0	169
120	Metalloide Aluminium- und Galliumcluster: Elementmodifikationen im molekularen Ma ¹ stab?. <i>Angewandte Chemie</i> , 2002, 114, 4344-4344.	2.0	17
121	[Ga ₂₂ {N(SiMe ₃) ₂ }] ₁₀ 2 ⁺ : A Metalloid Cluster Compound with a Variation of the Ga ₂₂ Framework This work was supported by the Deutsche Forschungsgemeinschaft and the Fonds der Chemische Industrie.. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 1882.	13.8	27
122	Metalloid Aluminum and Gallium Clusters: Element Modifications on the Molecular Scale?. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 3532-3554.	13.8	270
123	Disodium Tetrasupersilyltetragallanediide Na ₂ Ga ₄ R [*] ₄ ·2THF (R [*] = Si ^t Bu ₃) ¹ Preparation of a Novel Gallium Cluster Compound via Dichlorodisupersilyldigallane R [*] ₂ Ga ₂ Cl ₂ . <i>European Journal of Inorganic Chemistry</i> , 2002, 2002, 351-356.	2.0	43
124	[Ga ₁₈ (Si ^t Bu ₃) ₈] and [Ga ₂₂ (Si ^t Bu ₃) ₈] ⁺ Syntheses and Structural Characterization of Novel Gallium Cluster Compounds. <i>Chemistry - A European Journal</i> , 2001, 7, 3348-3353.	3.3	38
125	Synthesis and Structure of a Ga ₈₄ R ₂₀₄ ⁺ Cluster-A Link between Metalloid Clusters and Fullerenes?. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 711-715.	13.8	73
126	A Ga ₈ R ₆ Cluster as an Ideal Model for a Metal-Metal Bond?. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 1241-1243.	13.8	31

#	ARTICLE	IF	CITATIONS
127	From AlX/GaX monohalide molecules to metalloids aluminum and gallium clusters. <i>Advances in Organometallic Chemistry</i> , 2001, 47, 235-281.	1.0	75
128	A Ga ₈ R ₆ Cluster as an Ideal Model for a Metal-Metal Bond?. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 1241-1243.	13.8	1
129	Synthesis and Structure of a Ga ₈ R ₆ (20)(4-) Cluster-A Link between Metalloid Clusters and Fullerenes? This work, which had originally been submitted to <i>Nature</i> in September 1999 and has been presented in part in lectures since January 2000, was supported by the Deutsche Forschungsgemeinschaft and the Fonds der Chemischen Industrie.. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 711-715.	13.8	4
130	[Li(thf) ₄] ₂ [Ga ₁₂ (C ₁₃ H ₉) ₁₀] ₂ : The First Molecular Compound with an Icosahedral Ga ₁₂ Framework. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1637-1639.	13.8	47
131	Der erste molekulare quadratisch-antiprismatische Ga ₈ -Cluster mit closo-Struktur. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2000, 626, 1676-1680.	1.2	33
132	Î ⁵ -Phospholylgallium: The First Monomeric Polyhapto Compound between a Phospholylyl Ligand and a Main Group Metal. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 1646-1649.	13.8	33
133	Ga ₂₂ [Si(SiMe ₃) ₃] ₈ : The Largest Atom-Centered Neutral Main Group Metal Cluster. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 3381-3383.	13.8	60
134	A simple synthesis for donor-stabilized Ga ₂ I ₄ and Ga ₃ I ₅ species and the X-ray crystal structure of Ga ₃ I ₅ ·3PEt ₃ . <i>Chemical Communications</i> , 1997, , 2111-2112.	4.1	58
135	Three different ways for the synthesis of the metalloid cluster [Ge ₉ (Hyp) ₉]. <i>Journal of Organometallic Chemistry</i> , 1997, 523, 1-12.	1.2	10