

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6090722/kallol-mondal-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148 papers	1,717 citations	20 h-index	34 g-index
150 ext. papers	2,154 ext. citations	3.2 avg, IF	5.38 L-index

#	Paper	IF	Citations
148	On the parameters to assess the glass forming ability of liquids. <i>Journal of Non-Crystalline Solids</i> , 2005 , 351, 1366-1371	3.9	125
147	The effect of nanocrystallization and free volume on the room temperature plasticity of Zr-based bulk metallic glasses. <i>Acta Materialia</i> , 2008 , 56, 5329-5339	8.4	93
146	Corrosion behavior of Mg ₂ AlZn alloy micro-alloyed with Ag and Ca. <i>Corrosion Science</i> , 2014 , 78, 172-182	6.8	70
145	Super strong and highly ductile low alloy multiphase steels consisting of bainite, ferrite and retained austenite. <i>Materials and Design</i> , 2016 , 95, 75-88	8.1	44
144	Development of New High-Strength Carbide-Free Bainitic Steels. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011 , 42, 3921-3933	2.3	44
143	On the optical microscopic method for the determination of ball-on-flat surface linearly reciprocating sliding wear volume. <i>Wear</i> , 2013 , 300, 82-89	3.5	41
142	Electrochemical behavior of multicomponent amorphous and nanocrystalline Zr-based alloys in different environments. <i>Corrosion Science</i> , 2006 , 48, 2212-2225	6.8	39
141	Relation Between Open Circuit Potential and Polarization Resistance with Rust and Corrosion Monitoring of Mild Steel. <i>Journal of Materials Engineering and Performance</i> , 2016 , 25, 2969-2976	1.6	39
140	In situ nanocrystalline FeBi coating by mechanical alloying. <i>Journal of Alloys and Compounds</i> , 2009 , 482, 118-122	5.7	37
139	Critical evaluation of glass forming ability criteria. <i>Materials Science and Technology</i> , 2016 , 32, 380-400	1.5	35
138	Development of gradient microstructure in mild steel and grain size dependence of its electrochemical response. <i>Corrosion Science</i> , 2018 , 138, 85-95	6.8	33
137	Comparative Corrosion Behavior of Five Microstructures (Pearlite, Bainite, Spheroidized, Martensite, and Tempered Martensite) Made from a High Carbon Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019 , 50, 1489-1501	2.3	33
136	Constitutive modeling of hot deformation behavior of vacuum hot pressed Cu ₈ Cr ₂ Nb alloy. <i>Materials & Design</i> , 2015 , 75, 57-64		32
135	Geometry Constrained Plasticity of Bulk Metallic Glass. <i>Materials Transactions</i> , 2009 , 50, 152-157	1.3	32
134	Effect of machining configuration on the corrosion of mild steel. <i>Journal of Materials Processing Technology</i> , 2015 , 219, 70-83	5.3	26
133	Glass Forming Ability and Mechanical Properties of Quinary Zr-Based Bulk Metallic Glasses. <i>Materials Transactions</i> , 2007 , 48, 1322-1326	1.3	25
132	Gibbs free energy for the crystallization of glass forming liquids. <i>Applied Physics Letters</i> , 2003 , 83, 671-673	3.4	25

131	Large apparent compressive strain of metallic glasses. <i>Philosophical Magazine Letters</i> , 2007 , 87, 625-635	1	23
130	Corrosion Behavior of High-Strength Bainitic Rail Steels. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 1500-1518	2.3	21
129	Critical isothermal temperature and optimum mechanical behaviour of high Si-containing bainitic steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 558, 725-729	5.3	21
128	Effect of Different Cooling Rates on the Corrosion Behavior of High-Carbon Pearlitic Steel. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 1753-1762	1.6	20
127	Superior work hardening behavior of moderately high carbon low alloy super strong and ductile multiphase steels with dispersed retained austenite. <i>Materials and Design</i> , 2016 , 99, 439-448	8.1	20
126	Aging behavior and microstructural stability of a Cu ₈ Cr ₄ Nb alloy. <i>Journal of Alloys and Compounds</i> , 2014 , 590, 514-525	5.7	19
125	A new approach for synthesis of ZnO nanorod flowerets and subsequent pure free-standing ZnO nanorods. <i>Advanced Powder Technology</i> , 2019 , 30, 30-41	4.6	19
124	Corrosion Behavior of IF Steel in Various Media and Its Comparison with Mild Steel. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 1961-1974	1.6	18
123	Investigation of nano- and micro-scale structural evolution and resulting corrosion resistance in plasma sprayed Fe-based (Fe-Cr-B-C-P) amorphous coatings. <i>Surface and Coatings Technology</i> , 2020 , 397, 126058	4.4	18
122	Corrosion Behavior of Annealed Steels with Different Carbon Contents (0.002, 0.17, 0.43 and 0.7% C) in Freely Aerated 3.5% NaCl Solution. <i>Journal of Materials Engineering and Performance</i> , 2019 , 28, 4041-4052	1.6	18
121	Oxidation behavior of multicomponent Zr-based amorphous alloys. <i>Journal of Alloys and Compounds</i> , 2007 , 433, 162-170	5.7	18
120	Structure dependent super-hydrophobic and corrosion resistant behavior of electrodeposited Ni-MoSe ₂ -MWCNT coating. <i>Applied Surface Science</i> , 2019 , 478, 26-37	6.7	17
119	Composite (glass + crystalline) coatings from blast furnace pig iron by high velocity oxy-fuel (HVOF) process and their electrochemical behavior. <i>Surface and Coatings Technology</i> , 2019 , 372, 72-83	4.4	17
118	Dissolution Kinetics of Mg ₁₇ Al ₁₂ Eutectic Phase and Its Effect on Corrosion Behavior of As-Cast AZ80 Magnesium Alloy. <i>Jom</i> , 2019 , 71, 2209-2218	2.1	16
117	Structural and tribological correlation of electrodeposited solid lubricating Ni-WSe ₂ composite coating. <i>Surface and Coatings Technology</i> , 2018 , 349, 328-339	4.4	16
116	Enhancement of high temperature ductility of hot-pressed Cu ₈ Cr ₄ Nb alloy by hot rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 577, 36-42	5.3	16
115	Comparative Corrosion Behavior of Five Different Microstructures of Rebar Steels in Simulated Concrete Pore Solution with and Without Chloride Addition. <i>Journal of Materials Engineering and Performance</i> , 2019 , 28, 6275-6286	1.6	15
114	Corrosion Behaviour of New Railway Axle Steels. <i>Transactions of the Indian Institute of Metals</i> , 2013 , 66, 33-41	1.2	15

113	Effect of powder milling on mechanical properties of hot-pressed and hot-rolled Cu ₈₀ Cr ₂₀ Nb alloy. <i>Journal of Alloys and Compounds</i> , 2013 , 580, 427-434	5.7	15
112	Densification behavior of mechanically milled Cu ₈₀ at% Cr alloy and its mechanical and electrical properties. <i>Progress in Natural Science: Materials International</i> , 2014 , 24, 608-622	3.6	15
111	Influence of Subsurface Structure on the Linear Reciprocating Sliding Wear Behavior of Steels with Different Microstructures. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014 , 45, 6088-6102	2.3	15
110	Densification behavior and mechanical properties of Cu ₈₀ Cr ₂₀ Nb alloy powders. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 551, 241-248	5.3	15
109	Effect of powder oxidation on densification and properties of vacuum hot pressed Cu ₈₀ Cr ₂₀ Nb alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 561, 452-459	5.3	15
108	Temperature and structure dependency of solid-liquid interfacial energy. <i>Acta Materialia</i> , 2009 , 57, 3422-3430	3.4	15
107	Prediction of maximum homogeneous nucleation temperature for crystallization of metallic glasses. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 5257-5264	3.9	15
106	Low temperature cross-rolling to modify grain boundary character distribution and its effect on sensitization of SS304. <i>Journal of Materials Processing Technology</i> , 2017 , 240, 324-331	5.3	14
105	On the prediction of solid-liquid interfacial energy of glass forming liquids from homogeneous nucleation theory. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 454-455, 654-661	5.3	14
104	The effect of grain boundary structure on sensitization behavior in a nickel-based superalloy. <i>Journal of Materials Science</i> , 2019 , 54, 1797-1818	4.3	14
103	Estimating Critical Corrosion for Initiation of Longitudinal Cracks in RC Structures Considering Phases and Composition of Corrosion Products. <i>Journal of Materials in Civil Engineering</i> , 2016 , 28, 040161158	3.58	13
102	Effect of Harmonic Microstructure on the Corrosion Behavior of SUS304L Austenitic Stainless Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016 , 47, 6259-6269	2.3	13
101	Effects of grain size gradients on the fretting wear of a specially-processed low carbon steel against AISI E52100 bearing steel. <i>Wear</i> , 2018 , 412-413, 1-13	3.5	13
100	Electrochemical Behavior of HVOF-Sprayed Amorphous and Nanocrystalline Fe-Based Fe _{73.13} Si _{11.12} B _{10.79} Cr _{2.24} C _{2.72} Composite Coatings. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 5538-5552	1.6	12
99	Reciprocating Sliding Wear Behavior of Newly Developed Bainitic Steels. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014 , 45, 5451-5468	2.3	12
98	Effect of alternate corrosion and wear on the overall degradation of a dual phase and a mild steel. <i>Wear</i> , 2016 , 368-369, 368-378	3.5	12
97	Effect of Microstructural Anisotropy on the Electrochemical Behavior of Rolled Mild Steel. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 185-194	1.6	11
96	Wear Behavior of Newly Developed Bainitic Wheel Steels. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 999-1010	1.6	11

95	Wear behaviour of bainitic rail and wheel steels. <i>Materials Science and Technology</i> , 2016 , 32, 266-274	1.5	11
94	Fretting wear mechanism for harmonic, non-harmonic and conventional 316L stainless steels. <i>Wear</i> , 2019 , 424-425, 23-32	3.5	10
93	Effect of Machining Configurations on the Electrochemical Response of Mild Steel in 3.5% NaCl Solution. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 3643-3650	1.6	10
92	Effect of Precipitate Characteristics on the Corrosion Behavior of a AZ80 Magnesium Alloy. <i>Metals and Materials International</i> , 2020 , 27, 3282	2.4	10
91	Glassy blast furnace pig iron and design of other glassy compositions using thermodynamic calculations. <i>Journal of Non-Crystalline Solids</i> , 2018 , 484, 95-104	3.9	10
90	Spark plasma sintering of dispersion hardened CuCrNb alloy powders. <i>Journal of Alloys and Compounds</i> , 2013 , 577, 70-78	5.7	10
89	Fabrication of controlled expansion Al-Si composites by pressureless and spark plasma sintering. <i>Advanced Powder Technology</i> , 2018 , 29, 3427-3439	4.6	10
88	Corrosion behaviour of plasma sprayed Fe based metallic glass (Fe73Cr2Si11B11C3 (at%) coatings in 3.5% NaCl solution. <i>Journal of Non-Crystalline Solids</i> , 2021 , 567, 120913	3.9	10
87	Wear Behavior of Harmonic Structured 304L Stainless Steel. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 2608-2618	1.6	9
86	Effect of Microstructures on the Corrosion Behavior of Reinforcing Bars (Rebar) Embedded in Concrete. <i>Metals and Materials International</i> , 2019 , 25, 1209-1226	2.4	9
85	Passivation and Corrosion Behavior of Modified Ferritic-Pearlitic Railway Axle Steels. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 85-97	1.6	9
84	Amorphous/Nanocrystalline Composite Coatings Using Blast Furnace Pig Iron Composition by Atmospheric Plasma Spray and Their Electrochemical Response. <i>Journal of Thermal Spray Technology</i> , 2020 , 29, 843-856	2.5	9
83	Porous copper template from partially spark plasma-sintered Cu-Zn aggregate via dezincification. <i>Bulletin of Materials Science</i> , 2014 , 37, 743-752	1.7	9
82	Oxidation behavior of amorphous and nanoquasicrystalline ZrPd and ZrPt alloys. <i>Journal of Alloys and Compounds</i> , 2008 , 460, 172-181	5.7	9
81	Effect of various phase fraction of bainite, intercritical ferrite, retained austenite and pearlite on the corrosion behavior of multiphase steels. <i>Corrosion Science</i> , 2021 , 178, 109043	6.8	9
80	Microstructural evidence of nano-carbides in medium carbon high silicon multiphase steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 708, 237-247	5.3	8
79	Photodegradation of methylene blue dye by powders of Ni/ZnO floweret consisting of petals of ZnO nanorod around Ni-rich core. <i>Materials Chemistry and Physics</i> , 2020 , 253, 123394	4.4	8
78	On the extent of transformation of austenite to bainitic ferrite and carbide during austempering of high Si steel for prolonged duration and its effect on mechanical properties. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 793, 139764	5.3	8

77	The serrated flow and recrystallization in dispersion hardened CuCrNb alloy during hot deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 673, 135-140	5.3	8
76	Effect of CTAB on the architecture and hydrophobicity of electrodeposited Cu ₂ O nano-cone arrays. <i>Surface and Coatings Technology</i> , 2019 , 375, 323-333	4.4	8
75	Effect of hot rolling on the enhancement of mechanical properties of low density CuCrNb sintered alloy. <i>Materials & Design</i> , 2013 , 43, 125-133		8
74	Corrosion and oxidation behavior of amorphous and nanoquasicrystalline phases in Zr ₇₀ Pd ₃₀ and Zr ₈₀ Pt ₂₀ alloys. <i>Journal of Non-Crystalline Solids</i> , 2004 , 334-335, 544-547	3.9	8
73	Stress Corrosion Cracking Behavior of Interstitial Free Steel Via Slow Strain Rate Technique. <i>Journal of Materials Engineering and Performance</i> , 2016 , 25, 2878-2888	1.6	8
72	Corrosion Behavior of Harmonic Structured 316L Stainless Steel in 3.5% NaCl and Simulated Body Fluid Solution. <i>Journal of Materials Engineering and Performance</i> , 2019 , 28, 7554-7564	1.6	8
71	Role of Precipitates in Recrystallization Mechanisms of Nb-Mo Microalloyed Steel. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 6748-6757	1.6	8
70	Dealloying kinetics and mechanism of porosity evolution in mechanically alloyed Ag ₂₅ Zn ₇₅ powder particles. <i>Corrosion Science</i> , 2018 , 139, 155-162	6.8	7
69	A two-step method for synthesis of micron sized nanoporous silver powder and ZnO nanoparticles. <i>Advanced Powder Technology</i> , 2017 , 28, 2532-2541	4.6	7
68	Surface oxides and their effect on the oxidation behavior of amorphous and nanoquasicrystalline Zr-Pd and Zr-Pt alloys. <i>Journal of Materials Research</i> , 2006 , 21, 639-646	2.5	7
67	Surface micro-texturing of dual phase steel and copper by combining laser machining and electrochemical dissolution. <i>Journal of Materials Processing Technology</i> , 2019 , 273, 116260	5.3	6
66	High Strength High Carbon Low Alloy Pearlite-Ferrite-Tempered Martensite Steels. <i>Transactions of the Indian Institute of Metals</i> , 2015 , 68, 117-128	1.2	6
65	Corrosion Behavior of Strained Rebar in Simulated Concrete Pore Solution. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 1939-1954	1.6	6
64	Comparative study on the stress corrosion cracking susceptibility of AZ80 and AZ31 magnesium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 792, 139793	5.3	6
63	Effect of pearlitic morphology with varying fineness on the cavitation erosion behavior of eutectoid rail steel. <i>Ultrasonics Sonochemistry</i> , 2021 , 71, 105399	8.9	6
62	On the novel approach of sacrificial cathodic protection of mild steel in simulated concrete pore solution and concrete mortar by high phosphorus pig iron anodes. <i>Journal of Materials Research and Technology</i> , 2021 , 14, 582-608	5.5	6
61	Exceptional Work-Hardening Behavior of Medium-Carbon High-Silicon Low-Alloy Steels. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017 , 48, 589-593	2.3	5
60	Possibility of High Phosphorus Pig Iron as Sacrificial Anode. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 3335-3349	1.6	5

59	Relook on fitting of viscosity with undercooling of glassy liquids. <i>Bulletin of Materials Science</i> , 2014 , 37, 83-93	1.7	5
58	Nanoporous Ag template from partially sintered Ag-Zn compact by dezincification. <i>Bulletin of Materials Science</i> , 2014 , 37, 1353-1367	1.7	5
57	Fabrication of Al-Si controlled expansion alloys by unique combination of pressureless sintering and hot forging. <i>Advanced Powder Technology</i> , 2020 , 31, 2820-2832	4.6	4
56	Simulated Isothermal Crystallization Kinetics from Non-Isothermal Experimental Data. <i>Transactions of the Indian Institute of Metals</i> , 2014 , 67, 945-958	1.2	4
55	Electrochemical passivation behaviour of nanocrystalline Fe ₈₀ Si ₂₀ coating in borate buffer solution. <i>Bulletin of Materials Science</i> , 2013 , 36, 51-58	1.7	4
54	Electrochemical and microstructural analysis of azomethine polyamides as inhibitor for rebar corrosion under chloride contaminated pore solution ¹ , 1004		4
53	Effect of Surface Roughness Induced by Milling Operation on the Corrosion Behavior of Magnesium Alloys. <i>Journal of Materials Engineering and Performance</i> , 2021 , 30, 7354-7364	1.6	4
52	Strain Partitioning and Load Transfer in Constituent Phases in Dual-Phase Steels. <i>Journal of Materials Engineering and Performance</i> , 2016 , 25, 3993-4003	1.6	4
51	Synthesis of hydrophobic Ni-VN alloy powder by ball milling. <i>Advanced Powder Technology</i> , 2019 , 30, 1600-1610	4.6	3
50	Corrosion Behavior of Newly Developed High-Strength Bainitic Railway Wheel Steels. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 3443-3459	1.6	3
49	Comparative Atmospheric Corrosion Behavior of a Mild Steel and an Interstitial Free Steel. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 4497-4506	1.6	3
48	Continuous and ordered surface microtexturing on Cu and Ni-based alloys by novel electrochemical dissolution. <i>Journal of Alloys and Compounds</i> , 2020 , 817, 153263	5.7	3
47	Effect of Heat Treatment on the Microstructure Evolution and Sensitization Behavior of High-Silicon Stainless Steel. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 6014-6024	1.6	3
46	Corrosion Behavior of Laser-Brazed Surface Made by Joining of AA6082 and Galvanized Steel. <i>Journal of Materials Engineering and Performance</i> , 2019 , 28, 2115-2127	1.6	2
45	Experimental validation of glass forming ability of melt spun ribbons of pig iron and its derivative compositions and their corrosion behavior. <i>Journal of Non-Crystalline Solids</i> , 2020 , 532, 119883	3.9	2
44	Development of Highly Ductile Spheroidized Steel from High C (0.61 wt.% C) Low-Alloy Steel. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 4527-4542	1.6	2
43	Effect of Machining Parameters on Oxidation Behavior of Mild Steel. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 484-498	1.6	2
42	Effect of strip entry temperature on the interfacial layer and corrosion behavior of galvanized steel. <i>Surface and Coatings Technology</i> , 2022 , 433, 128071	4.4	2

41	Cold work induced stability of retained austenite at elevated temperature in a medium carbon high silicon steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 832, 142455	5.3	2
40	Effect of Micro-alloying and Microstructure on the Corrosion Behavior of As-Cast Mg-6.2 wt.% Zn Alloy. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 6691-6700	1.6	2
39	Manifestation of Hall-Petch breakdown in nanocrystalline electrodeposited Ni-MoS ₂ coating and its structure dependent wear resistance behavior. <i>Surface and Coatings Technology</i> , 2021 , 410, 126950	4.4	2
38	Effect of Intercritical Temperature on the Structure Property Correlation of Multiphase High-C Spheroidized Steel. <i>Journal of Materials Engineering and Performance</i> , 2016 , 25, 623-634	1.6	2
37	Novel hybrid sacrificial anodes based on high phosphorus pig iron and Zn. <i>Corrosion Science</i> , 2021 , 189, 109616	6.8	2
36	Corrosion of Strained Plain Rebar in Chloride-Contaminated Mortar and Novel Approach to Estimate the Corrosion Amount from Rust Characterization. <i>Journal of Materials in Civil Engineering</i> , 2021 , 33, 04021283	3	2
35	Effect of Pre-induced Plastic Strains on the Corrosion Behavior of Reinforcing Bar in 3.5 pct NaCl Solution. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2021 , 52, 605-626	2.3	2
34	Harmonic structure, a promising microstructure design. <i>Materials Research Letters</i> , 2022 , 10, 440-471	7.4	2
33	Comparative Wear Behavior of Semicrystalline HVOF and Plasma Sprayed Phosphorous-Rich Pig Iron Coatings. <i>Journal of Thermal Spray Technology</i> , 2020 , 29, 2048-2064	2.5	1
32	Relook at the Mechanisms of Spheroidization of 0.7 wt.% C Steel by Potentiodynamic Polarization. <i>Metallography, Microstructure, and Analysis</i> , 2019 , 8, 840-847	1.1	1
31	Degradation of Spark Plasma Sintered Yttria Stabilized Zirconia (YSZ) and CeO ₂ -YSZ Ceramics in Supercritical Water. <i>International Journal of Applied Ceramic Technology</i> , 2015 , 12, 1103-1111	2	1
30	Comparative Studies of Different Methods for Determining Crystallization Kinetics of Metallic Glass. <i>Transactions of the Indian Institute of Metals</i> , 2012 , 65, 565-570	1.2	1
29	Influence of Deaeration, Cl ⁻ Ion and Strong Oxidizer on the Active Behavior of the High Phosphorus Containing Pig Iron and Subsequent Effect on the Sacrificial Anode Behavior. <i>Metals and Materials International</i> , 1	2.4	1
28	Effect of Cold Rolling and Heat Treatment on Corrosion and Wear Behavior of Titanium Ti-25Nb-25Zr Alloy. <i>Journal of Materials Engineering and Performance</i> , 2021 , 30, 4174-4182	1.6	1
27	Cavitation behavior of various microstructures made from a CMn eutectoid steel. <i>Wear</i> , 2021 , 486-487, 204056	3.5	1
26	Effect of Dynamic Change in Strain Rate on Mechanical and Stress Corrosion Cracking Behavior of a Mild Steel. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 2619-2631	1.6	0
25	On the Unavailability of Universal Glass Forming Ability Criterion. <i>Transactions of the Indian Institute of Metals</i> , 2014 , 67, 451-458	1.2	0
24	Porous Alumina Template by Selective Dissolution of Ni from Sintered Al ₂ O ₃ -Ni Composite. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 2816-2825	1.6	0

23	On the estimation of the solid liquid interfacial energy of glassy alloys as a function of temperature and structure. <i>Transactions of the Indian Institute of Metals</i> , 2010 , 63, 787-791	1.2	O
22	Corrosion behavior of bent plain reinforcing bars used in concrete. <i>Materials and Structures/Materiaux Et Constructions</i> , 2022 , 55, 1	3.4	O
21	Effect of addition of strong oxidizer and temperature on the cavitation erosion resistance of different microstructures made from a high carbon steel. <i>Wear</i> , 2022 , 494-495, 204245	3.5	O
20	Effect of Salinity, Total Dissolved Solids, Conductivity, and pH on Corrosion Behavior of Different Microstructures Made from High-Carbon Rail Steel. <i>Journal of Materials Engineering and Performance</i> ,1	1.6	O
19	Electroless Amorphous NiP Coatings Over API X70 Steel: Resistance to Wear and Hydrogen Embrittlement. <i>Metals and Materials International</i> ,1	2.4	O
18	High Phosphorus Pig Iron as Sacrificial Anode in Seawater. <i>Journal of Materials Engineering and Performance</i> ,1	1.6	O
17	Effect of Scale Spallation During Coiling on the Electrochemical and Pickling Behavior of a Hot-Rolled Dual-Phase Steel. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 6505-6515	1.6	O
16	Cavitation Resistance of a Cr-Mn Stainless Steel, A Mild Steel, and A High-Carbon Steel Based on Rust Protectivity and Corrosion Behavior. <i>Journal of Materials Engineering and Performance</i> ,1	1.6	O
15	Generation of free fatty acid during lockdown and its effect on the corrosion in rolling emulsion tank. <i>Engineering Failure Analysis</i> , 2021 , 129, 105685	3.2	O
14	Effect of prior copper-coating on the microstructural development and corrosion behavior of hot-dip galvanized Mn containing high strength steel sheet. <i>Surface and Coatings Technology</i> , 2022 , 437, 128347	4.4	O
13	Effect of various phase fractions of bainite, retained austenite, intercritical ferrite and pearlite on the wear behaviour of multiphase steels. <i>Wear</i> , 2022 , 204355	3.5	O
12	Cushioning effect of austenite in silicon stainless steels (SiSS) leading to improved wear resistance. <i>Tribology International</i> , 2022 , 107678	4.9	O
11	Effect of Exposure Face Orientation and Tilt Angle on Immersion Corrosion Behavior of Dual-Phase and Mild Steels. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 151-160	1.6	
10	Very Hard Corrosion-Resistant Roll-Bonded Cr Coating on Mild Steel in Presence of Graphite. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 5885-5896	1.6	
9	Factors Influencing Oxidation Behavior of Metallic Glasses. <i>Transactions of the Indian Institute of Metals</i> , 2015 , 68, 1151-1154	1.2	
8	Evolution of ZnO flowerets from dealloying of Cu-Zn alloy powder. <i>Advanced Powder Technology</i> , 2020 , 31, 3093-3101	4.6	
7	Oxidation and Crystallization Behavior of Quinary Zr-Based Bulk Metallic Glasses. <i>Transactions of the Indian Institute of Metals</i> , 2014 , 67, 417-427	1.2	
6	Revisiting Thermodynamic Understanding of Cathodic and Anodic Polarization. <i>Transactions of the Indian Institute of Metals</i> , 2014 , 67, 197-201	1.2	

5	Corrosion and Oxidation Behavior of Zr ₅₈ Cu ₂₂ Fe ₄ Co ₄ Al ₁₂ Metallic Glass. <i>Transactions of the Indian Institute of Metals</i> , 2011 , 64, 401-408	1.2
4	Effect of Zn concentration on diffusion induced grain boundary migration in Cu -Zn system. <i>Transactions of the Indian Institute of Metals</i> , 2009 , 62, 233-239	1.2
3	Effect of Vibratory Tip Amplitude on the Erosion Rate of Various Microstructures of High Carbon Steel. <i>Journal of Materials Engineering and Performance</i> , 1	1.6
2	Electron Probe Micro-Analyzer: An Equipment for Accurate and Precise Micro-Composition Analysis. <i>IITK Directions</i> , 2022 , 71-93	0.5
1	Effect of HNO ₃ and FeCl ₃ Additives on the Pickling Ability of Fayalite-Containing Oxide Film from Si-Containing Steels. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 7648-7661	1.6