

Emily N Larsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/609140/publications.pdf>

Version: 2024-02-01

37
papers

860
citations

567281

15
h-index

501196

28
g-index

37
all docs

37
docs citations

37
times ranked

609
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Polyhexamethylene biguanide discs versus unmedicated dressings for prevention of central venous catheter-associated infection in the intensive care unit: A pilot randomised controlled trial to assess protocol safety and feasibility. <i>Australian Critical Care</i> , 2022, 35, 512-519. | 1.3 | 4 |
| 2 | Intravenous antimicrobial administration through peripheral venous catheters – establishing risk profiles from an analysis of 5252 devices. <i>International Journal of Antimicrobial Agents</i> , 2022, 59, 106552. | 2.5 | 4 |
| 3 | Securing jugular central venous access devices with dressings fixed to a liquid adhesive in an intensive care unit population: a randomised controlled trial. <i>Trials</i> , 2022, 23, 390. | 1.6 | 1 |
| 4 | Awareness of Peripheral Intravenous Catheters Among Nurses, Physicians, and Students. <i>Journal of Patient Safety</i> , 2022, Publish Ahead of Print, . | 1.7 | 0 |
| 5 | Evaluating methods for the use and decontamination of needleless connectors: A qualitative inquiry. <i>Infection, Disease and Health</i> , 2022, , . | 1.1 | 0 |
| 6 | Inherent and modifiable risk factors for peripheral venous catheter failure during cancer treatment: a prospective cohort study. <i>Supportive Care in Cancer</i> , 2021, 29, 1487-1496. | 2.2 | 24 |
| 7 | Needleless connector decontamination for prevention of central venous access device infection: A pilot randomized controlled trial. <i>American Journal of Infection Control</i> , 2021, 49, 269-273. | 2.3 | 10 |
| 8 | A pilot randomised controlled trial of dressing and securement methods to prevent arterial catheter failure in intensive care. <i>Australian Critical Care</i> , 2021, 34, 38-46. | 1.3 | 9 |
| 9 | Effect of infusion set replacement intervals on catheter-related bloodstream infections (RSVP): a randomised, controlled, equivalence (central venous access device) non-inferiority (peripheral) Tj ETQq1 1 0.784B17 rgBT #3verloc | 1.1 | 7 |
| 10 | “How many audits do you really need?” Learnings from 5-years of peripheral intravenous catheter audits. <i>Infection, Disease and Health</i> , 2021, 26, 182-188. | 1.1 | 7 |
| 11 | Peripheral intravenous catheter failure: A secondary analysis of risks from 11,830 catheters. <i>International Journal of Nursing Studies</i> , 2021, 124, 104095. | 5.6 | 40 |
| 12 | Patient-reported outcome and experience measures for peripheral venous catheters: a scoping review protocol. <i>British Journal of Nursing</i> , 2021, 30, S30-S35. | 0.7 | 5 |
| 13 | Management of Hospital In The Home (HITH) Peripherally Inserted Central Catheters: A Retrospective Cohort Study. <i>Home Health Care Management and Practice</i> , 2020, 32, 34-39. | 1.0 | 6 |
| 14 | Smile - Secure my intravenous line effectively: A pilot randomised controlled trial of peripheral intravenous catheter securement in paediatrics. <i>Journal of Tissue Viability</i> , 2020, 29, 82-90. | 2.0 | 14 |
| 15 | A comparison of hydrophobic polyurethane and polyurethane peripherally inserted central catheter: results from a feasibility randomized controlled trial. <i>Trials</i> , 2020, 21, 787. | 1.6 | 3 |
| 16 | The benefit of a vascular access specialist placing a peripheral intravenous catheter: a narrative review of the literature. <i>Vascular Access</i> , 2020, 6, . | 0.3 | 4 |
| 17 | The MIDLINE trial – Managing intravenous devices among patients with limited vascular access or prolonged therapy: a pilot randomised control trial protocol. <i>Vascular Access</i> , 2020, 6, . | 0.3 | 1 |
| 18 | Skin colonization at peripheral intravenous catheter insertion sites increases the risk of catheter colonization and infection. <i>American Journal of Infection Control</i> , 2019, 47, 1484-1488. | 2.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | A systematic review of central-line-associated bloodstream infection (CLABSI) diagnostic reliability and error. <i>Infection Control and Hospital Epidemiology</i> , 2019, 40, 1100-1106. | 1.8 | 17 |
| 20 | Nurses' decision-making about intravenous administration set replacement: A qualitative study. <i>Journal of Clinical Nursing</i> , 2019, 28, 3786-3795. | 3.0 | 8 |
| 21 | Methods for microbial needleless connector decontamination: A systematic review and meta-analysis. <i>American Journal of Infection Control</i> , 2019, 47, 956-962. | 2.3 | 19 |
| 22 | Response to the Letter to the Editor regarding "Methods for microbial needleless connector decontamination: A systematic review and meta-analysis". <i>American Journal of Infection Control</i> , 2019, 47, 1521-1522. | 2.3 | 0 |
| 23 | Evaluation of Skin Colonisation And Placement of vascular access device Exit sites (ESCAPE Study). <i>Journal of Infection Prevention</i> , 2019, 20, 51-59. | 0.9 | 10 |
| 24 | Insertion site assessment of peripherally inserted central catheters: Inter-observer agreement between nurses and inpatients. <i>Journal of Vascular Access</i> , 2018, 19, 370-374. | 0.9 | 4 |
| 25 | Prophylactic insertion of large bore peripheral intravenous catheters in maternity patients for postpartum haemorrhage: A cohort study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, 548-552. | 1.0 | 6 |
| 26 | A novel integrated dressing to secure peripheral intravenous catheters in an adult acute hospital: a pilot randomised controlled trial. <i>Trials</i> , 2018, 19, 596. | 1.6 | 22 |
| 27 | Expert versus generalist inserters for peripheral intravenous catheter insertion: a pilot randomised controlled trial. <i>Trials</i> , 2018, 19, 564. | 1.6 | 32 |
| 28 | Dressings and securements for the prevention of peripheral intravenous catheter failure in adults (SAVE): a pragmatic, randomised controlled, superiority trial. <i>Lancet, The</i> , 2018, 392, 419-430. | 13.7 | 107 |
| 29 | Integrated versus non-integrated Peripheral intravenous catheter. Which is the most effective system for peripheral intravenous catheter Management? (The OPTIMUM study): a randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e019916. | 1.9 | 14 |
| 30 | Observational Study of Peripheral Intravenous Catheter Outcomes in Adult Hospitalized Patients: A Multivariable Analysis of Peripheral Intravenous Catheter Failure. <i>Journal of Hospital Medicine</i> , 2018, 13, 83-89. | 1.4 | 157 |
| 31 | Peripherally Inserted Central catheter dressing and securement in patients with cancer: the PISCES trial. Protocol for a 2x2 factorial, superiority randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e015291. | 1.9 | 15 |
| 32 | Experiences of peripheral IV insertion in hospital: a qualitative study. <i>British Journal of Nursing</i> , 2017, 26, S18-S25. | 0.7 | 47 |
| 33 | Central venous Access device Securement And Dressing Effectiveness for peripherally inserted central catheters in adult acute hospital patients (CASCADE): a pilot randomised controlled trial. <i>Trials</i> , 2017, 18, 458. | 1.6 | 40 |
| 34 | Infection risks associated with peripheral vascular catheters. <i>Journal of Infection Prevention</i> , 2016, 17, 207-213. | 0.9 | 85 |
| 35 | Securing All intravenous devices Effectively in hospitalised patients—the SAVE trial: study protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e008689. | 1.9 | 26 |
| 36 | Intravascular device administration sets: replacement after standard versus prolonged use in hospitalised patients—a study protocol for a randomised controlled trial (The RSVP Trial). <i>BMJ Open</i> , 2015, 5, e007257-e007257. | 1.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Re-examining the Evidence in Radiation Dermatitis Management Literature: An Overview and a Critical Appraisal of Systematic Reviews. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e357-e362. | 0.8 | 58 |