

Megumi Haruna Rm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6093702/publications.pdf>

Version: 2024-02-01

91
papers

1,494
citations

361413

20
h-index

377865

34
g-index

91
all docs

91
docs citations

91
times ranked

2056
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for Physical Activity During Pregnancy. American Journal of Lifestyle Medicine, 2014, 8, 102-121.	1.9	230
2	Maternal body mass index and gestational weight gain and their association with perinatal outcomes in Viet Nam. Bulletin of the World Health Organization, 2011, 89, 127-136.	3.3	135
3	A prospective study of the relationship between breastfeeding and postpartum depressive symptoms appearing at 1-5 months after delivery. Journal of Affective Disorders, 2011, 133, 553-559.	4.1	62
4	Associations between intimate partner violence (IPV) during pregnancy, mother-to-infant bonding failure, and postnatal depressive symptoms. Archives of Women's Mental Health, 2016, 19, 623-634.	2.6	52
5	Diversity and challenges in the management of maternity care for migrant women. Journal of Nursing Management, 2012, 20, 287-295.	3.4	44
6	The Mother-Infant Bonding Scale: Factor Structure and Psychosocial Correlates of Parental Bonding Disorders in Japan. Journal of Child and Family Studies, 2015, 24, 393-401.	1.3	37
7	Translation and validation of the Japanese version of the Wajima Delivery Expectancy/Experience Questionnaire version A. Australian Journal of Cancer Nursing, 2013, 15, 326-332.	1.6	36
8	Effects of moisturizing skincare on skin barrier function and the prevention of skin problems in 3-month-old infants: A randomized controlled trial. Journal of Dermatology, 2018, 45, 24-30.	1.2	36
9	Reliability and validity of the Vietnamese version of the Pregnancy Physical Activity Questionnaire (PPAQ). Southeast Asian Journal of Tropical Medicine and Public Health, 2008, 39, 562-70.	1.0	35
10	Validity and reproducibility of folate and vitamin B12 intakes estimated from a self-administered diet history questionnaire in Japanese pregnant women. Nutrition Journal, 2012, 11, 15.	3.4	31
11	Immediate stress reduction effects of yoga during pregnancy: One group pre-post test. Women and Birth, 2016, 29, e82-e88.	2.0	29
12	Association between the serum folate levels and tea consumption during pregnancy. BioScience Trends, 2010, 4, 225-30.	3.4	29
13	Validity of a self-administered diet history questionnaire for estimating vitamin D intakes of Japanese pregnant women. Maternal and Child Nutrition, 2015, 11, 525-536.	3.0	28
14	Validity of a diet history questionnaire estimating β -carotene, vitamin C and α -tocopherol intakes in Japanese pregnant women. International Journal of Food Sciences and Nutrition, 2013, 64, 694-699.	2.8	27
15	Antenatal fear of childbirth and sense of coherence among healthy pregnant women in Japan: A cross-sectional study. Archives of Women's Mental Health, 2014, 17, 403-409.	2.6	26
16	Demographic and Lifestyle Factors Associated with Vitamin D Status in Pregnant Japanese Women. Journal of Nutritional Science and Vitaminology, 2014, 60, 420-428.	0.6	26
17	Estimation of eicosapentaenoic acid and docosahexaenoic acid intakes in pregnant Japanese women without nausea by using a self-administered diet history questionnaire. Nutrition Research, 2013, 33, 473-478.	2.9	25
18	Depressive mood, bonding failure, and abusive parenting among mothers with three-month-old babies in a Japanese community. Open Journal of Psychiatry, 2013, 03, 1-7.	0.6	24

#	ARTICLE	IF	CITATIONS
19	Adapting the Pregnancy Physical Activity Questionnaire for Japanese Pregnant Women. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2014, 43, 107-116.	0.5	23
20	A Systematic Review of the Physical, Mental, Social, and Economic Problems of Immigrant Women in the Perinatal Period in Japan. Journal of Immigrant and Minority Health, 2015, 17, 1863-1881.	1.6	23
21	Prevalence and risk factors of secondhand smoke (SHS) exposure among pregnant women in Mongolia. Scientific Reports, 2017, 7, 16426.	3.3	23
22	A qualitative evaluation of healthcare professionals' perceptions of adverse events focusing on communication and teamwork in maternity care. Journal of Advanced Nursing, 2019, 75, 585-593.	3.3	22
23	Perinatal mental health and COVID-19 in Japan. Psychiatry and Clinical Neurosciences, 2020, 74, 502-503.	1.8	22
24	Perceptions of women and healthcare providers in Tokyo of appropriate weight gain during pregnancy. Australian Journal of Cancer Nursing, 2010, 12, 21-26.	1.6	20
25	Availability of two self-administered diet history questionnaires for pregnant Japanese women: A validation study using 24-hour urinary markers. Journal of Epidemiology, 2017, 27, 172-179.	2.4	20
26	Aetiological relationships between factors associated with postnatal traumatic symptoms among Japanese primiparas and multiparas: A longitudinal study. Midwifery, 2017, 44, 14-23.	2.3	18
27	Qualitative exploration of fear of childbirth and preferences for mode of birth among Japanese primiparas. Australian Journal of Cancer Nursing, 2018, 20, 338-345.	1.6	18
28	Prevalence of and factors related to anemia among Japanese adult women: Secondary data analysis using health check-up database. Scientific Reports, 2019, 9, 17048.	3.3	18
29	Associations of dietary intake and plasma concentrations of eicosapentaenoic and docosahexaenoic acid with prenatal depressive symptoms in Japan. Australian Journal of Cancer Nursing, 2015, 17, 257-262.	1.6	17
30	A longitudinal study of bonding failure related to aspects of posttraumatic stress symptoms after childbirth among Japanese mothers. BMC Pregnancy and Childbirth, 2020, 20, 434.	2.4	17
31	Relationship Between Skin Barrier Function in Early Neonates and Diaper Dermatitis During the First Month of Life: A Prospective Observational Study. Pediatric Dermatology, 2014, 31, 692-697.	0.9	16
32	Dietary folate intake, use of folate supplements, lifestyle factors, and serum folate levels among pregnant women in Tokyo, Japan. Journal of Obstetrics and Gynaecology Research, 2008, 34, 971-979.	1.3	15
33	Midwives' group supervision and the influence of their continuity of care model - a pilot study. Journal of Nursing Management, 2010, 18, 400-408.	3.4	15
34	Translation and cross-cultural adaptation of the Pregnancy Physical Activity Questionnaire (PPAQ) to Japanese. BioScience Trends, 2010, 4, 170-7.	3.4	15
35	Pre-pregnancy BMI, gestational weight gain and body image are associated with dietary under-reporting in pregnant Japanese women. Journal of Nutritional Science, 2018, 7, e12.	1.9	13
36	Qualitative study of women's experiences of safe childbirth in maternity care. Australian Journal of Cancer Nursing, 2018, 20, 331-337.	1.6	13

#	ARTICLE	IF	CITATIONS
37	Short-term skin problems in infants aged 0–3 months affect food allergies or atopic dermatitis until 2 years of age, among infants of the general population. <i>Allergy, Asthma and Clinical Immunology</i> , 2019, 15, 74.	2.0	13
38	Relationship between plasma total homocysteine level and dietary caffeine and vitamin B6 intakes in pregnant women. <i>Australian Journal of Cancer Nursing</i> , 2014, 16, 164-170.	1.6	12
39	Effects of lifestyle factors on urinary oxidative stress and serum antioxidant markers in pregnant Japanese women: A cohort study. <i>BioScience Trends</i> , 2014, 8, 176-184.	3.4	11
40	Effect of tailored dietary guidance for pregnant women on nutritional status: A double-blind cohort study. <i>Maternal and Child Nutrition</i> , 2017, 13, .	3.0	11
41	Patient Safety, Adverse Healthcare Events and Near-Misses in Obstetric Care – A Systematic Literature Review. <i>Open Journal of Nursing</i> , 2015, 05, 1110-1122.	0.4	11
42	Does Antenatal Fear of Childbirth Predict Postnatal Fear of Childbirth? A Study of Japanese Women. <i>Open Journal of Nursing</i> , 2015, 05, 144-152.	0.4	11
43	Effects of skipping breakfast on dietary intake and circulating and urinary nutrients during pregnancy. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019, 28, 99-105.	0.4	10
44	Disagreement between parents on assessment of child temperament traits. <i>Pediatrics International</i> , 2015, 57, 1090-1096.	0.5	9
45	The biomarker-based validity of a brief-type diet history questionnaire for estimating eicosapentaenoic acid and docosahexaenoic acid intakes in pregnant Japanese women. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2015, 24, 316-22.	0.4	9
46	Temperament, Character, and Depressive Symptoms during Pregnancy: A Study of a Japanese Population. <i>Depression Research and Treatment</i> , 2013, 2013, 1-6.	1.3	8
47	Evaluation of pelvic floor function by transabdominal ultrasound in postpartum women. <i>Journal of Medical Ultrasonics</i> (2001), 2010, 37, 187-193.	1.3	7
48	Longitudinal comparison study of pelvic floor function between women with and without stress urinary incontinence after vaginal delivery. <i>Journal of Medical Ultrasonics</i> (2001), 2013, 40, 125-131.	1.3	7
49	Development of the Japanese version of the Woman Abuse Screening Tool – Short. <i>Australian Journal of Cancer Nursing</i> , 2017, 19, 35-43.	1.6	7
50	Links between patient safety and fear of childbirth – A meta-analysis of qualitative research. <i>Nursing Open</i> , 2019, 6, 18-29.	2.4	7
51	Does Antenatal Social Support Affect the Relationships Between Intimate Partner Violence During Pregnancy And Perinatal Mental Health?. <i>Violence Against Women</i> , 2020, 26, 573-589.	1.7	7
52	The Proportions, Regulations, and Training Plans of Male Midwives Worldwide: A Descriptive Study of 77 Countries. <i>International Journal of Childbirth</i> , 2019, 9, 5-18.	0.3	7
53	Current status of discharge planning activities and systems: National survey of discharge planning in Japan. <i>Japan Journal of Nursing Science</i> , 2004, 1, 87-97.	1.3	6
54	Positive correlation between maternal serum coenzyme Q10 levels and infant birth weight. <i>BioFactors</i> , 2010, 36, 312-318.	5.4	6

#	ARTICLE	IF	CITATIONS
55	Factors related to the continuation of employment during pregnancy among Japanese women. <i>Japan Journal of Nursing Science</i> , 2011, 8, 153-162.	1.3	6
56	Maternal and Child Health in Mongolia at 3 Years After Childbirth: A Population-Based Cross-Sectional Descriptive Study. <i>Maternal and Child Health Journal</i> , 2016, 20, 1072-1081.	1.5	6
57	Utilisation of maternal and child health handbook in Mongolia: A cross-sectional study. <i>Health Education Journal</i> , 2018, 77, 458-469.	1.2	6
58	Validity and reliability of the Karitane Parenting Confidence Scale among Japanese mothers. <i>Australian Journal of Cancer Nursing</i> , 2020, 22, 205-211.	1.6	6
59	Ubiquinol-10 and ubiquinone-10 levels in umbilical cord blood of healthy fetuses and the venous blood of their mothers. <i>Free Radical Research</i> , 2010, 44, 1338-1344.	3.3	5
60	Daily walking decreases casual glucose level among pregnant women in the second trimester. <i>Drug Discoveries and Therapeutics</i> , 2016, 10, 218-222.	1.5	5
61	Guided imagery for treating hypertension in pregnancy. <i>The Cochrane Library</i> , 2019, 4, CD011337.	2.8	5
62	Urinary biopyrrin as a possible oxidative stress marker during pregnancy. <i>Journal of Japan Academy of Midwifery</i> , 2006, 20, 40-49.	0.1	5
63	Factors related to vegetable intake among pregnant Japanese women: A cross-sectional study. <i>Appetite</i> , 2019, 132, 175-181.	3.7	4
64	Evidence of Linkages between Patient Safety and Person-Centred Care in the Maternity and Obstetric Context: An Integrative Review. <i>Open Journal of Nursing</i> , 2017, 07, 378-398.	0.4	4
65	Changes in 13, 14-dihydro-15-keto-prostaglandin F ₂ ± levels in saliva during pregnancy, labor and the postpartum period. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 27-33.	1.3	3
66	Guided imagery for treating hypertension in pregnancy. <i>The Cochrane Library</i> , 2014, , .	2.8	3
67	The Effects of a Yoga Exercise and Nutritional Guidance Program on Pregnancy Outcomes Among Healthy Pregnant Japanese Women: A Study Protocol for a Randomized Controlled Trial. <i>Journal of Alternative and Complementary Medicine</i> , 2018, 24, 603-610.	2.1	3
68	Physical activity levels in the second trimester of pregnancy and related demographic factors: A cross-sectional secondary data analysis. <i>Cogent Medicine</i> , 2019, 6, 1704607.	0.7	3
69	Factors Related to Lacking Knowledge on the Recommended Daily Salt Intake among Medical Professionals in Mongolia: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3850.	2.6	3
70	Prevalence and risk factors for skin problems among newborns. <i>Journal of Japan Academy of Midwifery</i> , 2017, 31, 111-119.	0.1	3
71	The factors related to recovery time of diaper dermatitis in infants: A prospective observational study. <i>Japan Journal of Nursing Science</i> , 2022, 19, .	1.3	3
72	Association Between Oxidized LDL and Folate During Pregnancy. <i>Biological Research for Nursing</i> , 2013, 15, 213-218.	1.9	2

#	ARTICLE	IF	CITATIONS
73	Relationship between the skin barrier function of 2â€weekâ€old infants after bathing and facial skin problems during the first 6â€weeks of life: A prospective observational cohort study. <i>Japan Journal of Nursing Science</i> , 2021, 18, e12408.	1.3	2
74	Effects of Individual Dietary Intervention on Nutrient Intake in Postpartum Japanese Women: A Randomized Controlled Trial. <i>Nutrients</i> , 2021, 13, 3272.	4.1	2
75	Comparison of knowledge about smoking and passive smoking and urinary cotinine levels in pregnant women and their partners in Mongolia: A cross-sectional study. <i>Asian Pacific Island Nursing Journal</i> , 2019, 4, 47-56.	0.5	2
76	Impact of skin conditions of infants on their mothersâ€™ quality of life. <i>Journal of Neonatal Nursing</i> , 2021, , .	0.7	2
77	Relationship between the plasma total homocysteine levels and skipping breakfast during pregnancy. <i>Journal of Japan Academy of Midwifery</i> , 2010, 24, 252-260.	0.1	2
78	Is High Maternal Body Mass Index Associated with Cesarean Section Delivery in Mongolia? A Prospective Observational Study. <i>Asian Pacific Island Nursing Journal</i> , 0, 4, 128-134.	0.5	2
79	Comparison of body fat mass changes during the third trimester and at one month postpartum between lactating and nonlactating Japanese women. <i>BioScience Trends</i> , 2008, 2, 200-5.	3.4	2
80	Diagnosis of anal sphincter defects by three-dimensional transperineal ultrasound in women with anal incontinence. <i>Journal of Medical Ultrasonics</i> (2001), 2012, 39, 241-247.	1.3	1
81	Risk managementâ€”Evaluation of healthcare professionals' reasoning about and understanding of maternity care. <i>Journal of Nursing Management</i> , 2019, 27, 1098-1107.	3.4	1
82	From â€œCare in Normal Birthâ€to â€œIntrapartum care for a positive childbirth experienceâ€: How was the WHO guideline on normal birth changed?. <i>Journal of Japan Academy of Midwifery</i> , 2019, 33, 50-60.	0.1	1
83	Items for assessment of infant skin problems: A literature review. <i>Journal of Japan Academy of Midwifery</i> , 2021, 35, .	0.1	1
84	Factors Associated with Time Spent Performing Housework/Childcare by Fathers of Children Aged Under 12 Years: A Cross-Sectional Study in Japan. <i>Asian Pacific Island Nursing Journal</i> , 2020, 5, 153-164.	0.5	1
85	Factors Associated with Surgical Treatment in Postpartum Women with Mastitis or Breast Abscess: A Retrospective Cohort Study. <i>Breastfeeding Medicine</i> , 2022, 17, 233-238.	1.7	1
86	Humanization of childbirth in Latin Americaï¼ŒLaws and regulations of midwifery care. <i>Journal of Japan Academy of Midwifery</i> , 2021, 35, .	0.1	0
87	Newbornâ€oriented and environmental factors for newborns' skin barrier functions. <i>Japan Journal of Nursing Science</i> , 2021, , e12457.	1.3	0
88	Factors associated with hypertension among men in Darkhan-Uul Province, Mongolia: A cross-sectional study. <i>Asian Pacific Island Nursing Journal</i> , 2019, 4, 151-158.	0.5	0
89	Validity of infant face skin assessment by parents at home. <i>Asian Pacific Island Nursing Journal</i> , 2019, 4, 159-164.	0.5	0
90	Exacerbation and severity of allergic symptoms during pregnancy and their impact on mental health. <i>International Journal of Women's Dermatology</i> , 2022, 8, e002.	2.0	0

#	ARTICLE	IF	CITATIONS
91	Nurturing the academic journal. Journal of Japan Academy of Midwifery, 2022, 36, 1-2.	0.1	0