

Megumi Haruna Rm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6093702/publications.pdf>

Version: 2024-02-01

91
papers

1,494
citations

411340

20
h-index

425179

34
g-index

91
all docs

91
docs citations

91
times ranked

2158
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors Associated with Surgical Treatment in Postpartum Women with Mastitis or Breast Abscess: A Retrospective Cohort Study. <i>Breastfeeding Medicine</i> , 2022, 17, 233-238.	0.8	1
2	The factors related to recovery time of diaper dermatitis in infants: A prospective observational study. <i>Japan Journal of Nursing Science</i> , 2022, 19, .	0.5	3
3	Exacerbation and severity of allergic symptoms during pregnancy and their impact on mental health. <i>International Journal of Women's Dermatology</i> , 2022, 8, e002.	1.1	0
4	Nurturing the academic journal. <i>Journal of Japan Academy of Midwifery</i> , 2022, 36, 1-2.	0.0	0
5	Relationship between the skin barrier function of 2â€week-old infants after bathing and facial skin problems during the first 6â€weeks of life: A prospective observational cohort study. <i>Japan Journal of Nursing Science</i> , 2021, 18, e12408.	0.5	2
6	Factors Related to Lacking Knowledge on the Recommended Daily Salt Intake among Medical Professionals in Mongolia: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3850.	1.2	3
7	Effects of Individual Dietary Intervention on Nutrient Intake in Postpartum Japanese Women: A Randomized Controlled Trial. <i>Nutrients</i> , 2021, 13, 3272.	1.7	2
8	Humanization of childbirth in Latin Americaâ€¼Laws and regulations of midwifery care. <i>Journal of Japan Academy of Midwifery</i> , 2021, 35, .	0.0	0
9	Items for assessment of infant skin problems: A literature review. <i>Journal of Japan Academy of Midwifery</i> , 2021, 35, .	0.0	1
10	Newborn-oriented and environmental factors for newborns' skin barrier functions. <i>Japan Journal of Nursing Science</i> , 2021, , e12457.	0.5	0
11	Impact of skin conditions of infants on their mothersâ€™ quality of life. <i>Journal of Neonatal Nursing</i> , 2021, , .	0.3	2
12	Does Antenatal Social Support Affect the Relationships Between Intimate Partner Violence During Pregnancy And Perinatal Mental Health?. <i>Violence Against Women</i> , 2020, 26, 573-589.	1.1	7
13	Validity and reliability of the Karitane Parenting Confidence Scale among Japanese mothers. <i>Australian Journal of Cancer Nursing</i> , 2020, 22, 205-211.	0.8	6
14	A longitudinal study of bonding failure related to aspects of posttraumatic stress symptoms after childbirth among Japanese mothers. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 434.	0.9	17
15	Perinatal mental health and COVID-19 in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 502-503.	1.0	22
16	Factors Associated with Time Spent Performing Housework/Childcare by Fathers of Children Aged Under 12 Years: A Cross-Sectional Study in Japan. <i>Asian Pacific Island Nursing Journal</i> , 2020, 5, 153-164.	0.3	1
17	Links between patient safety and fear of childbirthâ€¼A meta-study of qualitative research. <i>Nursing Open</i> , 2019, 6, 18-29.	1.1	7
18	Factors related to vegetable intake among pregnant Japanese women: A cross-sectional study. <i>Appetite</i> , 2019, 132, 175-181.	1.8	4

#	ARTICLE	IF	CITATIONS
19	Guided imagery for treating hypertension in pregnancy. The Cochrane Library, 2019, 4, CD011337.	1.5	5
20	Risk managementâ€”Evaluation of healthcare professionals' reasoning about and understanding of maternity care. Journal of Nursing Management, 2019, 27, 1098-1107.	1.4	1
21	From â€œCare in Normal Birthâ€”to â€œIntrapartum care for a positive childbirth experienceâ€” How was the WHO guideline on normal birth changed?. Journal of Japan Academy of Midwifery, 2019, 33, 50-60.	0.0	1
22	Physical activity levels in the second trimester of pregnancy and related demographic factors: A cross-sectional secondary data analysis. Cogent Medicine, 2019, 6, 1704607.	0.7	3
23	Short-term skin problems in infants aged 0â€”3 months affect food allergies or atopic dermatitis until 2 years of age, among infants of the general population. Allergy, Asthma and Clinical Immunology, 2019, 15, 74.	0.9	13
24	Prevalence of and factors related to anemia among Japanese adult women: Secondary data analysis using health check-up database. Scientific Reports, 2019, 9, 17048.	1.6	18
25	A qualitative evaluation of healthcare professionalsâ€™ perceptions of adverse events focusing on communication and teamwork in maternity care. Journal of Advanced Nursing, 2019, 75, 585-593.	1.5	22
26	The Proportions, Regulations, and Training Plans of Male Midwives Worldwide: A Descriptive Study of 77 Countries. International Journal of Childbirth, 2019, 9, 5-18.	0.2	7
27	Comparison of knowledge about smoking and passive smoking and urinary cotinine levels in pregnant women and their partners in Mongolia: A cross-sectional study. Asian Pacific Island Nursing Journal, 2019, 4, 47-56.	0.3	2
28	Factors associated with hypertension among men in Darkhan-Uul Province, Mongolia: A cross-sectional study. Asian Pacific Island Nursing Journal, 2019, 4, 151-158.	0.3	0
29	Validity of infant face skin assessment by parents at home. Asian Pacific Island Nursing Journal, 2019, 4, 159-164.	0.3	0
30	Effects of skipping breakfast on dietary intake and circulating and urinary nutrients during pregnancy. Asia Pacific Journal of Clinical Nutrition, 2019, 28, 99-105.	0.3	10
31	Utilisation of maternal and child health handbook in Mongolia: A cross-sectional study. Health Education Journal, 2018, 77, 458-469.	0.6	6
32	The Effects of a Yoga Exercise and Nutritional Guidance Program on Pregnancy Outcomes Among Healthy Pregnant Japanese Women: A Study Protocol for a Randomized Controlled Trial. Journal of Alternative and Complementary Medicine, 2018, 24, 603-610.	2.1	3
33	Pre-pregnancy BMI, gestational weight gain and body image are associated with dietary under-reporting in pregnant Japanese women. Journal of Nutritional Science, 2018, 7, e12.	0.7	13
34	Effects of moisturizing skincare on skin barrier function and the prevention of skin problems in 3-month-old infants: A randomized controlled trial. Journal of Dermatology, 2018, 45, 24-30.	0.6	36
35	Qualitative exploration of fear of childbirth and preferences for mode of birth among Japanese primiparas. Australian Journal of Cancer Nursing, 2018, 20, 338-345.	0.8	18
36	Qualitative study of women's experiences of safe childbirth in maternity care. Australian Journal of Cancer Nursing, 2018, 20, 331-337.	0.8	13

#	ARTICLE	IF	CITATIONS
37	Availability of two self-administered diet history questionnaires for pregnant Japanese women: A validation study using 24-hour urinary markers. <i>Journal of Epidemiology</i> , 2017, 27, 172-179.	1.1	20
38	Effect of tailored dietary guidance for pregnant women on nutritional status: A double-blind cohort study. <i>Maternal and Child Nutrition</i> , 2017, 13, .	1.4	11
39	Prevalence and risk factors of secondhand smoke (SHS) exposure among pregnant women in Mongolia. <i>Scientific Reports</i> , 2017, 7, 16426.	1.6	23
40	Development of the Japanese version of the Woman Abuse Screening Tool—Short. <i>Australian Journal of Cancer Nursing</i> , 2017, 19, 35-43.	0.8	7
41	Aetiological relationships between factors associated with postnatal traumatic symptoms among Japanese primiparas and multiparas: A longitudinal study. <i>Midwifery</i> , 2017, 44, 14-23.	1.0	18
42	Evidence of Linkages between Patient Safety and Person-Centred Care in the Maternity and Obstetric Context—An Integrative Review. <i>Open Journal of Nursing</i> , 2017, 07, 378-398.	0.2	4
43	Prevalence and risk factors for skin problems among newborns. <i>Journal of Japan Academy of Midwifery</i> , 2017, 31, 111-119.	0.0	3
44	Daily walking decreases casual glucose level among pregnant women in the second trimester. <i>Drug Discoveries and Therapeutics</i> , 2016, 10, 218-222.	0.6	5
45	Maternal and Child Health in Mongolia at 3 Years After Childbirth: A Population-Based Cross-Sectional Descriptive Study. <i>Maternal and Child Health Journal</i> , 2016, 20, 1072-1081.	0.7	6
46	Immediate stress reduction effects of yoga during pregnancy: One group pre- and post test. <i>Women and Birth</i> , 2016, 29, e82-e88.	0.9	29
47	Associations between intimate partner violence (IPV) during pregnancy, mother-to-infant bonding failure, and postnatal depressive symptoms. <i>Archives of Women's Mental Health</i> , 2016, 19, 623-634.	1.2	52
48	Disagreement between parents on assessment of child temperament traits. <i>Pediatrics International</i> , 2015, 57, 1090-1096.	0.2	9
49	Validity of a self-administered diet history questionnaire for estimating vitamin D intakes of Japanese pregnant women. <i>Maternal and Child Nutrition</i> , 2015, 11, 525-536.	1.4	28
50	A Systematic Review of the Physical, Mental, Social, and Economic Problems of Immigrant Women in the Perinatal Period in Japan. <i>Journal of Immigrant and Minority Health</i> , 2015, 17, 1863-1881.	0.8	23
51	Associations of dietary intake and plasma concentrations of eicosapentaenoic and docosahexaenoic acid with prenatal depressive symptoms in Japanese. <i>Australian Journal of Cancer Nursing</i> , 2015, 17, 257-262.	0.8	17
52	The Mother-Infant Bonding Scale: Factor Structure and Psychosocial Correlates of Parental Bonding Disorders in Japan. <i>Journal of Child and Family Studies</i> , 2015, 24, 393-401.	0.7	37
53	Patient Safety, Adverse Healthcare Events and Near-Misses in Obstetric Care—A Systematic Literature Review. <i>Open Journal of Nursing</i> , 2015, 05, 1110-1122.	0.2	11
54	Does Antenatal Fear of Childbirth Predict Postnatal Fear of Childbirth? A Study of Japanese Women. <i>Open Journal of Nursing</i> , 2015, 05, 144-152.	0.2	11

#	ARTICLE	IF	CITATIONS
55	The biomarker-based validity of a brief-type diet history questionnaire for estimating eicosapentaenoic acid and docosahexaenoic acid intakes in pregnant Japanese women. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2015, 24, 316-22.	0.3	9
56	Relationship Between Skin Barrier Function in Early Neonates and Diaper Dermatitis During the First Month of Life: A Prospective Observational Study. <i>Pediatric Dermatology</i> , 2014, 31, 692-697.	0.5	16
57	Effects of lifestyle factors on urinary oxidative stress and serum antioxidant markers in pregnant Japanese women: A cohort study. <i>BioScience Trends</i> , 2014, 8, 176-184.	1.1	11
58	Relationship between plasma total homocysteine level and dietary caffeine and vitamin B ₆ intakes in pregnant women. <i>Australian Journal of Cancer Nursing</i> , 2014, 16, 164-170.	0.8	12
59	Antenatal fear of childbirth and sense of coherence among healthy pregnant women in Japan: A cross-sectional study. <i>Archives of Women's Mental Health</i> , 2014, 17, 403-409.	1.2	26
60	Guidelines for Physical Activity During Pregnancy. <i>American Journal of Lifestyle Medicine</i> , 2014, 8, 102-121.	0.8	230
61	Guided imagery for treating hypertension in pregnancy. <i>The Cochrane Library</i> , 2014, , .	1.5	3
62	Demographic and Lifestyle Factors Associated with Vitamin D Status in Pregnant Japanese Women. <i>Journal of Nutritional Science and Vitaminology</i> , 2014, 60, 420-428.	0.2	26
63	Adapting the Pregnancy Physical Activity Questionnaire for Japanese Pregnant Women. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2014, 43, 107-116.	0.2	23
64	Longitudinal comparison study of pelvic floor function between women with and without stress urinary incontinence after vaginal delivery. <i>Journal of Medical Ultrasonics (2001)</i> , 2013, 40, 125-131.	0.6	7
65	Validity of a diet history questionnaire estimating $\hat{\alpha}$ -carotene, vitamin C and $\hat{\alpha}$ -tocopherol intakes in Japanese pregnant women. <i>International Journal of Food Sciences and Nutrition</i> , 2013, 64, 694-699.	1.3	27
66	Translation and validation of the Japanese version of the Wajima Delivery Expectancy/Experience Questionnaire version A. <i>Australian Journal of Cancer Nursing</i> , 2013, 15, 326-332.	0.8	36
67	Estimation of eicosapentaenoic acid and docosahexaenoic acid intakes in pregnant Japanese women without nausea by using a self-administered diet history questionnaire. <i>Nutrition Research</i> , 2013, 33, 473-478.	1.3	25
68	Association Between Oxidized LDL and Folate During Pregnancy. <i>Biological Research for Nursing</i> , 2013, 15, 213-218.	1.0	2
69	Temperament, Character, and Depressive Symptoms during Pregnancy: A Study of a Japanese Population. <i>Depression Research and Treatment</i> , 2013, 2013, 1-6.	0.7	8
70	Depressive mood, bonding failure, and abusive parenting among mothers with three-month-old babies in a Japanese community. <i>Open Journal of Psychiatry</i> , 2013, 03, 1-7.	0.2	24
71	Diagnosis of anal sphincter defects by three-dimensional transperineal ultrasound in women with anal incontinence. <i>Journal of Medical Ultrasonics (2001)</i> , 2012, 39, 241-247.	0.6	1
72	Diversity and challenges in the management of maternity care for migrant women. <i>Journal of Nursing Management</i> , 2012, 20, 287-295.	1.4	44

#	ARTICLE	IF	CITATIONS
73	Validity and reproducibility of folate and vitamin B12 intakes estimated from a self-administered diet history questionnaire in Japanese pregnant women. <i>Nutrition Journal</i> , 2012, 11, 15.	1.5	31
74	Factors related to the continuation of employment during pregnancy among Japanese women. <i>Japan Journal of Nursing Science</i> , 2011, 8, 153-162.	0.5	6
75	A prospective study of the relationship between breastfeeding and postpartum depressive symptoms appearing at 1-5 months after delivery. <i>Journal of Affective Disorders</i> , 2011, 133, 553-559.	2.0	62
76	Maternal body mass index and gestational weight gain and their association with perinatal outcomes in Viet Nam. <i>Bulletin of the World Health Organization</i> , 2011, 89, 127-136.	1.5	135
77	Positive correlation between maternal serum coenzyme Q10 levels and infant birth weight. <i>BioFactors</i> , 2010, 36, 312-318.	2.6	6
78	Evaluation of pelvic floor function by transabdominal ultrasound in postpartum women. <i>Journal of Medical Ultrasonics (2001)</i> , 2010, 37, 187-193.	0.6	7
79	Midwives' group supervision and the influence of their continuity of care model - a pilot study. <i>Journal of Nursing Management</i> , 2010, 18, 400-408.	1.4	15
80	Perceptions of women and health care providers in Tokyo of appropriate weight gain during pregnancy. <i>Australian Journal of Cancer Nursing</i> , 2010, 12, 21-26.	0.8	20
81	Changes in 13, 14-dihydro-15-keto-prostaglandin F _{2α} levels in saliva during pregnancy, labor and the postpartum period. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 27-33.	0.6	3
82	Ubiquinol-10 and ubiquinone-10 levels in umbilical cord blood of healthy foetuses and the venous blood of their mothers. <i>Free Radical Research</i> , 2010, 44, 1338-1344.	1.5	5
83	Relationship between the plasma total homocysteine levels and skipping breakfast during pregnancy. <i>Journal of Japan Academy of Midwifery</i> , 2010, 24, 252-260.	0.0	2
84	Translation and cross-cultural adaptation of the Pregnancy Physical Activity Questionnaire (PPAQ) to Japanese. <i>BioScience Trends</i> , 2010, 4, 170-7.	1.1	15
85	Association between the serum folate levels and tea consumption during pregnancy. <i>BioScience Trends</i> , 2010, 4, 225-30.	1.1	29
86	Dietary folate intake, use of folate supplements, lifestyle factors, and serum folate levels among pregnant women in Tokyo, Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008, 34, 971-979.	0.6	15
87	Reliability and validity of the Vietnamese version of the Pregnancy Physical Activity Questionnaire (PPAQ). <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2008, 39, 562-70.	1.0	35
88	Comparison of body fat mass changes during the third trimester and at one month postpartum between lactating and nonlactating Japanese women. <i>BioScience Trends</i> , 2008, 2, 200-5.	1.1	2
89	Urinary biopyrrin as a possible oxidative stress marker during pregnancy. <i>Journal of Japan Academy of Midwifery</i> , 2006, 20, 40-49.	0.0	5
90	Current status of discharge planning activities and systems: National survey of discharge planning in Japan. <i>Japan Journal of Nursing Science</i> , 2004, 1, 87-97.	0.5	6

#	ARTICLE	IF	CITATIONS
91	Is High Maternal Body Mass Index Associated with Cesarean Section Delivery in Mongolia? A Prospective Observational Study. Asian Pacific Island Nursing Journal, 0, 4, 128-134.	0.3	2