## Maria P Ramos-Alvarez

## List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/6093720/maria-p-ramos-alvarez-publications-by-citations.pdf$ 

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53 1,703 22 40 g-index

58 1,926 4.7 4.39 ext. papers ext. citations avg, IF L-index

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 53 | Validation of simple indexes to assess insulin sensitivity during pregnancy in Wistar and Sprague-Dawley rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2008</b> , 295, E1269-                       | ·76  | 294       |
| 52 | Chemistry and pathophysiology of oxidation of LDL. <i>Reviews of Physiology, Biochemistry and Pharmacology</i> , <b>1996</b> , 127, 31-64   | 2.9  | 147       |
| 51 | Perivascular adipose tissue and mesenteric vascular function in spontaneously hypertensive rats. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> <b>2006</b> , 26, 1297-302  | 9.4  | 133       |
| 50 | Increased inflammation, oxidative stress and mitochondrial respiration in brown adipose tissue from obese mice. <i>Scientific Reports</i> , <b>2017</b> , 7, 16082  | 4.9  | 100       |
| 49 | Metabolic fingerprint of Gestational Diabetes Mellitus. <i>Journal of Proteomics</i> , <b>2014</b> , 103, 57-71   | 3.9  | 91        |
| 48 | Copper can promote oxidation of LDL by markedly different mechanisms. <i>Free Radical Biology and Medicine</i> , <b>1998</b> , 24, 607-23   | 7.8  | 90        |
| 47 | Induction of cardiac uncoupling protein-2 expression and adenosine 5Fmonophosphate-activated protein kinase phosphorylation during early states of diet-induced obesity in mice. <i>Endocrinology</i> , <b>2007</b> , 148, 924-31     | 4.8  | 65        |
| 46 | Fat accumulation in the rat during early pregnancy is modulated by enhanced insulin responsiveness. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2003</b> , 285, E318-28                                 | 6    | 64        |
| 45 | Vitamin E reduces adipose tissue fibrosis, inflammation, and oxidative stress and improves metabolic profile in obesity. <i>Obesity</i> , <b>2015</b> , 23, 1598-606  | 8    | 57        |
| 44 | Diabetes in pregnancy: a new decade of challenges ahead. <i>Diabetologia</i> , <b>2018</b> , 61, 1012-1021  | 10.3 | 48        |
| 43 | Factors affecting resistance of low density lipoproteins to oxidation. <i>Lipids</i> , <b>1996</b> , 31 Suppl, S71-6  | 1.6  | 39        |
| 42 | Hyperinsulinemia induces insulin resistance on glucose and lipid metabolism in a human adipocytic cell line: paracrine interaction with myocytes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 2866-76 | 5.6  | 33        |
| 41 | Pleiotrophin regulates microglia-mediated neuroinflammation. <i>Journal of Neuroinflammation</i> , <b>2017</b> , 14, 46   | 10.1 | 32        |
| 40 | Chondroitin 4-sulphate exhibits inhibitory effect during Cu2+-mediated LDL oxidation. <i>FEBS Letters</i> , <b>1997</b> , 403, 154-8  | 3.8  | 32        |
| 39 | GC-MS based Gestational Diabetes Mellitus longitudinal study: Identification of 2-and 3-hydroxybutyrate as potential prognostic biomarkers. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 144, 90-98       | 3.5  | 31        |
| 38 | Implication of low level inflammation in the insulin resistance of adipose tissue at late pregnancy. <i>Endocrinology</i> , <b>2011</b> , 152, 4094-105   | 4.8  | 30        |
| 37 | Preparation of fatty acid methyl esters from lipoprotein and macrophage lipid subclasses on thin-layer plates. <i>Lipids</i> , <b>1996</b> , 31, 1302-10  | 1.6  | 28        |

## (2016-2019)

| 36 | Connecting Metainflammation and Neuroinflammation Through the PTN-MK-RPTP/TAxis: Relevance in Therapeutic Development. <i>Frontiers in Pharmacology</i> , <b>2019</b> , 10, 377   | 5.6  | 26 |  |
|----|---|------|----|--|
| 35 | Leptin resistance develops spontaneously in mice during adult life in a tissue-specific manner.<br>Consequences for hepatic steatosis. <i>Biochimie</i> , <b>2011</b> , 93, 1779-85   | 4.6  | 25 |  |
| 34 | Role of insulin receptor substrate-1 serine 307 phosphorylation and adiponectin in adipose tissue insulin resistance in late pregnancy. <i>Endocrinology</i> , <b>2007</b> , 148, 5933-42   | 4.8  | 23 |  |
| 33 | Early and prolonged intake of partially hydrogenated fat alters the expression of genes in rat adipose tissue. <i>Nutrition</i> , <b>2009</b> , 25, 782-9   | 4.8  | 22 |  |
| 32 | Lipid metabolism during the perinatal phase, and its implications on postnatal development. <i>International Journal for Vitamin and Nutrition Research</i> , <b>2006</b> , 76, 216-24  | 1.7  | 22 |  |
| 31 | Vascular Dysfunction in Mother and Offspring During Preeclampsia: Contributions from Latin-American Countries. <i>Current Hypertension Reports</i> , <b>2017</b> , 19, 83   | 4.7  | 21 |  |
| 30 | Nitroxide reduction with ascorbic acid in spin labeled human plasma LDL and VLDL. <i>Chemistry and Physics of Lipids</i> , <b>1997</b> , 85, 1-12   | 3.7  | 21 |  |
| 29 | Pleiotrophin differentially regulates the rewarding and sedative effects of ethanol. <i>Journal of Neurochemistry</i> , <b>2014</b> , 131, 688-95   | 6    | 20 |  |
| 28 | Englitazone administration to late pregnant rats produces delayed body growth and insulin resistance in their fetuses and neonates. <i>Biochemical Journal</i> , <b>2005</b> , 389, 913-8   | 3.8  | 19 |  |
| 27 | Short-term vitamin E treatment impairs reactive oxygen species signaling required for adipose tissue expansion, resulting in fatty liver and insulin resistance in obese mice. <i>PLoS ONE</i> , <b>2017</b> , 12, e018                     | 6579 | 16 |  |
| 26 | Characterization of the role of endogenous cholecystokinin on the activity of the paraventricular nucleus of the hypothalamus in rats. <i>British Journal of Pharmacology</i> , <b>2003</b> , 140, 964-70                                   | 8.6  | 15 |  |
| 25 | Antioxidants and Oxidative Stress: Focus in Obese Pregnancies. Frontiers in Physiology, <b>2018</b> , 9, 1569   | 4.6  | 15 |  |
| 24 | Genetic inactivation of midkine modulates behavioural responses to ethanol possibly by enhancing GABA(A) receptor sensitivity to GABA(A) acting drugs. <i>Behavioural Brain Research</i> , <b>2014</b> , 274, 258-63                        | 3.4  | 14 |  |
| 23 | Endogenous pleiotrophin and midkine regulate LPS-induced glial responses. <i>Neuroscience Letters</i> , <b>2018</b> , 662, 213-218  | 3.3  | 12 |  |
| 22 | Regulation of leptin distribution between plasma and cerebrospinal fluid by cholecystokinin receptors. <i>British Journal of Pharmacology</i> , <b>2003</b> , 140, 647-52   | 8.6  | 12 |  |
| 21 | Peroxisome proliferator activated receptor gamma 2 modulates late pregnancy homeostatic metabolic adaptations. <i>Molecular Medicine</i> , <b>2016</b> , 22, 724-736  | 6.2  | 12 |  |
| 20 | Leptin drives fat distribution during diet-induced obesity in mice. <i>Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , <b>2012</b> , 59, 354-61  |      | 10 |  |
| 19 | Midkine Is a Novel Regulator of Amphetamine-Induced Striatal Gliosis and Cognitive Impairment: Evidence for a Stimulus-Dependent Regulation of Neuroinflammation by Midkine. <i>Mediators of Inflammation</i> , <b>2016</b> , 2016, 9894504 | 4.3  | 10 |  |

| 18 | Pleiotrophin deletion alters glucose homeostasis, energy metabolism and brown fat thermogenic function in mice. <i>Diabetologia</i> , <b>2019</b> , 62, 123-135  | 10.3 | 10 |
|----|--|------|----|
| 17 | Morphine differentially regulates hsp90beta expression in the nucleus accumbens of Lewis and Fischer 344 rats. <i>Brain Research Bulletin</i> , <b>2007</b> , 73, 325-9  | 3.9  | 9  |
| 16 | Enhanced utilization of glycerol for glyceride synthesis in isolated adipocytes from early pregnant rats. <i>Journal of Physiology and Biochemistry</i> , <b>2010</b> , 66, 245-53   | 5    | 7  |
| 15 | Experimental models for studying perinatal lipid metabolism. Long-term effects of perinatal undernutrition. <i>Advances in Experimental Medicine and Biology</i> , <b>2005</b> , 569, 95-108   | 3.6  | 7  |
| 14 | Nitric oxide inhibits isoproterenol-stimulated adipocyte lipolysis through oxidative inactivation of the Eagonist. <i>Biochemical Journal</i> , <b>2000</b> , 351, 485   | 3.8  | 7  |
| 13 | The cardiac acetylcholine-activated, inwardly rectifying K+-channel subunit GIRK1 gives rise to an inward current induced by free oxygen radicals. <i>Free Radical Biology and Medicine</i> , <b>1999</b> , 26, 253-9  | 7.8  | 5  |
| 12 | Effect of prolonged glucose infusion on insulin sensitivity in the conscious normal rat. <i>Hormone and Metabolic Research</i> , <b>1995</b> , 27, 197-200   | 3.1  | 5  |
| 11 | Metabolic alterations associated with maternal undernutrition during the first half of gestation lead to a diabetogenic state in the rat. <i>European Journal of Nutrition</i> , <b>2019</b> , 58, 2521-2533   | 5.2  | 4  |
| 10 | The interaction of lower alcohols with apoB in spin labeled human plasma low density lipoproteins (LDL). <i>Chemistry and Physics of Lipids</i> , <b>1997</b> , 87, 125-35   | 3.7  | 4  |
| 9  | Long-term effects oftransfatty acid intake during pregnancy and lactation: does it have deleterious consequences?. <i>Future Lipidology</i> , <b>2008</b> , 3, 489-494   |      | 3  |
| 8  | Role of Receptor Protein Tyrosine Phosphatases (RPTPs) in Insulin Signaling and Secretion. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,  | 6.3  | 3  |
| 7  | Pharmacological and gene modification-based models for studying the impact of perinatal metabolic disturbances in adult life. <i>Advances in Experimental Medicine and Biology</i> , <b>2009</b> , 646, 141-8  | 3.6  | 3  |
| 6  | High levels of maternal total tri-iodothyronine, and low levels of fetal free L-thyroxine and total tri-iodothyronine, are associated with altered deiodinase expression and activity in placenta with gestational diabetes mellitus. <i>PLoS ONE</i> , <b>2020</b> , 15, e0242743 | 3.7  | 2  |
| 5  | The Relationship between Angiogenic Factors and Energy Metabolism in Preeclampsia. <i>Nutrients</i> , <b>2022</b> , 14, 2172   | 6.7  | 2  |
| 4  | Role of RPTP/IIn neuroinflammation and microglia-neuron communication. <i>Scientific Reports</i> , <b>2020</b> , 10, 20259   | 4.9  | 1  |
| 3  | Placental Compartmentalization of Lipid Metabolism: Implications for Singleton and Twin Pregnancies. <i>Reproductive Sciences</i> , <b>2021</b> , 28, 1150-1160  | 3    | 1  |
| 2  | Deletion of pleiotrophin impairs glucose tolerance and liver metabolism in pregnant mice: Moonlighting role of glycerol kinase. <i>FASEB Journal</i> , <b>2021</b> , 35, e21911  | 0.9  | 1  |
| 1  | Pleiotrophin Expression and Actions in Pancreatic ECells Frontiers in Endocrinology, 2022, 13, 777868  | 5.7  |    |