Gabriella Santangelo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6094219/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mild cognitive impairment in Parkinson disease. Neurology, 2010, 75, 1062-1069.	1.5	643
2	Default-mode network connectivity in cognitively unimpaired patients with Parkinson disease. Neurology, 2012, 79, 2226-2232.	1.5	286
3	Normative data for the Montreal Cognitive Assessment in an Italian population sample. Neurological Sciences, 2015, 36, 585-591.	0.9	263
4	Resting-state functional connectivity associated with mild cognitive impairment in Parkinson's disease. Journal of Neurology, 2015, 262, 425-434.	1.8	175
5	The Psychological Impact of COVID-19 Pandemic and Lockdown on Caregivers of People With Dementia. American Journal of Geriatric Psychiatry, 2021, 29, 27-34.	0.6	156
6	Prevalence and Clinical Aspects of Mild Cognitive Impairment in Parkinson's Disease: A Metaâ€Analysis. Movement Disorders, 2020, 35, 45-54.	2.2	151
7	The Heterogeneity of Early Parkinson's Disease: A Cluster Analysis on Newly Diagnosed Untreated Patients. PLoS ONE, 2013, 8, e70244.	1.1	150
8	Fatigue in Parkinson's disease: A systematic review and metaâ€analysis. Movement Disorders, 2018, 33, 1712-1723.	2.2	141
9	Impulsivity and compulsivity in drugâ€naÃ⁻ve patients with Parkinson's disease. Movement Disorders, 2011, 26, 464-468.	2.2	139
10	Validation of the Italian version of the Movement Disorder Society—Unified Parkinson's Disease Rating Scale. Neurological Sciences, 2013, 34, 683-687.	0.9	123
11	Functional involvement of central cholinergic circuits and visual hallucinations in Parkinson's disease. Brain, 2009, 132, 2350-2355.	3.7	115
12	Mild Cognitive Impairment in newly diagnosed Parkinson's disease: AÂlongitudinal prospective study. Parkinsonism and Related Disorders, 2015, 21, 1219-1226.	1.1	113
13	Regional Gray Matter Atrophy in Patients with Parkinson Disease and Freezing of Gait. American Journal of Neuroradiology, 2012, 33, 1804-1809.	1.2	109
14	Psychometric properties and validity of Beck Depression Inventory II in multiple sclerosis. European Journal of Neurology, 2016, 23, 744-750.	1.7	106
15	Comparative neuropsychological profile of pathological gambling, hypersexuality, and compulsive eating in Parkinson's disease. Movement Disorders, 2011, 26, 830-836.	2.2	104
16	Apathy and striatal dopamine transporter levels in de-novo, untreated Parkinson's disease patients. Parkinsonism and Related Disorders, 2015, 21, 489-493.	1.1	97
17	Relationship between depression and cognitive dysfunctions in Parkinson's disease without dementia. Journal of Neurology, 2009, 256, 632-638.	1.8	95
18	Cognitive dysfunctions and pathological gambling in patients with Parkinson's disease. Movement Disorders, 2009, 24, 899-905.	2.2	94

2

#	Article	IF	CITATIONS
19	Hearing impairment in Parkinson's disease: Expanding the nonmotor phenotype. Movement Disorders, 2012, 27, 1530-1535.	2.2	93
20	Pisa syndrome in Parkinson's disease and parkinsonism: clinical features, pathophysiology, and treatment. Lancet Neurology, The, 2016, 15, 1063-1074.	4.9	86
21	Social Cognition Dysfunctions in Neurodegenerative Diseases: Neuroanatomical Correlates and Clinical Implications. Behavioural Neurology, 2018, 2018, 1-18.	1.1	85
22	A neuropsychological longitudinal study in Parkinson's patients with and without hallucinations. Movement Disorders, 2007, 22, 2418-2425.	2.2	84
23	Anxiety is associated with striatal dopamine transporter availability in newly diagnosed untreated Parkinson's disease patients. Parkinsonism and Related Disorders, 2012, 18, 1034-1038.	1.1	83
24	Gender differences in non-motor symptoms in early, drug naÃ⁻ve Parkinson's disease. Journal of Neurology, 2013, 260, 2849-2855.	1.8	83
25	The relationships between interoception and alexithymic trait. The Self-Awareness Questionnaire in healthy subjects. Frontiers in Psychology, 2015, 6, 1149.	1.1	81
26	Comparative cognitive and neuropsychiatric profiles between Parkinson's disease, multiple system atrophy and progressive supranuclear palsy. Journal of Neurology, 2018, 265, 2602-2613.	1.8	80
27	Mild cognitive impairment in drug-naive patients with PD is associated with cerebral hypometabolism. Neurology, 2011, 77, 1357-1362.	1.5	79
28	Cortical thickness changes in patients with Parkinson's disease and impulse control disorders. Parkinsonism and Related Disorders, 2016, 24, 119-125.	1.1	76
29	Vestibular impairment and adaptive postural imbalance in parkinsonian patients with lateral trunk flexion. Movement Disorders, 2011, 26, 1458-1463.	2.2	75
30	A randomized clinical trial to evaluate the effects of rasagiline on depressive symptoms in nonâ€demented Parkinson's disease patients. European Journal of Neurology, 2015, 22, 1184-1191.	1.7	75
31	Apathy in untreated, de novo patients with Parkinson's disease: validation study of Apathy Evaluation Scale. Journal of Neurology, 2014, 261, 2319-2328.	1.8	74
32	The nonâ€motor side of the honeymoon period of Parkinson's disease and its relationship with quality of life: a 4â€year longitudinal study. European Journal of Neurology, 2016, 23, 1673-1679.	1.7	74
33	A Four-Year Longitudinal Study on Restless Legs Syndrome in Parkinson Disease. Sleep, 2016, 39, 405-412.	0.6	73
34	Apathy in Parkinson's Disease: Diagnosis, Neuropsychological Correlates, Pathophysiology and Treatment. Behavioural Neurology, 2013, 27, 501-513.	1.1	72
35	Neuropsychological correlates of theory of mind in patients with early Parkinson's disease. Movement Disorders, 2012, 27, 98-105.	2.2	67
36	Pathological gambling in Parkinson's disease. A comprehensive review. Parkinsonism and Related Disorders, 2013, 19, 645-653.	1.1	67

#	Article	IF	CITATIONS
37	Gait patterns in parkinsonian patients with or without mild cognitive impairment. Movement Disorders, 2012, 27, 1536-1543.	2.2	66
38	Cognitive dysfunctions and psychological symptoms in migraine without aura: a cross-sectional study. Journal of Headache and Pain, 2016, 17, 76.	2.5	66
39	Do Subjective Memory Complaints Herald the Onset of Mild Cognitive Impairment in Parkinson Disease?. Journal of Geriatric Psychiatry and Neurology, 2014, 27, 276-281.	1.2	64
40	Link between non-motor symptoms and cognitive dysfunctions in de novo, drug-naive PD patients. Journal of Neurology, 2012, 259, 1808-1813.	1.8	60
41	Gender differences in non-motor symptoms in early Parkinson's disease: A 2-years follow-up study on previously untreated patients. Parkinsonism and Related Disorders, 2014, 20, 850-854.	1.1	60
42	Psychological consequences of COVID-19 pandemic in Italian MS patients: signs of resilience?. Journal of Neurology, 2021, 268, 743-750.	1.8	59
43	Relationship between apathy and cognitive dysfunctions in <i>de novo</i> untreated <scp>P</scp> arkinson's disease: a prospective longitudinal study. European Journal of Neurology, 2015, 22, 253-260.	1.7	58
44	Brain functional networks become more connected as amyotrophic lateral sclerosis progresses: a source level magnetoencephalographic study. NeuroImage: Clinical, 2018, 20, 564-571.	1.4	58
45	Neuropsychological correlates of theory of mind deficits in patients with multiple sclerosis Neuropsychology, 2017, 31, 811-821.	1.0	56
46	Resting-state brain networks in patients with Parkinson's disease and impulse control disorders. Cortex, 2017, 94, 63-72.	1.1	53
47	Personality and Parkinson's disease: A meta-analysis. Parkinsonism and Related Disorders, 2018, 49, 67-74.	1.1	52
48	Presence and progression of nonâ€motor symptoms in relation to uric acid in <i>de novo </i> <scp>P</scp> arkinson's disease. European Journal of Neurology, 2015, 22, 93-98.	1.7	49
49	The relationship between Impulse Control Disorders and cognitive dysfunctions in Parkinson's Disease: A meta-analysis. Neuroscience and Biobehavioral Reviews, 2017, 77, 129-147.	2.9	48
50	Regression-based normative data and equivalent scores for Trail Making Test (TMT): an updated Italian normative study. Neurological Sciences, 2019, 40, 469-477.	0.9	47
51	Serum epidermal growth factor predicts cognitive functions in early, drug-naive Parkinson's disease patients. Journal of Neurology, 2013, 260, 438-444.	1.8	46
52	Anhedonia and cognitive impairment in Parkinson's disease: Italian validation of the Snaith–Hamilton Pleasure Scale and its application in the clinical routine practice during the PRIAMO study. Parkinsonism and Related Disorders, 2009, 15, 576-581.	1.1	45
53	Insulin-like growth factor-1 and progression of motor symptoms in early, drug-naÃ⁻ve Parkinson's disease. Journal of Neurology, 2013, 260, 1724-1730.	1.8	45
54	Mental health status of <scp>Italian</scp> elderly subjects during and after quarantine for the <scp>COVID</scp> â€19 pandemic: a crossâ€sectional and longitudinal study. Psychogeriatrics, 2021, 21, 540-551.	0.6	44

#	Article	IF	CITATIONS
55	Anxiety in Multiple Sclerosis: psychometric properties of the State-Trait Anxiety Inventory. Acta Neurologica Scandinavica, 2016, 134, 458-466.	1.0	43
56	Edinburgh Cognitive and Behavioural ALS Screen (ECAS)-Italian version: regression based norms and equivalent scores. Neurological Sciences, 2017, 38, 1059-1068.	0.9	43
57	Impact of anxiety, apathy and reduced functional autonomy on perceived quality of life in Parkinson's disease. Parkinsonism and Related Disorders, 2017, 43, 114-117.	1.1	43
58	Resting state fMRI correlates of Theory of Mind impairment in amyotrophic lateral sclerosis. Cortex, 2017, 97, 1-16.	1.1	43
59	Insulinâ€like growth factorâ€1 predicts cognitive functions at 2â€year followâ€up in early, drugâ€naÃ⁻ve Parkinson's disease. European Journal of Neurology, 2014, 21, 802-807.	1.7	41
60	Nonmotor predictors for levodopa requirement in de novo patients with Parkinson's disease. Movement Disorders, 2015, 30, 373-378.	2.2	41
61	Psychometric properties of the Hamilton Depression Rating Scale in multiple sclerosis. Quality of Life Research, 2015, 24, 1973-1980.	1.5	41
62	Assessment of apathy independent of physical disability: validation of the Dimensional Apathy Scale in Italian healthy sample. Neurological Sciences, 2017, 38, 303-309.	0.9	39
63	Cognitive performances and DAT imaging in early Parkinson's disease with mild cognitive impairment: a preliminary study. Acta Neurologica Scandinavica, 2015, 131, 275-281.	1.0	38
64	Apathy in amyotrophic lateral sclerosis: insights from Dimensional Apathy Scale. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2017, 18, 434-442.	1.1	38
65	Apathy in multiple sclerosis: A validation study of the apathy evaluation scale. Journal of the Neurological Sciences, 2014, 347, 295-300.	0.3	37
66	Subthreshold depression and subjective cognitive complaints in <scp>P</scp> arkinson's disease. European Journal of Neurology, 2014, 21, 541-544.	1.7	37
67	Reversible Pisa syndrome in patients with Parkinson's disease on rasagiline therapy. Movement Disorders, 2011, 26, 2578-2580.	2.2	36
68	Lower serum uric acid is associated with mild cognitive impairment in early Parkinson's disease: a 4-year follow-up study. Journal of Neural Transmission, 2016, 123, 1399-1402.	1.4	36
69	Apathy in Parkinson's disease: diagnosis, neuropsychological correlates, pathophysiology and treatment. Behavioural Neurology, 2013, 27, 501-13.	1.1	36
70	Personality in Parkinson's disease: Clinical, behavioural and cognitive correlates. Journal of the Neurological Sciences, 2017, 374, 17-25.	0.3	35
71	Comparative Analysis of C9orf72 and Sporadic Disease in a Large Multicenter ALS Population: The Effect of Male Sex on Survival of C9orf72 Positive Patients. Frontiers in Neuroscience, 2019, 13, 485.	1.4	35
72	ls serum uric acid related to non-motor symptoms in de-novo Parkinson's disease patients?. Parkinsonism and Related Disorders, 2014, 20, 772-775.	1.1	32

#	Article	IF	CITATIONS
73	The Addenbrooke's Cognitive Examination Revised (ACE-R) and its sub-scores: normative values in an Italian population sample. Neurological Sciences, 2016, 37, 385-392.	0.9	32
74	The language profile of progressive supranuclear palsy. Cortex, 2019, 115, 294-308.	1.1	31
75	The Role of Personality Factors and Empathy in the Acceptance and Performance of a Social Robot for Psychometric Evaluations. Robotics, 2020, 9, 39.	2.1	31
76	Sleep Disorders and Cognitive Dysfunctions in Parkinson's Disease: A Meta-Analytic Study. Neuropsychology Review, 2021, 31, 643-682.	2.5	31
77	Differential neuropsychological profiles in Parkinsonian patients with or without vascular lesions. Movement Disorders, 2010, 25, 50-56.	2.2	30
78	Motor, cognitive and behavioral differences in MDS PSP phenotypes. Journal of Neurology, 2019, 266, 1727-1735.	1.8	30
79	Serum IGF-1 is associated with cognitive functions in early, drug-naÃ⁻ve Parkinson's disease. PLoS ONE, 2017, 12, e0186508.	1.1	30
80	Apathy and Related Executive Syndromes in Dementia Associated with Parkinson's Disease and in Alzheimer's Disease. Behavioural Neurology, 2013, 27, 515-522.	1.1	29
81	Increased bilirubin levels in <i>de novo</i> Parkinson's disease. European Journal of Neurology, 2015, 22, 954-959.	1.7	29
82	Meta-Analysis of Personality Traits in Alzheimer's Disease: A Comparison with Healthy Subjects. Journal of Alzheimer's Disease, 2018, 62, 773-787.	1.2	29
83	"Pure apathy―and cognitive dysfunctions in Parkinson's disease: A meta-analytic study. Neuroscience and Biobehavioral Reviews, 2018, 94, 1-10.	2.9	29
84	Subjective cognitive failures and their psychological correlates in a large Italian sample during quarantine/self-isolation for COVID-19. Neurological Sciences, 2021, 42, 2625-2635.	0.9	29
85	Cognitive reserve and neuropsychological performance in multiple sclerosis: A meta-analysis Neuropsychology, 2019, 33, 379-390.	1.0	29
86	Side of onset does not influence cognition in newly diagnosed untreated Parkinson's disease patients. Parkinsonism and Related Disorders, 2013, 19, 256-259.	1.1	28
87	Association between dopaminergic dysfunction and anxiety in de novo Parkinson's disease. Parkinsonism and Related Disorders, 2017, 37, 106-110.	1.1	28
88	Comparison of alternate and original forms of the Montreal Cognitive Assessment (MoCA): an Italian normative study. Neurological Sciences, 2019, 40, 691-702.	0.9	28
89	Cognitive correlates of "pure apathy―in Parkinson's disease. Parkinsonism and Related Disorders, 2018, 53, 101-104.	1.1	27
90	Does cognitive reserve play any role in multiple sclerosis? A meta-analytic study. Multiple Sclerosis and Related Disorders, 2019, 30, 265-276.	0.9	27

#	Article	IF	CITATIONS
91	Neural correlates of apathy in patients with neurodegenerative disorders: an activation likelihood estimation (ALE) meta-analysis. Brain Imaging and Behavior, 2019, 13, 1815-1834.	1.1	26
92	Impulse control disorders induced by rasagiline as adjunctive therapy for Parkinson's disease: Report of 2 cases. Parkinsonism and Related Disorders, 2013, 19, 483-484.	1.1	25
93	Theory of Mind and Its Neuropsychological and Quality of Life Correlates in the Early Stages of Amyotrophic Lateral Sclerosis. Frontiers in Psychology, 2016, 7, 1934.	1.1	25
94	Coping strategies and psychological distress in caregivers of patients with Amyotrophic Lateral Sclerosis (ALS). Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2017, 18, 367-377.	1.1	24
95	Interoceptive processing deficit: A behavioral marker for subtyping Parkinson's disease. Parkinsonism and Related Disorders, 2018, 53, 64-69.	1.1	24
96	Effect of Clobal Postural Rehabilitation program on spatiotemporal gait parameters of parkinsonian patients: a three-dimensional motion analysis study. Neurological Sciences, 2012, 33, 1337-1343.	0.9	23
97	Neuropsychological correlates of Pisa syndrome in patients with Parkinson's disease. Acta Neurologica Scandinavica, 2016, 134, 101-107.	1.0	23
98	Evolution of neuropsychological profile in motor subtypes of multiple system atrophy. Parkinsonism and Related Disorders, 2020, 70, 67-73.	1.1	23
99	The role of embodied simulation in mental transformation of whole-body images: Evidence from Parkinson's disease. Human Movement Science, 2014, 33, 343-353.	0.6	22
100	Effects of Global Postural Reeducation on gait kinematics in parkinsonian patients: a pilot randomized three-dimensional motion analysis study. Neurological Sciences, 2016, 37, 515-522.	0.9	22
101	Assessment of apathy minimising the effect of motor dysfunctions in Parkinson's disease: a validation study of the dimensional apathy scale. Quality of Life Research, 2017, 26, 2533-2540.	1.5	22
102	Assessing anxiety and its correlates in amyotrophic lateral sclerosis: The stateâ€ŧrait anxiety inventory. Muscle and Nerve, 2019, 60, 47-55.	1.0	22
103	Age- and gender-related differences in the evolution of psychological and cognitive status after the lockdown for the COVID-19 outbreak: a follow-up study. Neurological Sciences, 2022, 43, 1521-1532.	0.9	22
104	Anxiety in early Parkinson's disease: Validation of the Italian observer-rated version of the Parkinson Anxiety Scale (OR-PAS). Journal of the Neurological Sciences, 2016, 367, 158-161.	0.3	21
105	Speech discrimination is impaired in parkinsonian patients: Expanding the audiologic findings of Parkinson's disease. Parkinsonism and Related Disorders, 2016, 22, S138-S143.	1.1	21
106	Neural bases of impulse control disorders in Parkinson's disease: A systematic review and an ALE meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 107, 672-685.	2.9	21
107	Quitting smoking: An early non-motor feature of Parkinson's disease?. Parkinsonism and Related Disorders, 2015, 21, 216-220.	1.1	19
108	Psychometric properties of the Italian version of the multifactorial memory questionnaire for adults and the elderly. Neurological Sciences, 2016, 37, 681-691.	0.9	19

#	Article	IF	CITATIONS
109	Comorbidity of dementia with amyotrophic lateral sclerosis (ALS): insights from a large multicenter Italian cohort. Journal of Neurology, 2017, 264, 2224-2231.	1.8	19
110	Cognitive correlates of prospective memory in dystonia. Parkinsonism and Related Disorders, 2019, 66, 51-55.	1.1	19
111	Vitamin D supplementation has no effects on progression of motor dysfunction in amyotrophic lateral sclerosis (ALS). European Journal of Clinical Nutrition, 2020, 74, 167-175.	1.3	19
112	Frontal assessment battery scores and non-motor symptoms in parkinsonian disorders. Neurological Sciences, 2012, 33, 585-593.	0.9	18
113	Personality profile and depression in migraine: a meta-analysis. Neurological Sciences, 2020, 41, 543-554.	0.9	18
114	ALS Cognitive Behavioral Screen (ALS-CBS): normative values for the Italian population and clinical usability. Neurological Sciences, 2020, 41, 835-841.	0.9	18
115	Hippocampal connectivity in Amyotrophic Lateral Sclerosis (ALS): more than Papez circuit impairment. Brain Imaging and Behavior, 2021, 15, 2126-2138.	1.1	18
116	Frontotemporal degeneration in amyotrophic lateral sclerosis (ALS): a longitudinal MRI one-year study. CNS Spectrums, 2021, 26, 258-267.	0.7	18
117	Functional autonomy in dementia of the Alzheimer's type, mild cognitive impairment, and healthy aging: a meta-analysis. Neurological Sciences, 2021, 42, 1773-1783.	0.9	18
118	Neuropsychological profile of hearing-impaired patients and the effect of hearing aid on cognitive functions: an exploratory study. Scientific Reports, 2021, 11, 9384.	1.6	18
119	Repetitive Transcranial Magnetic Stimulation (rTMS) of Dorsolateral Prefrontal Cortex May Influence Semantic Fluency and Functional Connectivity in Fronto-Parietal Network in Mild Cognitive Impairment (MCI). Biomedicines, 2022, 10, 994.	1.4	18
120	Validation of the Italian version of Parkinson's Disease-Cognitive Rating Scale (PD-CRS). Neurological Sciences, 2014, 35, 537-544.	0.9	17
121	Rouleau version of the Clock Drawing Test: age- and education-adjusted normative data from a wide Italian sample. Clinical Neuropsychologist, 2016, 30, 1501-1516.	1.5	17
122	Neuropsychological assessment in different King's clinical stages of amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2016, 17, 228-235.	1.1	17
123	Psychometric properties of the Italian version of the Cognitive Reserve Scale (I-CRS). Neurological Sciences, 2018, 39, 1383-1390.	0.9	17
124	Comparing postural instability and gait disorder and akineticâ€rigid subtyping of Parkinson disease and their stability over time. European Journal of Neurology, 2019, 26, 1212-1218.	1.7	17
125	Neuropsychological, neuropsychiatric, and clinical correlates of affective and cognitive theory of mind in Parkinson's disease: A meta-analysis Neuropsychology, 2022, 36, 483-504.	1.0	17
126	The Parkinson's Disease-Cognitive Rating Scale (PD-CRS): normative values from 268 healthy Italian individuals. Neurological Sciences, 2017, 38, 845-853.	0.9	16

#	Article	IF	CITATIONS
127	Behavioural and Cognitive Changes in Neurodegenerative Diseases and Brain Injury. Behavioural Neurology, 2018, 2018, 1-3.	1.1	16
128	Neuropsychological profile of adult patients with nonsymptomatic occipital lobe epilepsies. Journal of Neurology, 2013, 260, 445-453.	1.8	15
129	Apathy Is Correlated with Widespread Diffusion Tensor Imaging (DTI) Impairment in Amyotrophic Lateral Sclerosis. Behavioural Neurology, 2018, 2018, 1-10.	1.1	15
130	Resting-State Functional Correlates of Social Cognition in Multiple Sclerosis: An Explorative Study. Frontiers in Behavioral Neuroscience, 2020, 13, 276.	1.0	15
131	Interactions between interoception and perspective-taking: Current state of research and future directions. Neuroscience and Biobehavioral Reviews, 2021, 130, 252-262.	2.9	15
132	Apathy and related executive syndromes in dementia associated with Parkinson's disease and in Alzheimer's disease. Behavioural Neurology, 2013, 27, 515-22.	1.1	15
133	Cognitive performance in multiple sclerosis: the contribution of intellectual enrichment and brain MRI measures. Journal of Neurology, 2018, 265, 1772-1779.	1.8	14
134	Exercise dependence induced by pramipexole in Parkinson's Disease—A Case Report. Movement Disorders, 2010, 25, 2893-2894.	2.2	13
135	The closing-in phenomenon in Parkinson's disease. Parkinsonism and Related Disorders, 2015, 21, 793-796.	1.1	13
136	The relationships between apathy and executive dysfunction in multiple sclerosis Neuropsychology, 2016, 30, 767-774.	1.0	13
137	Apathy as a herald of cognitive changes in multiple sclerosis: A 2-year follow-up study. Multiple Sclerosis Journal, 2020, 26, 363-371.	1.4	13
138	ODLURO syndrome: personal experience and review of the literature. Radiologia Medica, 2021, 126, 316-322.	4.7	13
139	Coping strategies in relapsing–remitting multiple sclerosis non-depressed patients and their associations with disease activity. Acta Neurologica Belgica, 2021, 121, 465-471.	0.5	13
140	The psychological impact of Covid-19 pandemic on people with Multiple Sclerosis: A meta-analysis. Multiple Sclerosis and Related Disorders, 2022, 61, 103774.	0.9	13
141	Validation of a short Italian version of the Barratt Impulsiveness Scale (BIS-15) in non-clinical subjects: psychometric properties and normative data. Neurological Sciences, 2022, 43, 4719-4727.	0.9	13
142	Cognitive and affective theory of mind in patients with essential tremor. Journal of Neurology, 2013, 260, 513-520.	1.8	12
143	Cognitive dysfunctions in occipital lobe epilepsy compared to temporal lobe epilepsy. Journal of Neuropsychology, 2017, 11, 277-290.	0.6	12
144	High angular resolution diffusion imaging abnormalities in the early stages of amyotrophic lateral sclerosis. Journal of the Neurological Sciences, 2017, 380, 215-222.	0.3	12

#	Article	IF	CITATIONS
145	Assessment of Snaith-Hamilton Pleasure Scale (SHAPS): the dimension of anhedonia in Italian healthy sample. Neurological Sciences, 2018, 39, 657-661.	0.9	12
146	Prospective memory is dysfunctional in migraine without aura. Cephalalgia, 2018, 38, 1825-1832.	1.8	12
147	Normative data of the Rey-Osterrieth Complex Figure for Italian-speaking elementary school children. Neurological Sciences, 2019, 40, 2045-2050.	0.9	12
148	Microstructural correlates of Edinburgh Cognitive and Behavioural ALS Screen (ECAS) changes in amyotrophic lateral sclerosis. Psychiatry Research - Neuroimaging, 2019, 288, 67-75.	0.9	12
149	Validation of an Italian version of the 40â€item University of Pennsylvania Smell Identification Test that is physician administered: Our experience on one hundred and thirtyâ€eight healthy subjects. Clinical Otolaryngology, 2014, 39, 53-57.	0.6	11
150	Assessing apathy in multiple sclerosis: Validation of the dimensional apathy scale and comparison with apathy evaluation scale. Multiple Sclerosis and Related Disorders, 2020, 38, 101870.	0.9	11
151	Affective and cognitive theory of mind in patients with cervical dystonia with and without tremor. Journal of Neural Transmission, 2021, 128, 199-206.	1.4	11
152	The neural basis of gambling disorder: An activation likelihood estimation meta-analysis. Neuroscience and Biobehavioral Reviews, 2021, 120, 279-302.	2.9	11
153	Coping Strategies in Migraine without Aura: A Cross-Sectional Study. Behavioural Neurology, 2019, 2019, 1-7.	1.1	10
154	The Relationships Between Cognitive Reserve and Psychological Symptoms: A Cross-Sectional Study in Healthy Individuals. American Journal of Geriatric Psychiatry, 2020, 28, 404-409.	0.6	10
155	Effects of gender on cognitive and behavioral manifestations in multiple system atrophy. Journal of Neural Transmission, 2020, 127, 925-934.	1.4	10
156	Serum uric acid is associated with apathy in early, drug-naÃ⁻ve Parkinson's disease. Journal of Neural Transmission, 2016, 123, 371-377.	1.4	9
157	A simple measure of cognitive reserve is relevant for cognitive performance in MS patients. Neurological Sciences, 2018, 39, 1267-1273.	0.9	8
158	Cognitive and Affective Theory of Mind across Adulthood. Brain Sciences, 2022, 12, 899.	1.1	8
159	Parkinson's disease management and impulse control disorders: current state and future perspectives. Expert Review of Neurotherapeutics, 2019, 19, 495-508.	1.4	7
160	Vitamin D as a possible biomarker of mild cognitive impairment in parkinsonians. Aging and Mental Health, 2021, 25, 1998-2002.	1.5	7
161	Mild Cognitive Impairment Subtypes Are Associated With Peculiar Gait Patterns in Parkinson's Disease. Frontiers in Aging Neuroscience, 2022, 14, 781480.	1.7	7
162	The emotional disorders associated with multiple sclerosis. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2021, 183, 197-220.	1.0	6

#	Article	IF	CITATIONS
163	Linking perception of bodily states and cognitive control: the role of interoception in impulsive behaviour. Experimental Brain Research, 2021, 239, 857-865.	0.7	6
164	Relationship between apathy and cognitive dysfunctions in multiple sclerosis: A 4-year prospective longitudinal study. Multiple Sclerosis and Related Disorders, 2022, 63, 103929.	0.9	6
165	Impulse control disorders and cognitive dysfunctions in patients with Parkinson's disease. Neurological Sciences, 2013, 34, 2045-2046.	0.9	5
166	Nonmotor symptoms in Parkinson's disease: classification and management. Journal of Parkinsonism and Restless Legs Syndrome, 2015, , 1.	0.8	5
167	Validation of the Italian version of the PSP Quality of Life questionnaire. Neurological Sciences, 2019, 40, 2587-2594.	0.9	5
168	Validation of the Italian version of carers' quality-of-life questionnaire for parkinsonism (PQoL) Tj ETQq0 0 0 r	gBT /Over	oçk 10 Tf 50
169	A subjective cognitive impairments scale for migraine attacks: validation of the Italian version of the MIG-SCOG. Neurological Sciences, 2020, 41, 1139-1143.	0.9	5
170	Neuropsychological spectrum in early PD: Insights from controlled and automatic behavioural regulation. Neuroscience and Biobehavioral Reviews, 2021, 126, 465-480.	2.9	5
171	Cognitive reserve and coping strategies predict the level of perceived stress during COVID-19 pandemic: A cross-sectional study. Personality and Individual Differences, 2022, 195, 111703.	1.6	5
172	Hemiâ€restless legs syndrome induced by clebopride. European Journal of Neurology, 2012, 19, e59.	1.7	4
173	Theory of mind and joint action in Parkinson's disease. Cognitive, Affective and Behavioral Neuroscience, 2018, 18, 1320-1337.	1.0	4
174	Prospective memory in Parkinson's disease: the role of the motor subtypes. Journal of Neurology, 2019, 266, 2505-2511.	1.8	4
175	Theory of Mind in multiple system atrophy: comparison with Parkinson's disease and healthy subjects. Journal of Neural Transmission, 2020, 127, 915-923.	1.4	4
176	A longitudinal study on the effects of COVID-19 pandemic on non-motor symptoms in Parkinson's disease. Neurological Sciences, 2022, , 1.	0.9	4
177	Neural correlates of embodied action language processing: a systematic review and meta-analytic study. Brain Imaging and Behavior, 0, , .	1.1	4
178	Alteration of interoceptive sensitivity: expanding the spectrum of behavioural disorders in amyotrophic lateral sclerosis. Neurological Sciences, 2022, 43, 5403-5410.	0.9	4
179	Compulsive Drumming Induced by Dopamine Agonists in Parkinson's Disease: Another Aspect of Punding. Behavioural Neurology, 2013, 27, 559-562.	1.1	3
180	Depression, Apathy, Anhedonia, and Fatigue in Parkinson's Disease. Neuropsychiatric Symptoms of Neurological Disease, 2015, , 1-28.	0.3	3

#	Article	IF	CITATIONS
181	High openness and high extroversion are linked with better time-based prospective memory in multiple sclerosis. Journal of Neurology, 2019, 266, 2665-2671.	1.8	3
182	Cognitive correlates of borderline intellectual functioning in borderline personality disorder. Journal of Psychiatric Research, 2020, 130, 372-380.	1.5	3
183	The role of the motor subtypes on the relationship between anxiety and cognitive dysfunctions in Parkinson's disease. Journal of Neural Transmission, 2020, 127, 893-898.	1.4	3
184	Personality traits associated with blepharospasm: A comparison with healthy subjects, patients with facial hemispasm and patients with hyperhidrosis. Journal of Clinical Neuroscience, 2020, 74, 130-134.	0.8	3
185	Cognitive Impairment in Convalescent COVID-19 Patients Undergoing Multidisciplinary Rehabilitation: The Association with the Clinical and Functional Status. Healthcare (Switzerland), 2022, 10, 480.	1.0	3
186	Apathy and depression in amnestic and non-amnestic mild cognitive impairment. Journal of Clinical and Experimental Neuropsychology, 2022, 44, 103-108.	0.8	3
187	Teaching Neuro <i>Images</i> : Pseudo-abnormal DaTscan findings in meningioma-induced parkinsonism. Neurology, 2013, 80, e147.	1.5	2
188	Affective theory of mind in patients with <scp>P</scp> arkinson's disease: Comment. Psychiatry and Clinical Neurosciences, 2014, 68, 242-242.	1.0	2
189	Evolution of mild cognitive impairment in Parkinson disease. Neurology, 2014, 82, 1384-1384.	1.5	2
190	Neuropsychological profile in parents of adult phenylketonuria patients. Neurological Sciences, 2018, 39, 161-164.	0.9	2
191	Spatial and egocentric mental rotation in patients with cervical dystonia. Journal of Neurology, 2020, 267, 2281-2287.	1.8	2
192	Non-transfusion-dependent thalassemia in Italy: less blues, no role of reds. Annals of Hematology, 2022, 101, 241-242.	0.8	2
193	Towards a Deeper Comprehension of Relationships among Cognitive, Behavioral and Psychiatric Symptoms in Parkinson's Disease. Behavioural Neurology, 2013, 27, 463-467.	1.1	2
194	Cortical thickness in Parkinsonians with impulse control disorders: A comment. Movement Disorders, 2015, 30, 1293-1293.	2.2	1
195	Reply to Zappia etÂal.'s comment on personality and Parkinson's Disease: A meta-analysis. Parkinsonism and Related Disorders, 2018, 51, 116.	1.1	1
196	Evaluating Distraction and Disengagement for Non-interactive Robot Tasks. , 2018, , .		1
197	Neuropsychological correlates of prospective memory: A comparison between tremor-dominant Parkinson's disease and cervical dystonia. Journal of Clinical Neuroscience, 2021, 87, 156-161.	0.8	1
198	Figure Disembedding: The Gottschaldt's Hidden Figure Test in Children with Typical Development and Autism. Journal of Autism and Developmental Disorders, 2021, , 1.	1.7	1

#	Article	IF	CITATIONS
199	Compulsive drumming induced by dopamine agonists in Parkinson's disease: Another aspect of punding. Behavioural Neurology, 2013, 27, 559-62.	1.1	1
200	Drawing with Oblique Coordinates: On a Single Case. Behavioural Neurology, 2011, 24, 257-262.	1.1	0
201	Differential neuropsychological profiles in parkinsonian patients with or without vascular lesions. Movement Disorders, 2011, 26, 1363-1364.	2.2	0
202	Reply to Gilbertson and Steele's comment on cognitive correlates of prospective memory in dystonia. Parkinsonism and Related Disorders, 2019, 68, 92.	1.1	0
203	Assessment tools for subjective memory abilities in elderly people. , 2021, , 315-328.		0
204	Evaluation of subjective memory abilities in elderly people. , 2021, , 279-292.		0
205	The Italian version of the alternative form of Parkinson's Disease-Cognitive Rating Scale (PD-CRS/AF): normative values from 260 Italian healthy subjects. Neurological Sciences, 2022, , 1.	0.9	0