

Gabriella Santangelo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6094219/gabriella-santangelo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

198
papers

5,474
citations

43
h-index

66
g-index

208
ext. papers

6,769
ext. citations

4.3
avg, IF

5.88
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 198 | The Italian version of the alternative form of Parkinson's Disease-Cognitive Rating Scale (PD-CRS/AF): normative values from 260 Italian healthy subjects.. <i>Neurological Sciences</i> , 2022 , 1 | 3.5 | |
| 197 | Mild Cognitive Impairment Subtypes Are Associated With Peculiar Gait Patterns in Parkinson's Disease.. <i>Frontiers in Aging Neuroscience</i> , 2022 , 14, 781480 | 5.3 | 2 |
| 196 | The psychological impact of Covid-19 pandemic on people with Multiple Sclerosis: A meta-analysis.. <i>Multiple Sclerosis and Related Disorders</i> , 2022 , 61, 103774 | 4 | 3 |
| 195 | Validation of a short Italian version of the Barratt Impulsiveness Scale (BIS-15) in non-clinical subjects: psychometric properties and normative data.. <i>Neurological Sciences</i> , 2022 , 1 | 3.5 | 0 |
| 194 | Repetitive Transcranial Magnetic Stimulation (rTMS) of Dorsolateral Prefrontal Cortex May Influence Semantic Fluency and Functional Connectivity in Fronto-Parietal Network in Mild Cognitive Impairment (MCI). <i>Biomedicine</i> , 2022 , 10, 994 | 4.8 | 1 |
| 193 | A longitudinal study on the effects of COVID-19 pandemic on non-motor symptoms in Parkinson's disease.. <i>Neurological Sciences</i> , 2022 , 1 | 3.5 | 1 |
| 192 | Cognitive reserve and coping strategies predict the level of perceived stress during COVID-19 pandemic: A cross-sectional study.. <i>Personality and Individual Differences</i> , 2022 , 195, 111703 | 3.3 | 0 |
| 191 | Relationship between apathy and cognitive dysfunctions in multiple sclerosis: A 4-year prospective longitudinal study. <i>Multiple Sclerosis and Related Disorders</i> , 2022 , 63, 103929 | 4 | 1 |
| 190 | Frontotemporal degeneration in amyotrophic lateral sclerosis (ALS): a longitudinal MRI one-year study. <i>CNS Spectrums</i> , 2021 , 26, 258-267 | 1.8 | 7 |
| 189 | Age- and gender-related differences in the evolution of psychological and cognitive status after the lockdown for the COVID-19 outbreak: a follow-up study. <i>Neurological Sciences</i> , 2021 , 1 | 3.5 | 6 |
| 188 | Vitamin D as a possible biomarker of mild cognitive impairment in parkinsonians. <i>Aging and Mental Health</i> , 2021 , 25, 1998-2002 | 3.5 | 2 |
| 187 | Hippocampal connectivity in Amyotrophic Lateral Sclerosis (ALS): more than Papez circuit impairment. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2126-2138 | 4.1 | 10 |
| 186 | Sleep Disorders and Cognitive Dysfunctions in Parkinson's Disease: A Meta-Analytic Study. <i>Neuropsychology Review</i> , 2021 , 31, 643-682 | 7.7 | 5 |
| 185 | Functional autonomy in dementia of the Alzheimer's type, mild cognitive impairment, and healthy aging: a meta-analysis. <i>Neurological Sciences</i> , 2021 , 42, 1773-1783 | 3.5 | 4 |
| 184 | Subjective cognitive failures and their psychological correlates in a large Italian sample during quarantine/self-isolation for COVID-19. <i>Neurological Sciences</i> , 2021 , 42, 2625-2635 | 3.5 | 10 |
| 183 | Neuropsychological profile of hearing-impaired patients and the effect of hearing aid on cognitive functions: an exploratory study. <i>Scientific Reports</i> , 2021 , 11, 9384 | 4.9 | 4 |
| 182 | Neuropsychological correlates of prospective memory: A comparison between tremor-dominant Parkinson's disease and cervical dystonia. <i>Journal of Clinical Neuroscience</i> , 2021 , 87, 156-161 | 2.2 | 0 |

| | | | |
|-----|---|-----|----|
| 181 | Mental health status of Italian elderly subjects during and after quarantine for the COVID-19 pandemic: a cross-sectional and longitudinal study. <i>Psychogeriatrics</i> , 2021 , 21, 540-551 | 1.8 | 15 |
| 180 | Neuropsychological spectrum in early PD: Insights from controlled and automatic behavioural regulation. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 126, 465-480 | 9 | 1 |
| 179 | Affective and cognitive theory of mind in patients with cervical dystonia with and without tremor. <i>Journal of Neural Transmission</i> , 2021 , 128, 199-206 | 4.3 | 2 |
| 178 | Psychological consequences of COVID-19 pandemic in Italian MS patients: signs of resilience?. <i>Journal of Neurology</i> , 2021 , 268, 743-750 | 5.5 | 43 |
| 177 | ODLURO syndrome: personal experience and review of the literature. <i>Radiologia Medica</i> , 2021 , 126, 316-322 | 3.2 | 7 |
| 176 | The neural basis of gambling disorder: An activation likelihood estimation meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 120, 279-302 | 9 | 1 |
| 175 | The Psychological Impact of COVID-19 Pandemic and Lockdown on Caregivers of People With Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2021 , 29, 27-34 | 6.5 | 67 |
| 174 | Coping strategies in relapsing-remitting multiple sclerosis non-depressed patients and their associations with disease activity. <i>Acta Neurologica Belgica</i> , 2021 , 121, 465-471 | 1.5 | 7 |
| 173 | The emotional disorders associated with multiple sclerosis. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2021 , 183, 197-220 | 3 | 2 |
| 172 | Non-transfusion-dependent thalassemia in Italy: less blues, no role of reds. <i>Annals of Hematology</i> , 2021 , 1 | 3 | 0 |
| 171 | Figure Disembedding: The Gottschaldt's Hidden Figure Test in Children with Typical Development and Autism. <i>Journal of Autism and Developmental Disorders</i> , 2021 , 1 | 4.6 | 1 |
| 170 | Interactions between interoception and perspective-taking: Current state of research and future directions. <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 130, 252-262 | 9 | 0 |
| 169 | Assessment tools for subjective memory abilities in elderly people 2021 , 315-328 | | |
| 168 | Evaluation of subjective memory abilities in elderly people 2021 , 279-292 | | |
| 167 | Linking perception of bodily states and cognitive control: the role of interoception in impulsive behaviour. <i>Experimental Brain Research</i> , 2021 , 239, 857-865 | 2.3 | 1 |
| 166 | The Role of Personality Factors and Empathy in the Acceptance and Performance of a Social Robot for Psychometric Evaluations. <i>Robotics</i> , 2020 , 9, 39 | 2.8 | 11 |
| 165 | Effects of gender on cognitive and behavioral manifestations in multiple system atrophy. <i>Journal of Neural Transmission</i> , 2020 , 127, 925-934 | 4.3 | 4 |
| 164 | The role of the motor subtypes on the relationship between anxiety and cognitive dysfunctions in Parkinson's disease. <i>Journal of Neural Transmission</i> , 2020 , 127, 893-898 | 4.3 | 2 |

| | | |
|-----|--|--------|
| 163 | Personality traits associated with blepharospasm: A comparison with healthy subjects, patients with facial hemispasm and patients with hyperhidrosis. <i>Journal of Clinical Neuroscience</i> , 2020 , 74, 130-134 ^{2,2} | 0 |
| 162 | Theory of Mind in multiple system atrophy: comparison with Parkinson's disease and healthy subjects. <i>Journal of Neural Transmission</i> , 2020 , 127, 915-923 | 4.3 2 |
| 161 | A subjective cognitive impairments scale for migraine attacks: validation of the Italian version of the MIG-SCOG. <i>Neurological Sciences</i> , 2020 , 41, 1139-1143 | 3.5 4 |
| 160 | Evolution of neuropsychological profile in motor subtypes of multiple system atrophy. <i>Parkinsonism and Related Disorders</i> , 2020 , 70, 67-73 | 3.6 11 |
| 159 | Prevalence and clinical aspects of mild cognitive impairment in Parkinson's disease: A meta-analysis. <i>Movement Disorders</i> , 2020 , 35, 45-54 | 7 58 |
| 158 | Personality profile and depression in migraine: a meta-analysis. <i>Neurological Sciences</i> , 2020 , 41, 543-554 | 3.5 8 |
| 157 | ALS Cognitive Behavioral Screen (ALS-CBS): normative values for the Italian population and clinical usability. <i>Neurological Sciences</i> , 2020 , 41, 835-841 | 3.5 13 |
| 156 | Assessing apathy in multiple sclerosis: Validation of the dimensional apathy scale and comparison with apathy evaluation scale. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 38, 101870 | 4 6 |
| 155 | Cognitive correlates of borderline intellectual functioning in borderline personality disorder. <i>Journal of Psychiatric Research</i> , 2020 , 130, 372-380 | 5.2 0 |
| 154 | Apathy as a herald of cognitive changes in multiple sclerosis: A 2-year follow-up study. <i>Multiple Sclerosis Journal</i> , 2020 , 26, 363-371 | 5 9 |
| 153 | Vitamin D supplementation has no effects on progression of motor dysfunction in amyotrophic lateral sclerosis (ALS). <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 167-175 | 5.2 8 |
| 152 | The Relationships Between Cognitive Reserve and Psychological Symptoms: A Cross-Sectional Study in Healthy Individuals. <i>American Journal of Geriatric Psychiatry</i> , 2020 , 28, 404-409 | 6.5 3 |
| 151 | Spatial and egocentric mental rotation in patients with cervical dystonia. <i>Journal of Neurology</i> , 2020 , 267, 2281-2287 | 5.5 1 |
| 150 | Neural bases of impulse control disorders in Parkinson's disease: A systematic review and an ALE meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 107, 672-685 | 9 8 |
| 149 | Validation of the Italian version of carers' quality-of-life questionnaire for parkinsonism (PQoL Carer) in progressive supranuclear palsy. <i>Neurological Sciences</i> , 2019 , 40, 2163-2169 | 3.5 3 |
| 148 | Coping Strategies in Migraine without Aura: A Cross-Sectional Study. <i>Behavioural Neurology</i> , 2019 , 2019, 5808610 | 3 9 |
| 147 | Comparative Analysis of and Sporadic Disease in a Large Multicenter ALS Population: The Effect of Male Sex on Survival of Positive Patients. <i>Frontiers in Neuroscience</i> , 2019 , 13, 485 | 5.1 22 |
| 146 | Parkinson's disease management and impulse control disorders: current state and future perspectives. <i>Expert Review of Neurotherapeutics</i> , 2019 , 19, 495-508 | 4.3 6 |

| | | | |
|-----|--|-----|----|
| 145 | Normative data of the Rey-Osterrieth Complex Figure for Italian-speaking elementary school children. <i>Neurological Sciences</i> , 2019 , 40, 2045-2050 | 3.5 | 7 |
| 144 | Motor, cognitive and behavioral differences in MDS PSP phenotypes. <i>Journal of Neurology</i> , 2019 , 266, 1727-1735 | 5.5 | 17 |
| 143 | Comparing postural instability and gait disorder and akinetic-rigid subtyping of Parkinson disease and their stability over time. <i>European Journal of Neurology</i> , 2019 , 26, 1212-1218 | 6 | 10 |
| 142 | Assessing anxiety and its correlates in amyotrophic lateral sclerosis: The state-trait anxiety inventory. <i>Muscle and Nerve</i> , 2019 , 60, 47-55 | 3.4 | 7 |
| 141 | Microstructural correlates of Edinburgh Cognitive and Behavioural ALS Screen (ECAS) changes in amyotrophic lateral sclerosis. <i>Psychiatry Research - Neuroimaging</i> , 2019 , 288, 67-75 | 2.9 | 7 |
| 140 | The language profile of progressive supranuclear palsy. <i>Cortex</i> , 2019 , 115, 294-308 | 3.8 | 18 |
| 139 | Does cognitive reserve play any role in multiple sclerosis? A meta-analytic study. <i>Multiple Sclerosis and Related Disorders</i> , 2019 , 30, 265-276 | 4 | 10 |
| 138 | Resting-State Functional Correlates of Social Cognition in Multiple Sclerosis: An Explorative Study. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 276 | 3.5 | 5 |
| 137 | High openness and high extroversion are linked with better time-based prospective memory in multiple sclerosis. <i>Journal of Neurology</i> , 2019 , 266, 2665-2671 | 5.5 | 3 |
| 136 | Validation of the Italian version of the PSP Quality of Life questionnaire. <i>Neurological Sciences</i> , 2019 , 40, 2587-2594 | 3.5 | 1 |
| 135 | Prospective memory in Parkinson's disease: the role of the motor subtypes. <i>Journal of Neurology</i> , 2019 , 266, 2505-2511 | 5.5 | 3 |
| 134 | Cognitive correlates of prospective memory in dystonia. <i>Parkinsonism and Related Disorders</i> , 2019 , 66, 51-55 | 3.6 | 6 |
| 133 | Reply to Gilbertson and Steele's comment on cognitive correlates of prospective memory in dystonia. <i>Parkinsonism and Related Disorders</i> , 2019 , 68, 92 | 3.6 | |
| 132 | Cognitive reserve and neuropsychological performance in multiple sclerosis: A meta-analysis. <i>Neuropsychology</i> , 2019 , 33, 379-390 | 3.8 | 13 |
| 131 | Neural correlates of apathy in patients with neurodegenerative disorders: an activation likelihood estimation (ALE) meta-analysis. <i>Brain Imaging and Behavior</i> , 2019 , 13, 1815-1834 | 4.1 | 13 |
| 130 | Comparison of alternate and original forms of the Montreal Cognitive Assessment (MoCA): an Italian normative study. <i>Neurological Sciences</i> , 2019 , 40, 691-702 | 3.5 | 15 |
| 129 | Regression-based normative data and equivalent scores for Trail Making Test (TMT): an updated Italian normative study. <i>Neurological Sciences</i> , 2019 , 40, 469-477 | 3.5 | 22 |
| 128 | Reply to Zappia et al.'s comment on personality and Parkinson's Disease: A meta-analysis. <i>Parkinsonism and Related Disorders</i> , 2018 , 51, 116 | 3.6 | 1 |

| | | | |
|-----|---|-----|----|
| 127 | Assessment of Snaith-Hamilton Pleasure Scale (SHAPS): the dimension of anhedonia in Italian healthy sample. <i>Neurological Sciences</i> , 2018 , 39, 657-661 | 3.5 | 6 |
| 126 | Prospective memory is dysfunctional in migraine without aura. <i>Cephalalgia</i> , 2018 , 38, 1825-1832 | 6.1 | 8 |
| 125 | Personality and Parkinson's disease: A meta-analysis. <i>Parkinsonism and Related Disorders</i> , 2018 , 49, 67-74 | 3.6 | 31 |
| 124 | Interoceptive processing deficit: A behavioral marker for subtyping Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018 , 53, 64-69 | 3.6 | 10 |
| 123 | A simple measure of cognitive reserve is relevant for cognitive performance in MS patients. <i>Neurological Sciences</i> , 2018 , 39, 1267-1273 | 3.5 | 3 |
| 122 | Cognitive correlates of "pure apathy" in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018 , 53, 101-104 | 3.6 | 15 |
| 121 | Social Cognition Dysfunctions in Neurodegenerative Diseases: Neuroanatomical Correlates and Clinical Implications. <i>Behavioural Neurology</i> , 2018 , 2018, 1849794 | 3 | 48 |
| 120 | Evaluating Distraction and Disengagement for Non-interactive Robot Tasks 2018 , | | 1 |
| 119 | Psychometric properties of the Italian version of the Cognitive Reserve Scale (I-CRS). <i>Neurological Sciences</i> , 2018 , 39, 1383-1390 | 3.5 | 11 |
| 118 | "Pure apathy" and cognitive dysfunctions in Parkinson's disease: A meta-analytic study. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 94, 1-10 | 9 | 18 |
| 117 | Neuropsychological profile in parents of adult phenylketonuria patients. <i>Neurological Sciences</i> , 2018 , 39, 161-164 | 3.5 | 1 |
| 116 | Apathy Is Correlated with Widespread Diffusion Tensor Imaging (DTI) Impairment in Amyotrophic Lateral Sclerosis. <i>Behavioural Neurology</i> , 2018 , 2018, 2635202 | 3 | 10 |
| 115 | Theory of mind and joint action in Parkinson's disease. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2018 , 18, 1320-1337 | 3.5 | 1 |
| 114 | Fatigue in Parkinson's disease: A systematic review and meta-analysis. <i>Movement Disorders</i> , 2018 , 33, 1712-1723 | 7 | 78 |
| 113 | Comparative cognitive and neuropsychiatric profiles between Parkinson's disease, multiple system atrophy and progressive supranuclear palsy. <i>Journal of Neurology</i> , 2018 , 265, 2602-2613 | 5.5 | 53 |
| 112 | Brain functional networks become more connected as amyotrophic lateral sclerosis progresses: a source level magnetoencephalographic study. <i>NeuroImage: Clinical</i> , 2018 , 20, 564-571 | 5.3 | 30 |
| 111 | Meta-Analysis of Personality Traits in Alzheimer's Disease: A Comparison with Healthy Subjects. <i>Journal of Alzheimer's Disease</i> , 2018 , 62, 773-787 | 4.3 | 18 |
| 110 | Cognitive performance in multiple sclerosis: the contribution of intellectual enrichment and brain MRI measures. <i>Journal of Neurology</i> , 2018 , 265, 1772-1779 | 5.5 | 9 |

| | | | |
|-----|---|-----|----|
| 109 | Cognitive dysfunctions in occipital lobe epilepsy compared to temporal lobe epilepsy. <i>Journal of Neuropsychology</i> , 2017 , 11, 277-290 | 2.6 | 10 |
| 108 | Personality in Parkinson's disease: Clinical, behavioural and cognitive correlates. <i>Journal of the Neurological Sciences</i> , 2017 , 374, 17-25 | 3.2 | 30 |
| 107 | Association between dopaminergic dysfunction and anxiety in de novo Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2017 , 37, 106-110 | 3.6 | 23 |
| 106 | The Parkinson's Disease-Cognitive Rating Scale (PD-CRS): normative values from 268 healthy Italian individuals. <i>Neurological Sciences</i> , 2017 , 38, 845-853 | 3.5 | 11 |
| 105 | The relationship between Impulse Control Disorders and cognitive dysfunctions in Parkinson's Disease: A meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2017 , 77, 129-147 | 9 | 35 |
| 104 | Coping strategies and psychological distress in caregivers of patients with Amyotrophic Lateral Sclerosis (ALS). <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017 , 18, 367-377 | 3.6 | 13 |
| 103 | Apathy in amyotrophic lateral sclerosis: insights from Dimensional Apathy Scale. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017 , 18, 434-442 | 3.6 | 25 |
| 102 | Neuropsychological correlates of theory of mind deficits in patients with multiple sclerosis. <i>Neuropsychology</i> , 2017 , 31, 811-821 | 3.8 | 34 |
| 101 | Assessment of apathy minimising the effect of motor dysfunctions in Parkinson's disease: a validation study of the dimensional apathy scale. <i>Quality of Life Research</i> , 2017 , 26, 2533-2540 | 3.7 | 17 |
| 100 | Edinburgh Cognitive and Behavioural ALS Screen (ECAS)-Italian version: regression based norms and equivalent scores. <i>Neurological Sciences</i> , 2017 , 38, 1059-1068 | 3.5 | 28 |
| 99 | Comorbidity of dementia with amyotrophic lateral sclerosis (ALS): insights from a large multicenter Italian cohort. <i>Journal of Neurology</i> , 2017 , 264, 2224-2231 | 5.5 | 13 |
| 98 | High angular resolution diffusion imaging abnormalities in the early stages of amyotrophic lateral sclerosis. <i>Journal of the Neurological Sciences</i> , 2017 , 380, 215-222 | 3.2 | 9 |
| 97 | Impact of anxiety, apathy and reduced functional autonomy on perceived quality of life in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2017 , 43, 114-117 | 3.6 | 35 |
| 96 | Resting-state brain networks in patients with Parkinson's disease and impulse control disorders. <i>Cortex</i> , 2017 , 94, 63-72 | 3.8 | 40 |
| 95 | Assessment of apathy independent of physical disability: validation of the Dimensional Apathy Scale in Italian healthy sample. <i>Neurological Sciences</i> , 2017 , 38, 303-309 | 3.5 | 19 |
| 94 | Serum IGF-1 is associated with cognitive functions in early, drug-naïve Parkinson's disease. <i>PLoS ONE</i> , 2017 , 12, e0186508 | 3.7 | 21 |
| 93 | Resting state fMRI correlates of Theory of Mind impairment in amyotrophic lateral sclerosis. <i>Cortex</i> , 2017 , 97, 1-16 | 3.8 | 25 |
| 92 | Speech discrimination is impaired in parkinsonian patients: Expanding the audiologic findings of Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016 , 22 Suppl 1, S138-43 | 3.6 | 19 |

| | | | |
|----|--|------|----|
| 91 | Cognitive dysfunctions and psychological symptoms in migraine without aura: a cross-sectional study. <i>Journal of Headache and Pain</i> , 2016 , 17, 76 | 8.8 | 48 |
| 90 | The non-motor side of the honeymoon period of Parkinson's disease and its relationship with quality of life: a 4-year longitudinal study. <i>European Journal of Neurology</i> , 2016 , 23, 1673-1679 | 6 | 55 |
| 89 | Lower serum uric acid is associated with mild cognitive impairment in early Parkinson's disease: a 4-year follow-up study. <i>Journal of Neural Transmission</i> , 2016 , 123, 1399-1402 | 4.3 | 19 |
| 88 | A Four-Year Longitudinal Study on Restless Legs Syndrome in Parkinson Disease. <i>Sleep</i> , 2016 , 39, 405-121.1 | | 58 |
| 87 | Anxiety in Multiple Sclerosis: psychometric properties of the State-Trait Anxiety Inventory. <i>Acta Neurologica Scandinavica</i> , 2016 , 134, 458-466 | 3.8 | 33 |
| 86 | Psychometric properties and validity of Beck Depression Inventory II in multiple sclerosis. <i>European Journal of Neurology</i> , 2016 , 23, 744-50 | 6 | 64 |
| 85 | Serum uric acid is associated with apathy in early, drug-naïve Parkinson's disease. <i>Journal of Neural Transmission</i> , 2016 , 123, 371-7 | 4.3 | 9 |
| 84 | Neuropsychological assessment in different King's clinical stages of amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2016 , 17, 228-35 | 3.6 | 13 |
| 83 | Effects of Global Postural Reeducation on gait kinematics in parkinsonian patients: a pilot randomized three-dimensional motion analysis study. <i>Neurological Sciences</i> , 2016 , 37, 515-22 | 3.5 | 18 |
| 82 | The Addenbrooke's Cognitive Examination Revised (ACE-R) and its sub-scores: normative values in an Italian population sample. <i>Neurological Sciences</i> , 2016 , 37, 385-92 | 3.5 | 25 |
| 81 | Cortical thickness changes in patients with Parkinson's disease and impulse control disorders. <i>Parkinsonism and Related Disorders</i> , 2016 , 24, 119-25 | 3.6 | 54 |
| 80 | Theory of Mind and Its Neuropsychological and Quality of Life Correlates in the Early Stages of Amyotrophic Lateral Sclerosis. <i>Frontiers in Psychology</i> , 2016 , 7, 1934 | 3.4 | 17 |
| 79 | Neuropsychological correlates of Pisa syndrome in patients with Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 2016 , 134, 101-7 | 3.8 | 17 |
| 78 | Psychometric properties of the Italian version of the multifactorial memory questionnaire for adults and the elderly. <i>Neurological Sciences</i> , 2016 , 37, 681-91 | 3.5 | 9 |
| 77 | The relationships between apathy and executive dysfunction in multiple sclerosis. <i>Neuropsychology</i> , 2016 , 30, 767-74 | 3.8 | 10 |
| 76 | Rouleau version of the Clock Drawing Test: age- and education-adjusted normative data from a wide Italian sample. <i>Clinical Neuropsychologist</i> , 2016 , 30, 1501-1516 | 4.4 | 14 |
| 75 | Anxiety in early Parkinson's disease: Validation of the Italian observer-rated version of the Parkinson Anxiety Scale (OR-PAS). <i>Journal of the Neurological Sciences</i> , 2016 , 367, 158-61 | 3.2 | 15 |
| 74 | Pisa syndrome in Parkinson's disease and parkinsonism: clinical features, pathophysiology, and treatment. <i>Lancet Neurology</i> , 2016 , 15, 1063-74 | 24.1 | 64 |

| | | | |
|----|---|-----|-----|
| 73 | Nonmotor predictors for levodopa requirement in de novo patients with Parkinson's disease. <i>Movement Disorders</i> , 2015 , 30, 373-8 | 7 | 36 |
| 72 | Depression, Apathy, Anhedonia, and Fatigue in Parkinson's Disease. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2015 , 1-28 | | 2 |
| 71 | The closing-in phenomenon in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 793-6 | 3.6 | 9 |
| 70 | Resting-state functional connectivity associated with mild cognitive impairment in Parkinson's disease. <i>Journal of Neurology</i> , 2015 , 262, 425-34 | 5.5 | 126 |
| 69 | Psychometric properties of the Hamilton Depression Rating Scale in multiple sclerosis. <i>Quality of Life Research</i> , 2015 , 24, 1973-80 | 3.7 | 32 |
| 68 | Increased bilirubin levels in de novo Parkinson's disease. <i>European Journal of Neurology</i> , 2015 , 22, 954-9 | 6 | 19 |
| 67 | Normative data for the Montreal Cognitive Assessment in an Italian population sample. <i>Neurological Sciences</i> , 2015 , 36, 585-91 | 3.5 | 168 |
| 66 | Mild Cognitive Impairment in newly diagnosed Parkinson's disease: A longitudinal prospective study. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 1219-26 | 3.6 | 86 |
| 65 | A randomized clinical trial to evaluate the effects of rasagiline on depressive symptoms in non-demented Parkinson's disease patients. <i>European Journal of Neurology</i> , 2015 , 22, 1184-91 | 6 | 57 |
| 64 | Presence and progression of non-motor symptoms in relation to uric acid in de novo Parkinson's disease. <i>European Journal of Neurology</i> , 2015 , 22, 93-8 | 6 | 37 |
| 63 | Cortical thickness in Parkinsonians with impulse control disorders: A comment. <i>Movement Disorders</i> , 2015 , 30, 1293 | 7 | 1 |
| 62 | Relationship between apathy and cognitive dysfunctions in de novo untreated Parkinson's disease: a prospective longitudinal study. <i>European Journal of Neurology</i> , 2015 , 22, 253-60 | 6 | 48 |
| 61 | Nonmotor symptoms in Parkinson's disease: classification and management. <i>Journal of Parkinsonism and Restless Legs Syndrome</i> , 2015 , 1 | | 5 |
| 60 | The relationships between interoception and alexithymic trait. The Self-Awareness Questionnaire in healthy subjects. <i>Frontiers in Psychology</i> , 2015 , 6, 1149 | 3.4 | 58 |
| 59 | Cognitive performances and DAT imaging in early Parkinson's disease with mild cognitive impairment: a preliminary study. <i>Acta Neurologica Scandinavica</i> , 2015 , 131, 275-81 | 3.8 | 31 |
| 58 | Apathy and striatal dopamine transporter levels in de-novo, untreated Parkinson's disease patients. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 489-93 | 3.6 | 78 |
| 57 | Quitting smoking: an early non-motor feature of Parkinson's disease?. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 216-20 | 3.6 | 15 |
| 56 | Do subjective memory complaints herald the onset of mild cognitive impairment in Parkinson disease?. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 276-81 | 3.8 | 43 |

| | | | |
|----|---|-----|----|
| 55 | Insulin-like growth factor-1 predicts cognitive functions at 2-year follow-up in early, drug-naïve Parkinson's disease. <i>European Journal of Neurology</i> , 2014 , 21, 802-7 | 6 | 32 |
| 54 | Validation of an Italian version of the 40-item University of Pennsylvania Smell Identification Test that is physician administered: our experience on one hundred and thirty-eight healthy subjects. <i>Clinical Otolaryngology</i> , 2014 , 39, 53-7 | 1.8 | 7 |
| 53 | Validation of the Italian version of Parkinson's disease-cognitive rating scale (PD-CRS). <i>Neurological Sciences</i> , 2014 , 35, 537-44 | 3.5 | 15 |
| 52 | Gender differences in non-motor symptoms in early Parkinson's disease: a 2-years follow-up study on previously untreated patients. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 850-4 | 3.6 | 43 |
| 51 | Is serum uric acid related to non-motor symptoms in de-novo Parkinson's disease patients?. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 772-5 | 3.6 | 21 |
| 50 | The role of embodied simulation in mental transformation of whole-body images: evidence from Parkinson's disease. <i>Human Movement Science</i> , 2014 , 33, 343-53 | 2.4 | 18 |
| 49 | Apathy in untreated, de novo patients with Parkinson's disease: validation study of Apathy Evaluation Scale. <i>Journal of Neurology</i> , 2014 , 261, 2319-28 | 5.5 | 61 |
| 48 | Affective theory of mind in patients with Parkinson's disease: comment. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 242 | 6.2 | 1 |
| 47 | Apathy in multiple sclerosis: a validation study of the apathy evaluation scale. <i>Journal of the Neurological Sciences</i> , 2014 , 347, 295-300 | 3.2 | 30 |
| 46 | Evolution of mild cognitive impairment in Parkinson disease. <i>Neurology</i> , 2014 , 82, 1384 | 6.5 | |
| 45 | Subthreshold depression and subjective cognitive complaints in Parkinson's disease. <i>European Journal of Neurology</i> , 2014 , 21, 541-4 | 6 | 29 |
| 44 | Validation of the Italian version of the Movement Disorder Society--Unified Parkinson's Disease Rating Scale. <i>Neurological Sciences</i> , 2013 , 34, 683-7 | 3.5 | 85 |
| 43 | Insulin-like growth factor-1 and progression of motor symptoms in early, drug-naïve Parkinson's disease. <i>Journal of Neurology</i> , 2013 , 260, 1724-30 | 5.5 | 34 |
| 42 | Serum epidermal growth factor predicts cognitive functions in early, drug-naïve Parkinson's disease patients. <i>Journal of Neurology</i> , 2013 , 260, 438-44 | 5.5 | 39 |
| 41 | Neuropsychological profile of adult patients with nonsymptomatic occipital lobe epilepsies. <i>Journal of Neurology</i> , 2013 , 260, 445-53 | 5.5 | 10 |
| 40 | Cognitive and affective theory of mind in patients with essential tremor. <i>Journal of Neurology</i> , 2013 , 260, 513-20 | 5.5 | 10 |
| 39 | Gender differences in non-motor symptoms in early, drug naïve Parkinson's disease. <i>Journal of Neurology</i> , 2013 , 260, 2849-55 | 5.5 | 61 |
| 38 | Impulse control disorders and cognitive dysfunctions in patients with Parkinson's disease. <i>Neurological Sciences</i> , 2013 , 34, 2045-6 | 3.5 | 5 |

| | | | |
|----|--|-----|-----|
| 37 | Side of onset does not influence cognition in newly diagnosed untreated Parkinson's disease patients. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 256-9 | 3.6 | 23 |
| 36 | Impulse control disorders induced by rasagiline as adjunctive therapy for Parkinson's disease: report of 2 cases. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 483-4 | 3.6 | 22 |
| 35 | Pathological gambling in Parkinson's disease. A comprehensive review. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 645-53 | 3.6 | 51 |
| 34 | Teaching NeuroImages: pseudo-abnormal DaTscan findings in meningioma-induced parkinsonism. <i>Neurology</i> , 2013 , 80, e147 | 6.5 | 2 |
| 33 | Apathy and Related Executive Syndromes in Dementia Associated with Parkinson's Disease and in Alzheimer's Disease. <i>Behavioural Neurology</i> , 2013 , 27, 515-522 | 3 | 24 |
| 32 | Apathy in Parkinson's Disease: Diagnosis, Neuropsychological Correlates, Pathophysiology and Treatment. <i>Behavioural Neurology</i> , 2013 , 27, 501-513 | 3 | 64 |
| 31 | Compulsive Drumming Induced by Dopamine Agonists in Parkinson's Disease: Another Aspect of Punding. <i>Behavioural Neurology</i> , 2013 , 27, 559-562 | 3 | 2 |
| 30 | Towards a Deeper Comprehension of Relationships among Cognitive, Behavioral and Psychiatric Symptoms in Parkinson's Disease. <i>Behavioural Neurology</i> , 2013 , 27, 463-467 | 3 | 2 |
| 29 | The heterogeneity of early Parkinson's disease: a cluster analysis on newly diagnosed untreated patients. <i>PLoS ONE</i> , 2013 , 8, e70244 | 3.7 | 118 |
| 28 | Apathy and related executive syndromes in dementia associated with Parkinson's disease and in Alzheimer's disease. <i>Behavioural Neurology</i> , 2013 , 27, 515-22 | 3 | 9 |
| 27 | Apathy in Parkinson's disease: diagnosis, neuropsychological correlates, pathophysiology and treatment. <i>Behavioural Neurology</i> , 2013 , 27, 501-13 | 3 | 27 |
| 26 | Hemi-restless legs syndrome induced by clebopride. <i>European Journal of Neurology</i> , 2012 , 19, e59 | 6 | 2 |
| 25 | Neuropsychological correlates of theory of mind in patients with early Parkinson's disease. <i>Movement Disorders</i> , 2012 , 27, 98-105 | 7 | 50 |
| 24 | Default-mode network connectivity in cognitively unimpaired patients with Parkinson disease. <i>Neurology</i> , 2012 , 79, 2226-32 | 6.5 | 229 |
| 23 | Hearing impairment in Parkinson's disease: expanding the nonmotor phenotype. <i>Movement Disorders</i> , 2012 , 27, 1530-5 | 7 | 67 |
| 22 | Gait patterns in Parkinsonian patients with or without mild cognitive impairment. <i>Movement Disorders</i> , 2012 , 27, 1536-43 | 7 | 52 |
| 21 | Link between non-motor symptoms and cognitive dysfunctions in de novo, drug-naive PD patients. <i>Journal of Neurology</i> , 2012 , 259, 1808-13 | 5.5 | 47 |
| 20 | Effect of Global Postural Rehabilitation program on spatiotemporal gait parameters of parkinsonian patients: a three-dimensional motion analysis study. <i>Neurological Sciences</i> , 2012 , 33, 1337-43 | 3.5 | 20 |

| | | | |
|----|--|------|-----|
| 19 | Anxiety is associated with striatal dopamine transporter availability in newly diagnosed untreated Parkinson's disease patients. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 1034-8 | 3.6 | 72 |
| 18 | Frontal assessment battery scores and non-motor symptoms in parkinsonian disorders. <i>Neurological Sciences</i> , 2012 , 33, 585-93 | 3.5 | 15 |
| 17 | Regional gray matter atrophy in patients with Parkinson disease and freezing of gait. <i>American Journal of Neuroradiology</i> , 2012 , 33, 1804-9 | 4.4 | 89 |
| 16 | Drawing with Oblique Coordinates: On a Single Case. <i>Behavioural Neurology</i> , 2011 , 24, 257-262 | 3 | |
| 15 | Differential neuropsychological profiles in parkinsonian patients with or without vascular lesions. <i>Movement Disorders</i> , 2011 , 26, 1363-1364 | 7 | |
| 14 | Impulsivity and compulsivity in drug-naïve patients with Parkinson's disease. <i>Movement Disorders</i> , 2011 , 26, 464-8 | 7 | 115 |
| 13 | Comparative neuropsychological profile of pathological gambling, hypersexuality, and compulsive eating in Parkinson's disease. <i>Movement Disorders</i> , 2011 , 26, 830-6 | 7 | 83 |
| 12 | Vestibular impairment and adaptive postural imbalance in parkinsonian patients with lateral trunk flexion. <i>Movement Disorders</i> , 2011 , 26, 1458-63 | 7 | 59 |
| 11 | Reversible Pisa syndrome in patients with Parkinson's disease on rasagiline therapy. <i>Movement Disorders</i> , 2011 , 26, 2578-80 | 7 | 32 |
| 10 | Mild cognitive impairment in drug-naïve patients with PD is associated with cerebral hypometabolism. <i>Neurology</i> , 2011 , 77, 1357-62 | 6.5 | 68 |
| 9 | Mild cognitive impairment in Parkinson disease: a multicenter pooled analysis. <i>Neurology</i> , 2010 , 75, 1062-9 | 6.5 | 522 |
| 8 | Differential neuropsychological profiles in Parkinsonian patients with or without vascular lesions. <i>Movement Disorders</i> , 2010 , 25, 50-6 | 7 | 27 |
| 7 | Exercise dependence induced by pramipexole in Parkinson's Disease-a case report. <i>Movement Disorders</i> , 2010 , 25, 2893-4 | 7 | 9 |
| 6 | Functional involvement of central cholinergic circuits and visual hallucinations in Parkinson's disease. <i>Brain</i> , 2009 , 132, 2350-5 | 11.2 | 92 |
| 5 | Cognitive dysfunctions and pathological gambling in patients with Parkinson's disease. <i>Movement Disorders</i> , 2009 , 24, 899-905 | 7 | 84 |
| 4 | Relationship between depression and cognitive dysfunctions in Parkinson's disease without dementia. <i>Journal of Neurology</i> , 2009 , 256, 632-8 | 5.5 | 79 |
| 3 | Anhedonia and cognitive impairment in Parkinson's disease: Italian validation of the Snaith-Hamilton Pleasure Scale and its application in the clinical routine practice during the PRIAMO study. <i>Parkinsonism and Related Disorders</i> , 2009 , 15, 576-81 | 3.6 | 39 |
| 2 | A neuropsychological longitudinal study in Parkinson's patients with and without hallucinations. <i>Movement Disorders</i> , 2007 , 22, 2418-25 | 7 | 65 |

- 1 Apathy and depression in amnesic and non-amnesic mild cognitive impairment. *Journal of Clinical and Experimental Neuropsychology*,1-6 2.1 ○