

# Gaelle Fromont

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6094852/publications.pdf>

Version: 2024-02-01

29  
papers

1,037  
citations

623734

14  
h-index

477307

29  
g-index

37  
all docs

37  
docs citations

37  
times ranked

1929  
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Pectoralis major</i> muscle atrophy is associated with mitochondrial energy wasting in cachectic patients with gastrointestinal cancer. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 1837-1849.	7.3	4
2	Impact of Novel Hormonal Agents (Abiraterone, Enzalutamide) on the Development of Visceral and/or Brain Metastases in Patients With Bone-metastatic Castration-resistant Prostate Cancer. <i>Clinical Genitourinary Cancer</i> , 2022, , .	1.9	0
3	Specificities of small cell neuroendocrine prostate cancer: Adverse prognostic value of TTF1 expression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 74.e17-74.e23.	1.6	3
4	Zeb1 and SK3 Channel Are Up-Regulated in Castration-Resistant Prostate Cancer and Promote Neuroendocrine Differentiation. <i>Cancers</i> , 2021, 13, 2947.	3.7	9
5	PXR Modulates the Prostate Cancer Cell Response to Afatinib by Regulating the Expression of the Monocarboxylate Transporter SLC16A1. <i>Cancers</i> , 2021, 13, 3635.	3.7	10
6	Lipophagy and prostate cancer: association with disease aggressiveness and proximity to periprostatic adipose tissue. <i>Journal of Pathology</i> , 2021, 255, 166-176.	4.5	14
7	Tissue cholesterol metabolism and prostate cancer aggressiveness: Ethno-geographic variations. <i>Prostate</i> , 2021, 81, 1365-1373.	2.3	7
8	Potassium and Calcium Channel Complexes as Novel Targets for Cancer Research. <i>Reviews of Physiology, Biochemistry and Pharmacology</i> , 2020, , 157-176.	1.6	6
9	Hypoxia Promotes Prostate Cancer Aggressiveness by Upregulating EMT-Activator Zeb1 and SK3 Channel Expression. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4786.	4.1	19
10	Roles of endogenous ether lipids and associated PUFAs in the regulation of ion channels and their relevance for disease. <i>Journal of Lipid Research</i> , 2020, 61, 840-858.	4.2	17
11	Overexpression of certain transient receptor potential and Orai channels in prostate cancer is associated with decreased risk of systemic recurrence after radical prostatectomy. <i>Prostate</i> , 2019, 79, 1793-1804.	2.3	15
12	Stimulation of murine P2Y11-like purinoreceptor protects against hypoxia/reoxygenation injury and decreases heart graft rejection lesions. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 158, 780-790.e1.	0.8	9
13	Functional Organotypic Cultures of Prostate Tissues. <i>American Journal of Pathology</i> , 2019, 189, 1268-1275.	3.8	11
14	A Novel Calcium-Mediated EMT Pathway Controlled by Lipids: An Opportunity for Prostate Cancer Adjuvant Therapy. <i>Cancers</i> , 2019, 11, 1814.	3.7	27
15	Fatty acid profile in peri-prostatic adipose tissue and prostate cancer aggressiveness in African-Caribbean and Caucasian patients. <i>European Journal of Cancer</i> , 2018, 91, 107-115.	2.8	28
16	Metabolic syndrome and low high-density lipoprotein cholesterol are associated with adverse pathological features in patients with prostate cancer treated by radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 80.e17-80.e24.	1.6	10
17	Comprehensive molecular classification of localized prostate adenocarcinoma reveals a tumour subtype predictive of non-aggressive disease. <i>Annals of Oncology</i> , 2018, 29, 1814-1821.	1.2	35
18	Padeliporfin vascular-targeted photodynamic therapy versus active surveillance in men with low-risk prostate cancer (CLIN1001 PCM301): an open-label, phase 3, randomised controlled trial. <i>Lancet Oncology</i> , 2017, 18, 181-191.	10.7	263

#	ARTICLE	IF	CITATIONS
19	Ductal adenocarcinoma of the prostate: Clinical and biological profiles. <i>Prostate</i> , 2017, 77, 1242-1250.	2.3	26
20	Clinical significance of epithelial-mesenchymal transition markers in prostate cancer. <i>Human Pathology</i> , 2017, 61, 26-32.	2.0	47
21	Expression of store-operated channel components in prostate cancer: the prognostic paradox. <i>Human Pathology</i> , 2016, 49, 77-82.	2.0	21
22	DNA-PKcs Expression Is a Predictor of Biochemical Recurrence After Permanent Iodine 125 Interstitial Brachytherapy for Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016, 95, 965-972.	0.8	11
23	KCa and Ca <sup>2+</sup> channels: The complex thought. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 2322-2333.	4.1	130
24	ERG expression in prostate cancer: The prognostic paradox. <i>Prostate</i> , 2014, 74, 1481-1487.	2.3	35
25	Ductal carcinoma of the prostate shows a different immunophenotype from high grade acinar cancer. <i>Histopathology</i> , 2013, 63, 57-63.	2.9	23
26	Pivotal Role of the Lipid Raft SK3 <sup>Δ</sup> Orai1 Complex in Human Cancer Cell Migration and Bone Metastases. <i>Cancer Research</i> , 2013, 73, 4852-4861.	0.9	160
27	DNA-PKcs Expression Predicts Response to Radiotherapy in Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 1179-1185.	0.8	65
28	BCAR1 expression improves prediction of biochemical recurrence after radical prostatectomy. <i>Prostate</i> , 2012, 72, 1359-1365.	2.3	16
29	Pathologic Reassessment of Prostate Cancer Surgical Specimens Before Molecular Retrospective Studies. <i>Clinical Cancer Research</i> , 2011, 17, 836-840.	7.0	8