

Larry J Seidman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6095652/publications.pdf>

Version: 2024-02-01

191
papers

15,088
citations

34105

52
h-index

20961

115
g-index

195
all docs

195
docs citations

195
times ranked

14600
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterizing sustained social anxiety in individuals at clinical high risk for psychosis: trajectory, risk factors, and functional outcomes. <i>Psychological Medicine</i> , 2023, 53, 3644-3651.	4.5	5
2	Altered working memory-related brain activity in children at familial high risk for psychosis: A preliminary study. <i>Schizophrenia Research</i> , 2022, 240, 186-192.	2.0	3
3	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	27.8	929
4	Computer-aided learning for managing stress: A feasibility trial with clinical high risk adolescents and young adults. <i>Microbial Biotechnology</i> , 2021, 15, 471-479.	1.7	1
5	Incorporating cortisol into the NAPLS2 individualized risk calculator for prediction of psychosis. <i>Schizophrenia Research</i> , 2021, 227, 95-100.	2.0	17
6	Baseline Cortical Thickness Reductions in Clinical High Risk for Psychosis: Brain Regions Associated with Conversion to Psychosis Versus Non-Conversion as Assessed at One-Year Follow-Up in the Shanghai-At-Risk-for-Psychosis (SHARP) Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 562-574.	4.3	25
7	Hyperactivation of Posterior Default Mode Network During Self-Referential Processing in Children at Familial High-Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2021, 12, 613142.	2.6	2
8	Abnormal Function in Dentate Nuclei Precedes the Onset of Psychosis: A Resting-State fMRI Study in High-Risk Individuals. <i>Schizophrenia Bulletin</i> , 2021, 47, 1421-1430.	4.3	12
9	Emotional and stigma-related experiences relative to being told one is at risk for psychosis. <i>Schizophrenia Research</i> , 2021, 238, 44-51.	2.0	12
10	Functional connectome organization predicts conversion to psychosis in clinical high-risk youth from the SHARP program. <i>Molecular Psychiatry</i> , 2020, 25, 2431-2440.	7.9	49
11	P300 as an index of transition to psychosis and of remission: Data from a clinical high risk for psychosis study and review of literature. <i>Schizophrenia Research</i> , 2020, 226, 74-83.	2.0	26
12	Progressive reconfiguration of resting-state brain networks as psychosis develops: Preliminary results from the North American Prodrome Longitudinal Study (NAPLS) consortium. <i>Schizophrenia Research</i> , 2020, 226, 30-37.	2.0	36
13	Maternal Bacterial Infection During Pregnancy and Offspring Risk of Psychotic Disorders: Variation by Severity of Infection and Offspring Sex. <i>American Journal of Psychiatry</i> , 2020, 177, 66-75.	7.2	49
14	Cingulum bundle abnormalities and risk for schizophrenia. <i>Schizophrenia Research</i> , 2020, 215, 385-391.	2.0	19
15	Common Data Elements for National Institute of Mental Health-Funded Translational Early Psychosis Research. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 10-22.	1.5	2
16	Predictive validity of conversion from the clinical high risk syndrome to frank psychosis. <i>Schizophrenia Research</i> , 2020, 216, 184-191.	2.0	22
17	Abnormal Frequency Mismatch Negativity in Early Psychosis Outpatient Subjects. <i>Clinical EEG and Neuroscience</i> , 2020, 51, 207-214.	1.7	1
18	The characteristics of cognitive neuroscience tests in a schizophrenia cognition clinical trial: Psychometric properties and correlations with standard measures. <i>Schizophrenia Research: Cognition</i> , 2020, 19, 100161.	1.3	2

#	ARTICLE	IF	CITATIONS
19	Brain functional connectivity data enhance prediction of clinical outcome in youth at risk for psychosis. <i>NeuroImage: Clinical</i> , 2020, 26, 102108.	2.7	25
20	Altered resting-state functional connectivity in young children at familial high risk for psychotic illness: A preliminary study. <i>Schizophrenia Research</i> , 2020, 216, 496-503.	2.0	19
21	Duration of the psychosis prodrome. <i>Schizophrenia Research</i> , 2020, 216, 443-449.	2.0	16
22	The effects of age and sex on cognitive impairment in schizophrenia: Findings from the Consortium on the Genetics of Schizophrenia (COGS) study. <i>PLoS ONE</i> , 2020, 15, e0232855.	2.5	21
23	O10.2. DEFICIENT VISUAL ODDBALL STIMULUS PROCESSING PREDICTS PSYCHOSIS ONSET: RESULTS FROM THE NORTH AMERICAN PRODROME LONGITUDINAL STUDY. <i>Schizophrenia Bulletin</i> , 2020, 46, S24-S25.	4.3	0
24	Stressor-Cortisol Concordance Among Individuals at Clinical High-Risk for Psychosis: Novel Findings from the NAPLS Cohort. <i>Psychoneuroendocrinology</i> , 2020, 115, 104649.	2.7	21
25	Stability of mismatch negativity event-related potentials in a multisite study. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1819.	2.1	10
26	O5.6. ADVANCED DIFFUSION IMAGING IN PSYCHOSIS RISK: A CROSS-SECTIONAL AND LONGITUDINAL STUDY OF WHITE MATTER DEVELOPMENT. <i>Schizophrenia Bulletin</i> , 2020, 46, S13-S13.	4.3	0
27	Title is missing!. , 2020, 15, e0232855.		0
28	Title is missing!. , 2020, 15, e0232855.		0
29	Title is missing!. , 2020, 15, e0232855.		0
30	Title is missing!. , 2020, 15, e0232855.		0
31	Psychosis screening practices in schools: A survey of school-based mental health providers. <i>Microbial Biotechnology</i> , 2019, 13, 818-822.	1.7	11
32	Association Between P300 Responses to Auditory Oddball Stimuli and Clinical Outcomes in the Psychosis Risk Syndrome. <i>JAMA Psychiatry</i> , 2019, 76, 1187.	11.0	59
33	F61. TRIVIAL TRANSITIONS? SIPS-DEFINED CONVERSIONS TO PSYCHOSIS: ONE YEAR OUTCOME. <i>Schizophrenia Bulletin</i> , 2019, 45, S277-S278.	4.3	0
34	S21. THE IMPACT OF PERSISTENT NEGATIVE SYMPTOMS ON FUNCTIONING AND DEFEATIST BELIEFS IN YOUTH AT CLINICAL HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S313-S313.	4.3	0
35	Metacognition strengthens the association between neurocognition and attenuated psychosis syndrome: Preliminary evidence from a pilot study among treatment-seeking versus healthy adolescents. <i>Schizophrenia Research</i> , 2019, 210, 207-214.	2.0	10
36	Cerebellar-Prefrontal Network Connectivity and Negative Symptoms in Schizophrenia. <i>American Journal of Psychiatry</i> , 2019, 176, 512-520.	7.2	245

#	ARTICLE	IF	CITATIONS
37	Altered Cellular White Matter But Not Extracellular Free Water on Diffusion MRI in Individuals at Clinical High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2019, 176, 820-828.	7.2	28
38	Progressive reduction of auditory evoked gamma in first episode schizophrenia but not clinical high risk individuals. <i>Schizophrenia Research</i> , 2019, 208, 145-152.	2.0	20
39	Clinical Profiles and Conversion Rates Among Young Individuals With Autism Spectrum Disorder Who Present to Clinical High Risk for Psychosis Services. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 582-588.	0.5	38
40	Impact of childhood adversity on corticolimbic volumes in youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2019, 213, 48-55.	2.0	21
41	Impact of "psychosis risk" identification: Examining predictors of how youth view themselves. <i>Schizophrenia Research</i> , 2019, 208, 300-307.	2.0	19
42	Altered Brain Activation During Memory Retrieval Precedes and Predicts Conversion to Psychosis in Individuals at Clinical High Risk. <i>Schizophrenia Bulletin</i> , 2019, 45, 924-933.	4.3	14
43	Neural correlates of cognitive deficits across developmental phases of schizophrenia. <i>Neurobiology of Disease</i> , 2019, 131, 104353.	4.4	35
44	A comparison of neurocognition and functioning in first episode psychosis populations: do research samples reflect the real world?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 291-301.	3.1	12
45	Tobacco use and psychosis risk in persons at clinical high risk. <i>Microbial Biotechnology</i> , 2019, 13, 1173-1181.	1.7	11
46	Association of baseline inflammatory markers and the development of negative symptoms in individuals at clinical high risk for psychosis. <i>Brain, Behavior, and Immunity</i> , 2019, 76, 268-274.	4.1	48
47	Prediction of psychosis in prodrome: development and validation of a simple, personalized risk calculator. <i>Psychological Medicine</i> , 2019, 49, 1990-1998.	4.5	59
48	Changes in symptom content from a clinical high-risk state to conversion to psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 257-263.	1.7	7
49	Basic self-disturbance, neurocognition and metacognition: A pilot study among help-seeking adolescents with and without attenuated psychosis syndrome. <i>Microbial Biotechnology</i> , 2019, 13, 434-442.	1.7	11
50	Toward Leveraging Human Connectomic Data in Large Consortia: Generalizability of fMRI-Based Brain Graphs Across Sites, Sessions, and Paradigms. <i>Cerebral Cortex</i> , 2019, 29, 1263-1279.	2.9	55
51	Utilizing Mutual Information Analysis to Explore the Relationship Between Gray and White Matter Structural Pathologies in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019, 45, 386-395.	4.3	7
52	Lack of Diagnostic Pluripotentiality in Patients at Clinical High Risk for Psychosis: Specificity of Comorbidity Persistence and Search for Pluripotential Subgroups. <i>Schizophrenia Bulletin</i> , 2018, 44, 254-263.	4.3	51
53	Latent class cluster analysis of symptom ratings identifies distinct subgroups within the clinical high risk for psychosis syndrome. <i>Schizophrenia Research</i> , 2018, 197, 522-530.	2.0	22
54	A comparison of conversion rates, clinical profiles and predictors of outcomes in two independent samples of individuals at clinical high risk for psychosis in China. <i>Schizophrenia Research</i> , 2018, 197, 509-515.	2.0	14

#	ARTICLE	IF	CITATIONS
55	F14. REDUCED DURATION MISMATCH NEGATIVITY ASSOCIATED WITH DECREASED GLUTAMATE+GLUTAMINE LEVEL IN SUBJECTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S223-S224.	4.3	0
56	F44. AN ADD-ON TRIAL WITH N-ACETYL-CYSTEINE (NAC) IN EARLY PSYCHOSIS PATIENTS: TOWARDS BIOMARKER GUIDED TREATMENT. <i>Schizophrenia Bulletin</i> , 2018, 44, S236-S236.	4.3	0
57	F32. DIFFERENCES BETWEEN YOUTH AT CLINICAL HIGH-RISK FOR PSYCHOSIS WHO DO NOT TRANSITION TO PSYCHOSIS: THE NORTH AMERICAN PRODROME LONGITUDINAL STUDY (NAPLS-2). <i>Schizophrenia Bulletin</i> , 2018, 44, S231-S231.	4.3	1
58	Treatment Precedes Positive Symptoms in North American Adolescent and Young Adult Clinical High Risk Cohort. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2018, 47, 69-78.	3.4	17
59	Alteration of gray matter microstructure in schizophrenia. <i>Brain Imaging and Behavior</i> , 2018, 12, 54-63.	2.1	16
60	Deficient prepulse inhibition in schizophrenia in a multi-site cohort: Internal replication and extension. <i>Schizophrenia Research</i> , 2018, 198, 6-15.	2.0	52
61	N-acetylcysteine in a Double-Blind Randomized Placebo-Controlled Trial: Toward Biomarker-Guided Treatment in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 317-327.	4.3	121
62	Exploration of clinical high-risk dropouts. <i>Schizophrenia Research</i> , 2018, 195, 579-580.	2.0	15
63	O9.8. STRESS AND COGNITIVE FUNCTION AMONG INDIVIDUALS AT CLINICAL HIGH-RISK FOR PSYCHOSIS: FINDINGS FROM THE NAPLS COHORT. <i>Schizophrenia Bulletin</i> , 2018, 44, S102-S102.	4.3	0
64	O2.8. TRAJECTORIES OF NEUROCOGNITIVE FUNCTIONING OVER TIME IN YOUTH AT CLINICAL HIGH RISK WHO DO AND DO NOT TRANSITION TO PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S78-S78.	4.3	0
65	F43. POTENTIATION OF INHIBITORY NEUROTRANSMISSION IN THE TREATMENT OF RECENT-ONSET SCHIZOPHRENIA BY MODIFICATION OF DEVELOPMENTAL PRUNING OF PREFRONTAL CIRCUITRY. <i>Schizophrenia Bulletin</i> , 2018, 44, S235-S236.	4.3	1
66	O3.2. BRAIN HYPERACTIVATION DURING MEMORY RETRIEVAL PRECEDES AND PREDICTS CONVERSION TO PSYCHOSIS IN INDIVIDUALS AT CLINICAL HIGH RISK. <i>Schizophrenia Bulletin</i> , 2018, 44, S79-S79.	4.3	2
67	O6.4. AUDITORY AND LANGUAGE AREAS DISTINGUISH CONVERTERS FROM NON-CONVERTERS AT BASELINE IN SHARP CLINICAL HIGH-RISK SUBJECTS FOR PSYCHOSIS STUDY. <i>Schizophrenia Bulletin</i> , 2018, 44, S90-S91.	4.3	0
68	S184. MACHINE LEARNING REVEALS DEVIANCE IN NEUROANATOMICAL MATURITY PREDICTIVE OF FUTURE PSYCHOSIS IN YOUTH AT CLINICAL HIGH RISK. <i>Schizophrenia Bulletin</i> , 2018, 44, S396-S397.	4.3	1
69	T201. THE STUDY OF WHITE MATTER MATURATION IN THREE POPULATIONS OF GENETIC HIGH RISK FOR SCHIZOPHRENIA INDIVIDUALS SPANNING THE DEVELOPMENTAL TIMELINE. <i>Schizophrenia Bulletin</i> , 2018, 44, S194-S195.	4.3	0
70	39.1 DNA METHYLATION OF IMMUNE CELLS IN PERSONS AT CLINICAL HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S62-S62.	4.3	0
71	Cerebello-thalamo-cortical hyperconnectivity as a state-independent functional neural signature for psychosis prediction and characterization. <i>Nature Communications</i> , 2018, 9, 3836.	12.8	156
72	T13. PROGRESSIVE SPONTANEOUS AND SYNCHRONY GAMMA-BAND OSCILLATION DEFICITS IN FIRST EPISODE SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S117-S118.	4.3	1

#	ARTICLE	IF	CITATIONS
73	O10.5. ABNORMAL MODULAR ORGANIZATION OF THE FUNCTIONAL CONNECTOME PREDICTS CONVERSION TO PSYCHOSIS IN CLINICAL HIGH-RISK YOUTH. <i>Schizophrenia Bulletin</i> , 2018, 44, S104-S104.	4.3	1
74	S105. VALIDATING THE PREDICTIVE ACCURACY OF THE NAPLS-2 PSYCHOSIS RISK CALCULATOR IN A CLINICAL HIGH-RISK SAMPLE FROM THE SHARP (SHANGHAI AT RISK FOR PSYCHOSIS) PROGRAM. <i>Schizophrenia Bulletin</i> , 2018, 44, S366-S366.	4.3	0
75	F118. ARCHITECTURE OF PSYCHOSIS SYMPTOMS AND NEURAL PREDICTORS OF CONVERSION AMONG CLINICAL HIGH RISK INDIVIDUALS WITH AUTISM SPECTRUM DISORDER. <i>Schizophrenia Bulletin</i> , 2018, 44, S266-S266.	4.3	2
76	The relation of atypical antipsychotic use and stress with weight in individuals at clinical high risk for psychosis. <i>Stress and Health</i> , 2018, 34, 591-600.	2.6	3
77	Age-related trajectories of social cognition in youth at clinical high risk for psychosis: An exploratory study. <i>Schizophrenia Research</i> , 2018, 201, 130-136.	2.0	13
78	33.1 DRIVERS OF STIGMA FOR THE CLINICAL HIGH-RISK STATE FOR PSYCHOSIS—IS STIGMA DUE TO SYMPTOMS OR THE AT-RISK IDENTIFICATION ITSELF?. <i>Schizophrenia Bulletin</i> , 2018, 44, S54-S54.	4.3	0
79	S244. CHARACTERIZING OUTCOMES OF CLINICAL HIGH-RISK NON-CONVERTERS USING GROUP-BASED TRAJECTORY MODELING. <i>Schizophrenia Bulletin</i> , 2018, 44, S422-S422.	4.3	0
80	Assessment of Neurocognitive Functions in 7-Year-Old Children at Familial High Risk for Schizophrenia or Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 844.	11.0	60
81	The Genetics of Endophenotypes of Neurofunction to Understand Schizophrenia (GENUS) consortium: A collaborative cognitive and neuroimaging genetics project. <i>Schizophrenia Research</i> , 2018, 195, 306-317.	2.0	17
82	Subcortical brain volume differences in participants with attention deficit hyperactivity disorder in children and adults: a cross-sectional mega-analysis. <i>Lancet Psychiatry</i> , 2017, 4, 310-319.	7.4	565
83	Ventricular enlargement and progressive reduction of cortical gray matter are linked in prodromal youth who develop psychosis. <i>Schizophrenia Research</i> , 2017, 189, 169-174.	2.0	32
84	The Role of microRNA Expression in Cortical Development During Conversion to Psychosis. <i>Neuropsychopharmacology</i> , 2017, 42, 2188-2195.	5.4	12
85	Multisite reliability of MR-based functional connectivity. <i>NeuroImage</i> , 2017, 146, 959-970.	4.2	140
86	Modeling Deficits From Early Auditory Information Processing to Psychosocial Functioning in Schizophrenia. <i>JAMA Psychiatry</i> , 2017, 74, 37.	11.0	163
87	The interplay of childhood behavior problems and IQ in the development of later schizophrenia and affective psychoses. <i>Schizophrenia Research</i> , 2017, 184, 45-51.	2.0	11
88	Perceptual abnormalities in clinical high risk youth and the role of trauma, cannabis use and anxiety. <i>Psychiatry Research</i> , 2017, 258, 462-468.	3.3	6
89	Suppression of irrelevant sounds during auditory working memory. <i>NeuroImage</i> , 2017, 161, 1-8.	4.2	11
90	Evolving Notions of Schizophrenia as a Developmental Neurocognitive Disorder. <i>Journal of the International Neuropsychological Society</i> , 2017, 23, 881-892.	1.8	66

#	ARTICLE	IF	CITATIONS
91	Adapting cognitive remediation to a group home: A brief report. <i>Asian Journal of Psychiatry</i> , 2017, 25, 184-187.	2.0	4
92	Heritability of Neuropsychological Measures in Schizophrenia and Nonpsychiatric Populations: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2017, 43, 788-800.	4.3	62
93	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	21.4	838
94	N100 Repetition Suppression Indexes Neuroplastic Defects in Clinical High Risk and Psychotic Youth. <i>Neural Plasticity</i> , 2016, 2016, 1-11.	2.2	6
95	Introduction to the JINS Special Issue: Preclinical Prediction. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 951-955.	1.8	0
96	Brain activity and connectivity in response to negative affective stimuli: Impact of dysphoric mood and sex across diagnoses. <i>Human Brain Mapping</i> , 2016, 37, 3733-3744.	3.6	28
97	Auditory Vigilance and Working Memory in Youth at Familial Risk for Schizophrenia or Affective Psychosis in the Harvard Adolescent Family High Risk Study. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 1026-1037.	1.8	10
98	Tractography Analysis of 5 White Matter Bundles and Their Clinical and Cognitive Correlates in Early-Course Schizophrenia. <i>Schizophrenia Bulletin</i> , 2016, 42, 762-771.	4.3	45
99	U.S. Caregivers with Mental Health Problems: Parenting Experiences and Children's Functioning. <i>Archives of Psychiatric Nursing</i> , 2016, 30, 753-760.	1.4	5
100	A New MRI Masking Technique Based on Multi-Atlas Brain Segmentation in Controls and Schizophrenia: A Rapid and Viable Alternative to Manual Masking. <i>Journal of Neuroimaging</i> , 2016, 26, 28-36.	2.0	23
101	The Violent Content in Attenuated Psychotic Symptoms. <i>Psychiatry Research</i> , 2016, 242, 61-66.	3.3	14
102	Genetic assessment of additional endophenotypes from the Consortium on the Genetics of Schizophrenia Family Study. <i>Schizophrenia Research</i> , 2016, 170, 30-40.	2.0	65
103	Evidence for Genetic Overlap Between Schizophrenia and Age at First Birth in Women. <i>JAMA Psychiatry</i> , 2016, 73, 497.	11.0	51
104	Healthy adolescent performance on the MATRICS Consensus Cognitive Battery (MCCB): Developmental data from two samples of volunteers. <i>Schizophrenia Research</i> , 2016, 172, 106-113.	2.0	20
105	Early traumatic experiences, perceived discrimination and conversion to psychosis in those at clinical high risk for psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 497-503.	3.1	60
106	Hyperactivity of caudate, parahippocampal, and prefrontal regions during working memory in never-medicated persons at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2016, 173, 1-12.	2.0	15
107	Racial and Ethnic Differences in Prenatal Life Stress and Postpartum Depression Symptoms. <i>Archives of Psychiatric Nursing</i> , 2016, 30, 7-12.	1.4	57
108	Alterations of lateral temporal cortical gray matter and facial memory as vulnerability indicators for schizophrenia: An MRI study in youth at familial high-risk for schizophrenia. <i>Schizophrenia Research</i> , 2016, 170, 123-129.	2.0	9

#	ARTICLE	IF	CITATIONS
109	Interaction of social role functioning and coping in people with recent-onset attenuated psychotic symptoms: a case study of three Chinese women at clinical high risk for psychosis. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 1647.	2.2	17
110	Neuropsychological Impairment in Prodromal, First-Episode, and Chronic Psychosis: Assessing RBANS Performance. <i>PLoS ONE</i> , 2015, 10, e0125784.	2.5	29
111	Negative symptoms and impaired social functioning predict later psychosis in Latino youth at clinical high risk in the North American prodromal longitudinal studies consortium. <i>Microbial Biotechnology</i> , 2015, 9, 467-475.	1.7	26
112	Attention/vigilance in schizophrenia: Performance results from a large multi-site study of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2015, 163, 38-46.	2.0	62
113	Reduced maternal levels of common viruses during pregnancy predict offspring psychosis: Potential role of enhanced maternal immune activity?. <i>Schizophrenia Research</i> , 2015, 166, 248-254.	2.0	13
114	The impact of premorbid adjustment, neurocognition, and depression on social and role functioning in patients in an early psychosis treatment program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 444-452.	2.3	15
115	Validation of mismatch negativity and P3a for use in multi-site studies of schizophrenia: Characterization of demographic, clinical, cognitive, and functional correlates in COGS-2. <i>Schizophrenia Research</i> , 2015, 163, 63-72.	2.0	154
116	Clinical high risk and first episode schizophrenia: Auditory event-related potentials. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 126-133.	1.8	50
117	California Verbal Learning Test-II performance in schizophrenia as a function of ascertainment strategy: Comparing the first and second phases of the Consortium on the Genetics of Schizophrenia (COGS). <i>Schizophrenia Research</i> , 2015, 163, 32-37.	2.0	12
118	Progressive Reduction of Visual P300 Amplitude in Patients With First-Episode Schizophrenia: An ERP Study. <i>Schizophrenia Bulletin</i> , 2015, 41, 460-470.	4.3	31
119	Verbal working memory in schizophrenia from the Consortium on the Genetics of Schizophrenia (COGS) Study: The moderating role of smoking status and antipsychotic medications. <i>Schizophrenia Research</i> , 2015, 163, 24-31.	2.0	26
120	The utility of P300 as a schizophrenia endophenotype and predictive biomarker: Clinical and socio-demographic modulators in COGS-2. <i>Schizophrenia Research</i> , 2015, 163, 53-62.	2.0	87
121	#Schizophrenia: Use and misuse on Twitter. <i>Schizophrenia Research</i> , 2015, 165, 111-115.	2.0	77
122	Early Childhood IQ Trajectories in Individuals Later Developing Schizophrenia and Affective Psychoses in the New England Family Studies. <i>Schizophrenia Bulletin</i> , 2015, 41, 817-823.	4.3	40
123	Perinatal Risks and Childhood Premorbid Indicators of Later Psychosis: Next Steps for Early Psychosocial Interventions. <i>Schizophrenia Bulletin</i> , 2015, 41, 801-816.	4.3	93
124	Robust differences in antisaccade performance exist between COGS schizophrenia cases and controls regardless of recruitment strategies. <i>Schizophrenia Research</i> , 2015, 163, 47-52.	2.0	16
125	A Phase II study of a histamine H3 receptor antagonist GSK239512 for cognitive impairment in stable schizophrenia subjects on antipsychotic therapy. <i>Schizophrenia Research</i> , 2015, 164, 136-142.	2.0	59
126	New Targets for Prevention of Schizophrenia: Is It Time for Interventions in the Premorbid Phase?. <i>Schizophrenia Bulletin</i> , 2015, 41, 795-800.	4.3	56

#	ARTICLE	IF	CITATIONS
127	Reliability of an fMRI paradigm for emotional processing in a multisite longitudinal study. <i>Human Brain Mapping</i> , 2015, 36, 2558-2579.	3.6	63
128	Sex differences, hormones, and fMRI stress response circuitry deficits in psychoses. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 226-236.	1.8	32
129	Association of Thalamic Dysconnectivity and Conversion to Psychosis in Youth and Young Adults at Elevated Clinical Risk. <i>JAMA Psychiatry</i> , 2015, 72, 882.	11.0	284
130	Specificity of Incident Diagnostic Outcomes in Patients at Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1066-1075.	4.3	71
131	Severity of thought disorder predicts psychosis in persons at clinical high-risk. <i>Schizophrenia Research</i> , 2015, 169, 169-177.	2.0	43
132	Abnormal white matter connections between medial frontal regions predict symptoms in patients with first episode schizophrenia. <i>Cortex</i> , 2015, 71, 264-276.	2.4	20
133	Anterior commissural white matter fiber abnormalities in first-episode psychosis: A tractography study. <i>Schizophrenia Research</i> , 2015, 162, 29-34.	2.0	31
134	Early auditory processing evoked potentials (N100) show a continuum of blunting from clinical high risk to psychosis in a pediatric sample. <i>Schizophrenia Research</i> , 2015, 169, 340-345.	2.0	20
135	Progressive Reduction in Cortical Thickness as Psychosis Develops: A Multisite Longitudinal Neuroimaging Study of Youth at Elevated Clinical Risk. <i>Biological Psychiatry</i> , 2015, 77, 147-157.	1.3	516
136	Toward Defining the Neural Substrates of ADHD. <i>Journal of Attention Disorders</i> , 2015, 19, 944-953.	2.6	41
137	Early Intermodal Integration in Offspring of Parents With Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 992-1000.	4.3	20
138	Comparison of the Heritability of Schizophrenia and Endophenotypes in the COGS-1 Family Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 1404-1411.	4.3	34
139	Reducing the duration of untreated psychosis and its impact in the U.S.: the STEP-ED study. <i>BMC Psychiatry</i> , 2014, 14, 335.	2.6	74
140	Reliability of neuroanatomical measurements in a multisite longitudinal study of youth at risk for psychosis. <i>Human Brain Mapping</i> , 2014, 35, 2424-2434.	3.6	76
141	Medial Temporal Lobe Structures and Hippocampal Subfields in Psychotic Disorders. <i>JAMA Psychiatry</i> , 2014, 71, 769.	11.0	167
142	Deficient prepulse inhibition in schizophrenia detected by the multi-site COGS. <i>Schizophrenia Research</i> , 2014, 152, 503-512.	2.0	91
143	Schizophrenia and co-occurring substance use disorder: Reward, olfaction and clozapine. <i>Schizophrenia Research</i> , 2014, 155, 45-51.	2.0	16
144	Functional development in clinical high risk youth: Prediction of schizophrenia versus other psychotic disorders. <i>Psychiatry Research</i> , 2014, 215, 52-60.	3.3	18

#	ARTICLE	IF	CITATIONS
145	Self-disturbances as a possible premorbid indicator of schizophrenia risk: A neurodevelopmental perspective. <i>Schizophrenia Research</i> , 2014, 152, 73-80.	2.0	68
146	White Matter Microstructure in Individuals at Clinical High Risk of Psychosis: A Whole-Brain Diffusion Tensor Imaging Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 895-903.	4.3	97
147	Medial temporal lobe default mode functioning and hippocampal structure as vulnerability indicators for schizophrenia: A MRI study of non-psychotic adolescent first-degree relatives. <i>Schizophrenia Research</i> , 2014, 159, 426-434.	2.0	25
148	Cingulum bundle diffusivity and delusions of reference in first episode and chronic schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014, 224, 124-132.	1.8	20
149	Is Prophylactic Psychiatry around the Corner? Combating Adolescent Oxidative Stress for Adult Psychosis and Schizophrenia. <i>Neuron</i> , 2014, 83, 991-993.	8.1	28
150	A pilot study of cognitive training in clinical high risk for psychosis: Initial evidence of cognitive benefit. <i>Schizophrenia Research</i> , 2014, 157, 314-316.	2.0	76
151	Neural responses during social reflection in relatives of schizophrenia patients: Relationship to subclinical delusions. <i>Schizophrenia Research</i> , 2014, 157, 292-298.	2.0	12
152	Neuropsychologically Informed Strategic Psychotherapy in Teenagers and Adults with ADHD. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2014, 23, 843-852.	1.9	3
153	Current status specifiers for patients at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 158, 69-75.	2.0	45
154	The content of attenuated psychotic symptoms in those at clinical high risk for psychosis. <i>Psychiatry Research</i> , 2014, 219, 506-512.	3.3	19
155	Genetic liability, prenatal health, stress and family environment: Risk factors in the Harvard Adolescent Family High Risk for Schizophrenia Study. <i>Schizophrenia Research</i> , 2014, 157, 142-148.	2.0	42
156	Stigma and mental illness. <i>Asian Journal of Psychiatry</i> , 2014, 9, 1-2.	2.0	1
157	Impaired facilitation of self-control cognition by glucose in patients with schizophrenia: A randomized controlled study. <i>Schizophrenia Research</i> , 2014, 156, 38-45.	2.0	9
158	Reliability of functional magnetic resonance imaging activation during working memory in a multi-site study: Analysis from the North American Prodrome Longitudinal Study. <i>NeuroImage</i> , 2014, 97, 41-52.	4.2	48
159	Prodromal psychosis detection in a counseling center population in China: An epidemiological and clinical study. <i>Schizophrenia Research</i> , 2014, 152, 391-399.	2.0	104
160	Frequency and pattern of childhood symptom onset reported by first episode schizophrenia and clinical high risk youth. <i>Schizophrenia Research</i> , 2014, 158, 45-51.	2.0	26
161	Mentalization-based treatment for psychosis: linking an attachment-based model to the psychotherapy for impaired mental state understanding in people with psychotic disorders. <i>Israel Journal of Psychiatry</i> , 2014, 51, 17-24.	0.2	11
162	Metacognition in non-psychotic help-seeking adolescents: associations with prodromal symptoms, distress and psychosocial deterioration. <i>Israel Journal of Psychiatry</i> , 2014, 51, 34-43.	0.2	4

#	ARTICLE	IF	CITATIONS
163	Early traumatic experiences in those at clinical high risk for psychosis. <i>Microbial Biotechnology</i> , 2013, 7, 300-305.	1.7	95
164	Prevention and Recovery in Early Psychosis (PREPÂ®): Building a public-academic partnership program in Massachusetts, United States. <i>Asian Journal of Psychiatry</i> , 2013, 6, 171-177.	2.0	23
165	Between-site reliability of startle prepulse inhibition across two early psychosis consortia. <i>NeuroReport</i> , 2013, 24, 626-630.	1.2	6
166	Auditory working memory impairments in individuals at familial high risk for schizophrenia.. <i>Neuropsychology</i> , 2012, 26, 288-303.	1.3	32
167	North American Prodrome Longitudinal Study (NAPLS 2): Overview and recruitment. <i>Schizophrenia Research</i> , 2012, 142, 77-82.	2.0	235
168	Gray Matter Alterations in Adults with Attention-Deficit/Hyperactivity Disorder Identified by Voxel Based Morphometry. <i>Biological Psychiatry</i> , 2011, 69, 857-866.	1.3	137
169	Neuropsychology of the Prodrome to Psychosis in the NAPLS Consortium<sub>title>Relationship to Family History and Conversion to Psychosis</sub><alt-title>Neuropsychology of Prodrome to Psychosis</alt-title>. <i>Archives of General Psychiatry</i> , 2010, 67, 578.	12.3	390
170	Neurocognition in first-episode schizophrenia: A meta-analytic review.. <i>Neuropsychology</i> , 2009, 23, 315-336.	1.3	960
171	The MATRICS Consensus Cognitive Battery, Part 1: Test Selection, Reliability, and Validity. <i>American Journal of Psychiatry</i> , 2008, 165, 203-213.	7.2	1,863
172	The MATRICS Consensus Cognitive Battery, Part 2: Co-Norming and Standardization. <i>American Journal of Psychiatry</i> , 2008, 165, 214-220.	7.2	593
173	North American Prodrome Longitudinal Study: A Collaborative Multisite Approach to Prodromal Schizophrenia Research. <i>Schizophrenia Bulletin</i> , 2007, 33, 665-672.	4.3	258
174	Auditory verbal working memory load and thalamic activation in nonpsychotic relatives of persons with schizophrenia: An fMRI replication.. <i>Neuropsychology</i> , 2007, 21, 599-610.	1.3	19
175	Dorsolateral Prefrontal and Anterior Cingulate Cortex Volumetric Abnormalities in Adults with Attention-Deficit/Hyperactivity Disorder Identified by Magnetic Resonance Imaging. <i>Biological Psychiatry</i> , 2006, 60, 1071-1080.	1.3	319
176	Altered brain activation in dorsolateral prefrontal cortex in adolescents and young adults at genetic risk for schizophrenia: An fMRI study of working memory. <i>Schizophrenia Research</i> , 2006, 85, 58-72.	2.0	120
177	Neuropsychological functioning in girls with attention-deficit/hyperactivity disorder with and without learning disabilities.. <i>Neuropsychology</i> , 2006, 20, 166-177.	1.3	48
178	Intellectual Decline in Schizophrenia: Evidence from a Prospective Birth Cohort 28 Year Follow-up Study. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006, 28, 225-242.	1.3	108
179	Neuropsychological Functioning in Adolescents and Young Adults at Genetic Risk for Schizophrenia and Affective Psychoses: Results from the Harvard and Hillside Adolescent High Risk Studies. <i>Schizophrenia Bulletin</i> , 2005, 32, 507-524.	4.3	124
180	Impact of Gender and Age on Executive Functioning: Do Girls and Boys With and Without Attention Deficit Hyperactivity Disorder Differ Neuropsychologically in Preteen and Teenage Years?. <i>Developmental Neuropsychology</i> , 2005, 27, 79-105.	1.4	133

#	ARTICLE	IF	CITATIONS
181	Structural Brain Imaging of Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2005, 57, 1263-1272.	1.3	593
182	Neuropsychological function in adults with attention-deficit/hyperactivity disorder. <i>Psychiatric Clinics of North America</i> , 2004, 27, 261-282.	1.3	81
183	Brain function and structure in adults with attention-deficit/hyperactivity disorder. <i>Psychiatric Clinics of North America</i> , 2004, 27, 323-347.	1.3	87
184	Organizational and Visual Memory Deficits in Schizophrenia and Bipolar Psychoses Using the Rey-Osterrieth Complex Figure: Effects of Duration of Illness. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003, 25, 949-964.	1.3	56
185	A Review and New Report of Medial Temporal Lobe Dysfunction as a Vulnerability Indicator for Schizophrenia: A Magnetic Resonance Imaging Morphometric Family Study of the Parahippocampal Gyrus. <i>Schizophrenia Bulletin</i> , 2003, 29, 803-830.	4.3	128
186	Neuropsychological functioning in nonreferred siblings of children with attention deficit/hyperactivity disorder.. <i>Journal of Abnormal Psychology</i> , 2000, 109, 252-265.	1.9	91
187	Maternal Recall of Pregnancy History: Accuracy and Bias in Schizophrenia Research. <i>Schizophrenia Bulletin</i> , 2000, 26, 335-350.	4.3	70
188	Comparative effects of schizophrenia and temporal lobe epilepsy on memory. <i>Journal of the International Neuropsychological Society</i> , 1998, 4, 342-352.	1.8	46
189	Toward defining a neuropsychology of attention deficit-hyperactivity disorder: Performance of children and adolescents from a large clinically referred sample.. <i>Journal of Consulting and Clinical Psychology</i> , 1997, 65, 150-160.	2.0	313
190	Reduced subcortical brain volumes in nonpsychotic siblings of schizophrenic patients: A pilot magnetic resonance imaging study. , 1997, 74, 507-514.		118
191	Neuropsychological Assessment and Neurophysiological Evaluation. , 0, , 556-569.		2