

Francesca Maestrelli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6096030/francesca-maestrelli-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98 papers	3,388 citations	37 h-index	53 g-index
100 ext. papers	3,750 ext. citations	5.2 avg, IF	5.22 L-index

#	Paper	IF	Citations
98	Role of Cyclodextrins and Drug Solid State Properties on Flufenamic Acid Dissolution Performance from Tablets.. <i>Pharmaceutics</i> , 2022 , 14,	6.4	1
97	Multiple Roles of Chitosan in Mucosal Drug Delivery: An Updated Review. <i>Marine Drugs</i> , 2022 , 20, 335	6	3
96	Curcumin-in-Cyclodextrins-in-Liposomes: An Alternative for Osteoarthritis Treatment. <i>Proceedings (mdpi)</i> , 2021 , 78, 52	0.3	
95	Evaluation and Comparison of Solid Lipid Nanoparticles (SLNs) and Nanostructured Lipid Carriers (NLCs) as Vectors to Develop Hydrochlorothiazide Effective and Safe Pediatric Oral Liquid Formulations. <i>Pharmaceutics</i> , 2021 , 13,	6.4	13
94	Development and microbiological evaluation of chitosan and chitosan-alginate microspheres for vaginal administration of metronidazole. <i>International Journal of Pharmaceutics</i> , 2021 , 598, 120375	6.5	10
93	Cyclodextrin Inclusion Complexes of Auranofin and Its Iodido Analog: A Chemical and Biological Study. <i>Pharmaceutics</i> , 2021 , 13,	6.4	3
92	Improvement of Butamben Anesthetic Efficacy by the Development of Deformable Liposomes Bearing the Drug as Cyclodextrin Complex. <i>Pharmaceutics</i> , 2021 , 13,	6.4	3
91	Development of a Cyclodextrin-Based Mucoadhesive-Thermosensitive In Situ Gel for Clonazepam Intranasal Delivery. <i>Pharmaceutics</i> , 2021 , 13,	6.4	7
90	Nanoencapsulation of propolis extract by sodium caseinate-maltodextrin complexes. <i>Food and Bioprocess Processing</i> , 2021 , 128, 177-185	4.9	5
89	Dual Carbonic Anhydrase IX/XII Inhibitors and Carbon Monoxide Releasing Molecules Modulate LPS-Mediated Inflammation in Mouse Macrophages. <i>Antioxidants</i> , 2021 , 10,	7.1	11
88	Preparation, Characterization and Evaluation of the Anti-Inflammatory Activity of Epichlorohydrin-βCyclodextrin/Curcumin Binary Systems Embedded in a Pluronic/Hyaluronate Hydrogel.. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
87	Tablets of "Hydrochlorothiazide in Cyclodextrin in Nanoclay": A New Nanohybrid System with Enhanced Dissolution Properties. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
86	βSitosterol Loaded Nanostructured Lipid Carrier: Physical and Oxidative Stability, In Vitro Simulated Digestion and Hypocholesterolemic Activity. <i>Pharmaceutics</i> , 2020 , 12,	6.4	7
85	The role of solid state properties on the dissolution performance of flufenamic acid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 180, 113058	3.5	6
84	Development of a stable oral pediatric solution of hydrochlorothiazide by the combined use of cyclodextrins and hydrophilic polymers. <i>International Journal of Pharmaceutics</i> , 2020 , 587, 119692	6.5	2
83	Characterization and evaluation of different mesoporous silica kinds as carriers for the development of effective oral dosage forms of glibenclamide. <i>International Journal of Pharmaceutics</i> , 2019 , 563, 43-52	6.5	14
82	Niosomal Formulation of a Lipoyl-Carnosine Derivative Targeting TRPA1 Channels in Brain. <i>Pharmaceutics</i> , 2019 , 11,	6.4	2

81	β-sterol Lipid Nano Carrier Based on Propolis Wax and Pomegranate Seed Oil: Effect of Thermal Processing, pH, and Ionic Strength on Stability and Structure. <i>European Journal of Lipid Science and Technology</i> , 2019 , 121, 1800347	3	8
80	Propolis wax nanostructured lipid carrier for delivery of β-sterol: Effect of formulation variables on physicochemical properties. <i>Food Chemistry</i> , 2018 , 260, 97-105	8.5	39
79	Characterization and microbiological evaluation of chitosan-alginate microspheres for cefixime vaginal administration. <i>Carbohydrate Polymers</i> , 2018 , 192, 176-183	10.3	20
78	A preliminary study for the development and optimization by experimental design of an in vitro method for prediction of drug buccal absorption. <i>International Journal of Pharmaceutics</i> , 2018 , 547, 530-536	6.5	6
77	Design, characterization and in vivo evaluation of nanostructured lipid carriers (NLC) as a new drug delivery system for hydrochlorothiazide oral administration in pediatric therapy. <i>Drug Delivery</i> , 2018 , 25, 1910-1921	7	51
76	Novel Findings about Double-Loaded Curcumin-in-HPβ-cyclodextrin-in Liposomes: Effects on the Lipid Bilayer and Drug Release. <i>Pharmaceutics</i> , 2018 , 10,	6.4	24
75	Combined Approach of Cyclodextrin Complexation and Nanostructured Lipid Carriers for the Development of a Pediatric Liquid Oral Dosage Form of Hydrochlorothiazide. <i>Pharmaceutics</i> , 2018 , 10,	6.4	13
74	Development and in vivo evaluation of an innovative "Hydrochlorothiazide-in Cyclodextrins-in Solid Lipid Nanoparticles" formulation with sustained release and enhanced oral bioavailability for potential hypertension treatment in pediatrics. <i>International Journal of Pharmaceutics</i> , 2017 , 521, 73-83	6.5	30
73	Development and characterization of fast dissolving tablets of oxaprozin based on hybrid systems of the drug with cyclodextrins and nanoclays. <i>International Journal of Pharmaceutics</i> , 2017 , 531, 640-649	6.5	8
72	Calcium alginate microspheres containing metformin hydrochloride niosomes and chitosomes aimed for oral therapy of type 2 diabetes mellitus. <i>International Journal of Pharmaceutics</i> , 2017 , 530, 430-439	6.5	29
71	Advanced formulations for improving therapies with anti-inflammatory or anaesthetic drugs: A review. <i>Journal of Drug Delivery Science and Technology</i> , 2016 , 32, 192-205	4.5	14
70	Analysis of physicochemical properties of ternary systems of oxaprozin with randomly methylated-β-cyclodextrin and L-arginine aimed to improve the drug solubility. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 129, 350-358	3.5	25
69	Comparison of liposomal and NLC (nanostructured lipid carrier) formulations for improving the transdermal delivery of oxaprozin: Effect of cyclodextrin complexation. <i>International Journal of Pharmaceutics</i> , 2016 , 515, 684-691	6.5	37
68	Hybrid systems based on "drug - in cyclodextrin - in nanoclays" for improving oxaprozin dissolution properties. <i>International Journal of Pharmaceutics</i> , 2016 , 509, 8-15	6.5	26
67	Development of solid lipid nanoparticles as carriers for improving oral bioavailability of glibenclamide. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2016 , 102, 41-50	5.7	60
66	Development of cyclodextrin hydrogels for vaginal delivery of dehydroepiandrosterone. <i>Journal of Pharmacy and Pharmacology</i> , 2016 , 68, 762-771	4.8	10
65	Polymeric mucoadhesive tablets for topical or systemic buccal delivery of clonazepam: Effect of cyclodextrin complexation. <i>Carbohydrate Polymers</i> , 2016 , 152, 755-763	10.3	26
64	Combined use of bile acids and aminoacids to improve permeation properties of acyclovir. <i>International Journal of Pharmaceutics</i> , 2015 , 490, 351-9	6.5	6

63	Comparative evaluation of polymeric and waxy microspheres for combined colon delivery of ascorbic acid and ketoprofen. <i>International Journal of Pharmaceutics</i> , 2015 , 485, 365-73	6.5	26
62	Physico-chemical characterization in solution and in the solid state of clonazepam complexes with native and chemically-modified cyclodextrins. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 89, 142-9	3.5	35
61	Development of liposomal and microemulsion formulations for transdermal delivery of clonazepam: effect of randomly methylated β -cyclodextrin. <i>International Journal of Pharmaceutics</i> , 2014 , 475, 306-14	6.5	34
60	Native and polymeric β -cyclodextrins in performance improvement of chitosan films aimed for buccal delivery of poorly soluble drugs. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2012 , 74, 87-97		21
59	Comparative study of liposomes, transfersomes and ethosomes as carriers for improving topical delivery of celecoxib. <i>Drug Delivery</i> , 2012 , 19, 354-61	7	86
58	Development of low methoxy amidated pectin-based mucoadhesive patches for buccal delivery of triclosan: effect of cyclodextrin complexation. <i>Carbohydrate Polymers</i> , 2012 , 90, 1794-803	10.3	23
57	Influence of cross-linking agent type and chitosan content on the performance of pectinate-chitosan beads aimed for colon-specific drug delivery. <i>Drug Development and Industrial Pharmacy</i> , 2012 , 38, 1142-51	3.6	24
56	Improvement of oxaprozin solubility and permeability by the combined use of cyclodextrin, chitosan, and bile components. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2011 , 78, 385-93	5.7	40
55	Analysis of triclosan inclusion complexes with β -cyclodextrin and its water-soluble polymeric derivative. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 1030-9	3.5	63
54	Development of a new delivery system consisting in drug-in cyclodextrin-in PLGA nanoparticlesV <i>Journal of Microencapsulation</i> , 2010 , 27, 479-86	3.4	18
53	Liposomal formulations of prilocaine: effect of complexation with hydroxypropyl- β -cyclodextrin on drug anesthetic efficacy. <i>Journal of Liposome Research</i> , 2010 , 20, 315-22	6.1	33
52	New "drug-in cyclodextrin-in deformable liposomes" formulations to improve the therapeutic efficacy of local anaesthetics. <i>International Journal of Pharmaceutics</i> , 2010 , 395, 222-31	6.5	71
51	Physical chemical characterization of binary systems of prilocaine hydrochloride with triacetyl- β -cyclodextrin. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2010 , 68, 437-445		21
50	Development of mucoadhesive films for buccal administration of flufenamic acid: Effect of cyclodextrin complexation. <i>Journal of Pharmaceutical Sciences</i> , 2010 , 99, 3019-29	3.9	42
49	Preparation and solid-state characterization of bupivacaine hydrochloride cyclodextrin complexes aimed for buccal delivery. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 52, 9-18	3.5	53
48	Phase solubility, ^1H NMR and molecular modelling studies of bupivacaine hydrochloride complexation with different cyclodextrin derivates. <i>Chemical Physics Letters</i> , 2010 , 500, 347-354	2.5	20
47	Influence of the preparation method on the physical-chemical properties of ketoprofen-cyclodextrin-phosphatidylcholine ternary systems. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 690-4	3.5	28
46	Comparative study of oxaprozin complexation with natural and chemically-modified cyclodextrins in solution and in the solid state. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2009 , 63, 17-25		33

45	Physical-chemical characterization of binary and ternary systems of ketoprofen with cyclodextrins and phospholipids. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 683-9	3.5	18
44	Effect of preparation technique on the properties and in vivo efficacy of benzocaine-loaded ethosomes. <i>Journal of Liposome Research</i> , 2009 , 19, 253-60	6.1	56
43	Development of glyburide fast-dissolving tablets based on the combined use of cyclodextrins and polymers. <i>Drug Development and Industrial Pharmacy</i> , 2009 , 35, 73-82	3.6	20
42	Microspheres for colonic delivery of ketoprofen-hydroxypropyl-beta-cyclodextrin complex. <i>European Journal of Pharmaceutical Sciences</i> , 2008 , 34, 1-11	5.1	51
41	Response surface methodology in the optimization of chitosan-Ca pectinate bead formulations. <i>European Journal of Pharmaceutical Sciences</i> , 2008 , 35, 318-25	5.1	29
40	Sustained-release matrix tablets of metformin hydrochloride in combination with triacetyl-beta-cyclodextrin. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008 , 68, 303-9	5.7	77
39	Development of enteric-coated calcium pectinate microspheres intended for colonic drug delivery. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008 , 69, 508-18	5.7	80
38	Optimization of formulation variables of benzocaine liposomes using experimental design. <i>Journal of Liposome Research</i> , 2008 , 18, 113-25	6.1	23
37	Dissolution and permeation properties of naproxen from solid-state systems with chitosan. <i>Drug Delivery</i> , 2008 , 15, 303-12	7	16
36	Physical-chemical characterization of binary systems of metformin hydrochloride with triacetyl-beta-cyclodextrin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 480-6	3.5	38
35	The influence of chitosan on cyclodextrin complexing and solubilizing abilities towards drugs. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2007 , 59, 307-313		16
34	Evaluation of supercritical fluid technology as preparative technique of benzocaine-cyclodextrin complexes--comparison with conventional methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 566-74	3.5	40
33	Development, characterization and in vivo evaluation of benzocaine-loaded liposomes. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007 , 67, 86-95	5.7	116
32	Fast-dissolving tablets of glyburide based on ternary solid dispersions with PEG 6000 and surfactants. <i>Drug Delivery</i> , 2007 , 14, 247-55	7	22
31	Development and evaluation of an in vitro method for prediction of human drug absorption I. Assessment of artificial membrane composition. <i>European Journal of Pharmaceutical Sciences</i> , 2006 , 27, 346-53	5.1	32
30	Development and evaluation of an in vitro method for prediction of human drug absorption II. Demonstration of the method suitability. <i>European Journal of Pharmaceutical Sciences</i> , 2006 , 27, 354-62	5.1	77
29	Study of formulation variables influencing the drug release rate from matrix tablets by experimental design. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2006 , 62, 77-84	5.7	45
28	Influence of cyclodextrins and chitosan, separately or in combination, on glyburide solubility and permeability. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2006 , 62, 241-6	5.7	41

27	A new drug nanocarrier consisting of chitosan and hydroxypropylcyclodextrin. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2006 , 63, 79-86	5.7	103
26	Effect of preparation technique on the properties of liposomes encapsulating ketoprofen-cyclodextrin complexes aimed for transdermal delivery. <i>International Journal of Pharmaceutics</i> , 2006 , 312, 53-60	6.5	117
25	Simultaneous effect of cyclodextrin complexation, pH, and hydrophilic polymers on naproxen solubilization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 42, 126-31	3.5	52
24	Solid-state characterization and dissolution properties of naproxen-arginine-hydroxypropyl-beta-cyclodextrin ternary system. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2005 , 59, 99-106	5.7	74
23	Influence of formulation and process variables on in vitro release of theophylline from directly-compressed Eudragit matrix tablets. <i>Il Farmaco</i> , 2005 , 60, 913-8		50
22	Characterization and dissolution properties of ketoprofen in binary and ternary solid dispersions with polyethylene glycol and surfactants. <i>Drug Development and Industrial Pharmacy</i> , 2005 , 31, 425-34	3.6	41
21	Interaction of naproxen with ionic cyclodextrins in aqueous solution and in the solid state. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 37, 987-94	3.5	37
20	Determination of stability constant values of flurbiprofen-cyclodextrin complexes using different techniques. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 37, 995-1002	3.5	39
19	Optimization of glibenclamide tablet composition through the combined use of differential scanning calorimetry and D-optimal mixture experimental design. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 37, 65-71	3.5	42
18	Preparation and characterisation of liposomes encapsulating ketoprofen-cyclodextrin complexes for transdermal drug delivery. <i>International Journal of Pharmaceutics</i> , 2005 , 298, 55-67	6.5	154
17	Development of fast-dissolving tablets of flurbiprofen-cyclodextrin complexes. <i>Drug Development and Industrial Pharmacy</i> , 2005 , 31, 697-707	3.6	36
16	Solid-state characterization of glyburide-cyclodextrin co-ground products. <i>Journal of Thermal Analysis and Calorimetry</i> , 2004 , 77, 413-422	4.1	19
15	Photostability studies on nicardipine-cyclodextrin complexes by capillary electrophoresis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 35, 267-75	3.5	24
14	Influence of chitosan and its glutamate and hydrochloride salts on naproxen dissolution rate and permeation across Caco-2 cells. <i>International Journal of Pharmaceutics</i> , 2004 , 271, 257-67	6.5	54
13	Formulation and characterization of triclosan sub-micron emulsions and nanocapsules. <i>Journal of Microencapsulation</i> , 2004 , 21, 857-64	3.4	31
12	Comparison of the effect of chitosan and polyvinylpyrrolidone on dissolution properties and analgesic effect of naproxen. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2004 , 57, 93-9	5.7	49
11	Development and evaluation of glyburide fast dissolving tablets using solid dispersion technique. <i>Drug Development and Industrial Pharmacy</i> , 2004 , 30, 525-34	3.6	63
10	Development and characterization of naproxen-chitosan solid systems with improved drug dissolution properties. <i>European Journal of Pharmaceutical Sciences</i> , 2003 , 19, 67-75	5.1	71

9	In vitro release of sodium diclofenac from a central core matrix tablet aimed for colonic drug delivery. <i>European Journal of Pharmaceutical Sciences</i> , 2003 , 20, 125-31	5.1	35
8	New docking CFF91 parameters specific for cyclodextrin inclusion complexes. <i>Chemical Physics Letters</i> , 2003 , 370, 280-292	2.5	11
7	Optimization of dissolution test precision for a ketoprofen oral extended-release product. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2003 , 32, 159-65	3.5	29
6	Ternary systems of naproxen with hydroxypropyl-beta-cyclodextrin and aminoacids. <i>International Journal of Pharmaceutics</i> , 2003 , 260, 293-302	6.5	95
5	Development of enteric-coated pectin-based matrix tablets for colonic delivery of theophylline. <i>Journal of Drug Targeting</i> , 2003 , 11, 365-71	5.4	46
4	Cyclodextrin complexes of sulfonamide carbonic anhydrase inhibitors as long-lasting topically acting antiglaucoma agents. <i>Journal of Pharmaceutical Sciences</i> , 2002 , 91, 2211-9	3.9	13
3	Characterization of physicochemical properties of naproxen systems with amorphous beta-cyclodextrin-epichlorohydrin polymers. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2002 , 29, 1015-24	3.5	72
2	Comparative study of ibuprofen complexation with amorphous beta-cyclodextrin derivatives in solution and in the solid state. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2002 , 54, 181-91	5.7	30
1	Effect of preparation technique on the properties and in vivo efficacy of benzocaine-loaded ethosomes. <i>Journal of Liposome Research</i> , 1-8	6.1	6