
Raisa S Pompe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6097756/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Persistent Prostate-Specific Antigen After Radical Prostatectomy and Its Impact on Oncologic Outcomes. European Urology, 2019, 76, 106-114.	0.9	77
2	External Validation of the European Association of Urology Biochemical Recurrence Risk Groups to Predict Metastasis and Mortality After Radical Prostatectomy in a European Cohort. European Urology, 2019, 75, 896-900.	0.9	74
3	Functional Outcomes and Quality of Life After Radical Prostatectomy Only Versus a Combination of Prostatectomy with Radiation and Hormonal Therapy. European Urology, 2017, 71, 330-336.	0.9	57
4	Postoperative complications of contemporary open and robotâ€assisted laparoscopic radical prostatectomy using standardised reporting systems. BJU International, 2018, 122, 801-807.	1.3	52
5	Short- and Long-term Functional Outcomes and Quality of Life after Radical Prostatectomy: Patient-reported Outcomes from a Tertiary High-volume Center. European Urology Focus, 2017, 3, 615-620.	1.6	44
6	Extent of lymph node dissection improves survival in prostate cancer patients treated with radical prostatectomy without lymph node invasion. Prostate, 2018, 78, 469-475.	1.2	40
7	Impact of positive surgical margin length and Gleason grade at the margin on biochemical recurrence in patients with organâ€confined prostate cancer. Prostate, 2019, 79, 1832-1836.	1.2	38
8	Local treatment for metastatic prostate cancer: A systematic review. International Journal of Urology, 2018, 25, 390-403.	0.5	37
9	Improved cancer-specific free survival and overall free survival in contemporary metastatic prostate cancer patients: a population-based study. International Urology and Nephrology, 2018, 50, 71-78.	0.6	37
10	Oncologic and Functional Outcomes after Radical Prostatectomy for High or Very High Risk Prostate Cancer: European Validation of the Current NCCN® Guideline. Journal of Urology, 2017, 198, 354-361.	0.2	36
11	Survival of metastatic renal cell carcinoma patients continues to improve over time, even in targeted therapy era. International Urology and Nephrology, 2017, 49, 2143-2149.	0.6	36
12	Population-Based Validation of the 2014 ISUP Gleason Grade Groups in Patients Treated With Radical Prostatectomy, Brachytherapy, External Beam Radiation, or no Local Treatment. Prostate, 2017, 77, 686-693.	1.2	33
13	First North American validation and headâ€toâ€head comparison of four preoperative nomograms for prediction of lymph node invasion before radical prostatectomy. BJU International, 2018, 121, 592-599.	1.3	32
14	The impact of lymph node dissection and positive lymph nodes on cancerâ€specific mortality in contemporary <scp>pT</scp> _{2â€3} nonâ€metastatic renal cell carcinoma treated with radical nephrectomy. BJU International, 2018, 121, 383-392.	1.3	30
15	Marital status and gender affect stage, tumor grade, treatment type and cancer specific mortality in T1–2 N0 M0 renal cell carcinoma. World Journal of Urology, 2017, 35, 1899-1905.	1.2	28
16	Survival benefit of local versus no local treatment for metastatic prostate cancer—Impact of baseline PSA and metastatic substages. Prostate, 2018, 78, 753-757.	1.2	27
17	Inverse stage migration patterns in North American patients undergoing local prostate cancer treatment: a contemporary population-based update in light of the 2012 USPSTF recommendations. World Journal of Urology, 2019, 37, 469-479.	1.2	25
18	The Impact of Anxiety and Depression on Surgical and Functional Outcomes in Patients Who Underwent Radical Prostatectomy. European Urology Focus, 2020, 6, 1199-1204.	1.6	25

#	Article	IF	CITATIONS
19	The Role of Magnetic Resonance Imaging and Positron Emission Tomography/Computed Tomography in the Primary Staging of Newly Diagnosed Prostate Cancer: A Systematic Review of the Literature. European Urology Oncology, 2021, 4, 370-395.	2.6	25
20	Longâ€ŧerm cancer control outcomes in patients with biochemical recurrence and the impact of time from radical prostatectomy to biochemical recurrence. Prostate, 2018, 78, 676-681.	1.2	23
21	Radical prostatectomy or radiotherapy reduce prostate cancer mortality in elderly patients: a population-based propensity score adjusted analysis. World Journal of Urology, 2018, 36, 7-13.	1.2	23
22	Validation of the Social Security Administration Life Tables (2004–2014) in Localized Prostate Cancer Patients within the Surveillance, Epidemiology, and End Results database. European Urology Focus, 2019, 5, 807-814.	1.6	22
23	Does surgical delay for radical prostatectomy affect biochemical recurrence? A retrospective analysis from a Canadian cohort. World Journal of Urology, 2018, 36, 1-6.	1.2	20
24	Assessing the Outcome of Holmium Laser Enucleation of the Prostate by Age, Prostate Volume, and a History of Blood Thinning Agents: Report from a Single-Center Series of >1800 Consecutive Cases. Journal of Endourology, 2021, 35, 639-646.	1.1	20
25	Increase in the Annual Rate of Newly Diagnosed Metastatic Prostate Cancer: A Contemporary Analysis of the Surveillance, Epidemiology and End Results Database. European Urology Oncology, 2018, 1, 314-320.	2.6	19
26	The Impact of Lymph Node Metastases Burden at Radical Prostatectomy. European Urology Focus, 2019, 5, 399-406.	1.6	19
27	Adherence to pelvic lymph node dissection recommendations according to the National Comprehensive Cancer Network pelvic lymph node dissection guideline and the D'Amico lymph node invasion risk stratification. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 81.e17-81.e24.	0.8	18
28	Long-term oncological outcomes in patients with limited nodal disease undergoing radical prostatectomy and pelvic lymph node dissection without adjuvant treatment. World Journal of Urology, 2017, 35, 1833-1839.	1.2	17
29	External Beam Radiotherapy Affects Serum Testosterone in Patients with Localized Prostate Cancer. Journal of Sexual Medicine, 2017, 14, 876-882.	0.3	16
30	Adjuvant Therapies in Nonmetastatic Renal-Cell Carcinoma: A Review of the Literature. Clinical Genitourinary Cancer, 2018, 16, 176-183.	0.9	16
31	The impact of time to catheter removal on short-, intermediate- and long-term urinary continence after radical prostatectomy. World Journal of Urology, 2018, 36, 1247-1253.	1.2	16
32	Effect of pathological high-risk features on cancer-specific mortality in non-metastatic clear cell renal cell carcinoma: a tool for optimizing patient selection for adjuvant therapy. World Journal of Urology, 2018, 36, 51-57.	1.2	16
33	Radical prostatectomy after previous TUR-P: Oncological, surgical, and functional outcomes. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 527.e21-527.e28.	0.8	16
34	Trend of Adverse Stage Migration in Patients Treated with Radical Prostatectomy for Localized Prostate Cancer. European Urology Oncology, 2018, 1, 160-168.	2.6	15
35	Tumor characteristics, treatments, and oncological outcomes of prostate cancer in men aged â‰ 9 0 years: a population-based study. Prostate Cancer and Prostatic Diseases, 2018, 21, 71-77.	2.0	13
36	The effect of age on cancer-specific mortality in patients with small renal masses: A population-based analysis. Canadian Urological Association Journal, 2018, 12, E325-30.	0.3	13

RAISA S POMPE

#	Article	IF	CITATIONS
37	Retrograde ejaculation after holmium laser enucleation of the prostate (HoLEP)—Impact on sexual function and evaluation of patient bother using validated questionnaires. Andrology, 2020, 8, 1779-1786.	1.9	13
38	Radical prostatectomy neutralizes obesity-driven risk of prostate cancer progression. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 243-249.	0.8	11
39	Contemporary approach to predict early biochemical recurrence after radical prostatectomy: update of the Walz nomogram. Prostate Cancer and Prostatic Diseases, 2018, 21, 386-393.	2.0	11
40	Combined systematic versus stand-alone multiparametric MRI-guided targeted fusion biopsy: nomogram prediction of non-organ-confined prostate cancer. World Journal of Urology, 2021, 39, 81-88.	1.2	11
41	Oncological, functional and perioperative outcomes in transplant patients after radical prostatectomy. World Journal of Urology, 2016, 34, 1101-1105.	1.2	10
42	Comparison of 11 Active Surveillance Protocols in Contemporary European Men Treated With Radical Prostatectomy. Clinical Genitourinary Cancer, 2018, 16, e141-e149.	0.9	10
43	Tumor characteristics, oncological and functional outcomes after radical prostatectomy in very young men â‰ 8 €‰45Âyears of age. World Journal of Urology, 2020, 38, 95-101.	1.2	8
44	Impact of the estimated blood loss during radical prostatectomy on functional outcomes. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 298.e11-298.e17.	0.8	7
45	Association of neurovascular bundle preservation with oncological outcomes in patients with high-risk prostate cancer. Prostate Cancer and Prostatic Diseases, 2021, 24, 193-201.	2.0	7
46	Up regulation of the steroid hormone synthesis regulator HSD3B2 is linked to early PSA recurrence in prostate cancer. Experimental and Molecular Pathology, 2018, 105, 50-56.	0.9	6
47	Validation of the current eligibility criteria for focal therapy in men with localized prostate cancer and the role of MRI. World Journal of Urology, 2018, 36, 705-712.	1.2	5
48	Are the Results of the Prostate Testing for Cancer and Treatment Trial Applicable to Contemporary Prostate Cancer Patients Treated with Radical Prostatectomy? Results from Two High-volume European Institutions. European Urology Focus, 2019, 5, 545-549.	1.6	5
49	Assessment of Oncological Outcomes After Radical Prostatectomy According to Preoperative and Postoperative Cancer of the Prostate Risk Assessment Scores: Results from a Large, Two-center Experience. European Urology Focus, 2019, 5, 568-576.	1.6	5
50	Impact of Age on Perioperative Outcomes at Radical Prostatectomy: A Population-Based Study. European Urology Focus, 2020, 6, 1213-1219.	1.6	5
51	Salvage Radiotherapy versus Observation for Biochemical Recurrence following Radical Prostatectomy for Prostate Cancer: A Matched Pair Analysis. Cancers, 2022, 14, 740.	1.7	5
52	Prostate cancer prognosis in men with other malignancies prior to radical prostatectomy. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 575.e1-575.e7.	0.8	4
53	Effect of bladder neck sparing at robot-assisted laparoscopic prostatectomy on postoperative continence rates and biochemical recurrence. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 1.e11-1.e16.	0.8	3
54	Impact of positive surgical margin length and Gleason grade at the margin on oncologic outcomes in patients with nonorganâ€confined prostate cancer. Prostate, 2022, 82, 949-956.	1.2	3

RAISA S POMPE

#	Article	IF	CITATIONS
55	Oncologic outcomes of organ-confined Gleason grade group 4-5 prostate cancer after radical prostatectomy. Urologic Oncology: Seminars and Original Investigations, 2022, 40, 161.e9-161.e14.	0.8	3
56	External validation of the novel International Society of Urological Pathology (ISUP) Gleason grading groups in a large contemporary Canadian cohort. Canadian Urological Association Journal, 2018, 12, .	0.3	2
57	Anesthetic Technique (Spinal vs. General Anesthesia) in Holmium Laser Enucleation of the Prostate: Retrospective Analysis of Procedural and Functional Outcomes among 1,159 Patients. Urologia Internationalis, 2023, 107, 336-343.	0.6	2
58	Complications after salvage radical prostatectomy: vesicourethral anastomosis leaks and possible prevention. Translational Andrology and Urology, 2017, 6, 994-996.	0.6	1
59	Regression Discontinuity Analysis of Salvage Radiotherapy in Prostate Cancer. European Urology Oncology, 2021, 4, 817-820.	2.6	1
60	Validation of the updated eighth edition of AJCC for prostate cancer: Removal of pT2 substages – Does extent of tumor involvement matter?. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 637.e1-637.e7.	0.8	1