

Marcos Ballester

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6098111/publications.pdf>

Version: 2024-02-01

40
papers

1,484
citations

430442

18
h-index

315357

38
g-index

41
all docs

41
docs citations

41
times ranked

1555
citing authors

#	ARTICLE	IF	CITATIONS
1	Detection rate and diagnostic accuracy of sentinel-node biopsy in early stage endometrial cancer: a prospective multicentre study (SENTI-ENDO). <i>Lancet Oncology</i> , The, 2011, 12, 469-476.	5.1	457
2	Sentinel node biopsy for the management of early stage endometrial cancer: Long-term results of the SENTI-ENDO study. <i>Gynecologic Oncology</i> , 2015, 136, 54-59.	0.6	128
3	Impact of sentinel lymph node biopsy on the therapeutic management of early-stage endometrial cancer: Results of a retrospective multicenter study. <i>Gynecologic Oncology</i> , 2014, 133, 506-511.	0.6	85
4	Colorectal endometriosis-associated infertility: should surgery precede ART?. <i>Fertility and Sterility</i> , 2017, 108, 525-531.e4.	0.5	60
5	Patterns of recurrence and outcomes in surgically treated women with endometrial cancer according to ESMO-ESGO-ESTRO Consensus Conference risk groups: Results from the FRANCOGYN study Group. <i>Gynecologic Oncology</i> , 2017, 144, 107-112.	0.6	60
6	Tumor Size, an Additional Prognostic Factor to Include in Low-Risk Endometrial Cancer: Results of a French Multicenter Study. <i>Annals of Surgical Oncology</i> , 2016, 23, 171-177.	0.7	50
7	Predicting poor prognosis recurrence in women with endometrial cancer: a nomogram developed by the FRANCOGYN study group. <i>British Journal of Cancer</i> , 2016, 115, 1296-1303.	2.9	48
8	Diagnostic Value of MR Imaging in the Diagnosis of Adnexal Torsion. <i>Radiology</i> , 2016, 279, 461-470.	3.6	46
9	Sentinel Node Biopsy Upstages Patients with Presumed Low- and Intermediate-risk Endometrial Cancer: Results of a Multicenter Study. <i>Annals of Surgical Oncology</i> , 2013, 20, 407-412.	0.7	43
10	Does the use of the 2009 FIGO classification of endometrial cancer impact on indications of the sentinel node biopsy?. <i>BMC Cancer</i> , 2010, 10, 465.	1.1	38
11	Impact of hospital and surgeon case volume on morbidity in colorectal endometriosis management: a plea to define criteria for expert centers. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018, 32, 2003-2011.	1.3	35
12	Prior colorectal surgery for endometriosis-associated infertility improves ICSI-IVF outcomes: results from two expert centres. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 209, 95-99.	0.5	31
13	Comparison of Laparoscopic Discoid Resection and Segmental Resection for Colorectal Endometriosis Using a Propensity Score Matching Analysis. <i>Journal of Minimally Invasive Gynecology</i> , 2018, 25, 440-446.	0.3	31
14	A Predictive Model Using Histopathologic Characteristics of Early-Stage Type 1 Endometrial Cancer to Identify Patients at High Risk for Lymph Node Metastasis. <i>Annals of Surgical Oncology</i> , 2015, 22, 4224-4232.	0.7	27
15	Management and Survival of Elderly and Very Elderly Patients with Endometrial Cancer: An Age-Stratified Study of 1228 Women from the FRANCOGYN Group. <i>Annals of Surgical Oncology</i> , 2017, 24, 1667-1676.	0.7	27
16	Preoperative diagnosis of tumor grade and type in endometrial cancer by pipelle sampling and hysteroscopy: Results of a French study. <i>Surgical Oncology</i> , 2016, 25, 370-377.	0.8	26
17	Predictive Modeling: A New Paradigm for Managing Endometrial Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 975-988.	0.7	26
18	Contribution of Computed Tomography Enema and Magnetic Resonance Imaging to Diagnose Multifocal and Multicentric Bowel Lesions in Patients With Colorectal Endometriosis. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 776-784.	0.3	22

#	ARTICLE	IF	CITATIONS
19	Propensity score to evaluate prognosis in pregnancy-associated breast cancer: Analysis from a French cancer network. <i>Breast</i> , 2018, 40, 10-15.	0.9	22
20	Patterns of recurrence and prognosis in locally advanced FIGO stage IB2 to IIB cervical cancer: Retrospective multicentre study from the FRANCOGYN group. <i>European Journal of Surgical Oncology</i> , 2019, 45, 659-665.	0.5	20
21	Therapeutic value of surgical paraaortic staging in locally advanced cervical cancer: a multicenter cohort analysis from the FRANCOGYN study group. <i>Journal of Translational Medicine</i> , 2018, 16, 326.	1.8	18
22	Identification of a low risk population for parametrial invasion in patients with early-stage cervical cancer. <i>Journal of Translational Medicine</i> , 2018, 16, 163.	1.8	17
23	Incidence, patterns and prognosis of first distant recurrence after surgically treated early stage endometrial cancer: Results from the multicentre FRANCOGYN study group. <i>European Journal of Surgical Oncology</i> , 2019, 45, 672-678.	0.5	16
24	Surgical and Clinical Impact of Extraserosal Pelvic Fascia Removal in Segmental Colorectal Resection for Endometriosis. <i>Journal of Minimally Invasive Gynecology</i> , 2014, 21, 1041-1048.	0.3	15
25	Patients with stage IV epithelial ovarian cancer: understanding the determinants of survival. <i>Journal of Translational Medicine</i> , 2020, 18, 134.	1.8	15
26	Contribution of sacral neuromodulation to manage persistent voiding dysfunction after surgery for deep infiltrating endometriosis with colorectal involvement: preliminary results. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 190, 31-35.	0.5	14
27	Risk scoring system for predicting axillary response after neoadjuvant chemotherapy in initially node-positive women with breast cancer. <i>Surgical Oncology</i> , 2018, 27, 158-165.	0.8	14
28	Change in hazard rates of recurrence over time following diagnosis of endometrial cancer: An age stratified multicentre study from the FRANCOGYN group. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1914-1920.	0.5	14
29	Lymphadenectomy in elderly patients with high-intermediate-risk, high-risk or advanced endometrial cancer: Time to move from personalized cancer medicine to personalized patient medicine!. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1388-1395.	0.5	11
30	Cervical cancer recurrence: Proposal for a classification based on anatomical dissemination pathways and prognosis. <i>Surgical Oncology</i> , 2019, 30, 40-46.	0.8	9
31	Micro-RNA signature of lymphovascular space involvement in type 1 endometrial cancer. <i>Histology and Histopathology</i> , 2017, 32, 941-950.	0.5	9
32	Honing the classification of high-risk endometrial cancer with inclusion of lymphovascular space invasion. <i>Surgical Oncology</i> , 2017, 26, 1-7.	0.8	8
33	Fertility outcomes after laparoscopic partial bladder resection for deep endometriosis: Retrospective analysis from two expert centres and review of the literature. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 220, 12-17.	0.5	8
34	Single-Port Extra- and Transperitoneal Approach for Paraaortic Lymphadenectomy in Gynecologic Cancers: A Propensity-Adjusted Analysis. <i>Annals of Surgical Oncology</i> , 2016, 23, 952-958.	0.7	7
35	Does lymphadenectomy improve survival in patients with intermediate risk endometrial cancer? A multicentric study from the FRANCOGYN Research Group. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 282-289.	1.2	7
36	Nomogram predicting the likelihood of live-birth rate after surgery for deep infiltrating endometriosis without bowel involvement in women who wish to conceive: A retrospective study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 235, 81-87.	0.5	6

#	ARTICLE	IF	CITATIONS
37	Preoperative quality of life questionnaires are an adequate tool to select women with genital prolapse for laparoscopic sacrocolpopexy. <i>International Urogynecology Journal</i> , 2017, 28, 1833-1839.	0.7	5
38	Intrinsic and extrinsic flaws of the nomogram predicting bone-only metastasis in women with early breast cancer: An external validation study. <i>European Journal of Cancer</i> , 2016, 69, 102-109.	1.3	4
39	Comparison of pelvic and para-aortic lymphadenectomy versus para-aortic lymphadenectomy alone for locally advanced FIGO stage IB2 to IIB cervical cancer using a propensity score matching analysis: Results from the FRANCOGYN study group. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1921-1928.	0.5	3
40	Impact of vaginal brachytherapy in intermediate and high-intermediate risk endometrial cancer: a multicenter study from the FRANCOGYN group. <i>Journal of Gynecologic Oncology</i> , 2019, 30, e53.	1.0	1