

Pablo Martinez Ruiz del Arbol

List of Publications by Citations

Source:
<https://exaly.com/author-pdf/6098341/pablo-martinez-ruiz-del-arbol-publications-by-citations.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

575 papers	19,551 citations	65 h-index	109 g-index
597 ext. papers	22,345 ext. citations	4.9 avg, IF	4.95 L-index

#	Paper	IF	Citations
575	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015 , 114, 191803	7.4	709
574	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. <i>European Physical Journal C</i> , 2015 , 75, 212	4.2	399
573	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	389
572	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	364
571	Performance of electron reconstruction and selection with the CMS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of Instrumentation</i> , 2015 , 10, P06005-P06005	1	357
570	Observation of the rare $B(s)(0) \rightarrow \mu^+ \mu^-$ decay from the combined analysis of CMS and LHCb data. <i>Nature</i> , 2015 , 522, 68-72	50.4	326
569	Study of high- p_T charged particle suppression in PbPb compared to pp collisions at ($\sqrt{s_{NN}}=2.76$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	316
568	Observation of a new boson with mass near 125 GeV in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	261
567	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
566	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
565	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
564	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ($\sqrt{s}=0.9$) and 2.36 TeV. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	201
563	Suppression of non-prompt J/ψ and $\Upsilon(1S)$ in PbPb collisions at ($\sqrt{s_{NN}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	184
562	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
561	Search for lepton-flavour-violating decays of the Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 337-362	4.2	175
560	Evidence for collectivity in pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 193-220	4.2	171
559	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162

558	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at ($\sqrt{s_{NN}} = 2.76$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	158
557	Search for dark matter and large extra dimensions in monojet events in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	155
556	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
555	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
554	Evidence for Collective Multiparticle Correlations in p-Pb Collisions. <i>Physical Review Letters</i> , 2015 , 115, 012301	7.4	145
553	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
552	Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	142
551	Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>Journal of Instrumentation</i> , 2015 , 10, P08010-P08010	1	141
550	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ($\sqrt{s} = 0.9, 2.76, \sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	133
549	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131
548	Measurement of the inclusive W and Z production cross sections in pp collisions at ($\sqrt{s} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	121
547	Prompt and non-prompt J/ ψ production in pp collisions at ($\sqrt{s} = 7$) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	118
546	A search for a doubly-charged Higgs boson in pp collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	111
545	Evidence for transverse-momentum- and pseudorapidity-dependent event-plane fluctuations in PbPb and pPb collisions. <i>Physical Review C</i> , 2015 , 92,	2.7	104
544	Measurements of inclusive W and Z cross sections in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104
543	Measurement of differential top-quark-pair production cross sections in pp collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	102
542	Evidence for the 125 GeV Higgs boson decaying to a pair of leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	101
541	Search for a light charged Higgs boson in top quark decays in pp collisions at ($\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	101

540	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , 2010 , 70, 116541-116549	4.2	92
539	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4.2	98
538	Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 071801	7.4	96
537	Searches for long-lived charged particles in pp collisions at $(\sqrt{s})=7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	96
536	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	92
535	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 172302	7.4	90
534	Charged particle multiplicities in pp interactions at $(\sqrt{s}=0.9)$, 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	89
533	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $(\sqrt{s_{NN}})=2.76$ TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	87
532	Performance of the CMS missing transverse momentum reconstruction in pp data at $\sqrt{s}=8$ TeV. <i>Journal of Instrumentation</i> , 2015 , 10, P02006-P02006	1	84
531	Search for long-lived neutral particles decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	83
530	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
529	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $(\sqrt{s})=8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	81
528	Strange particle production in pp collisions at $(\sqrt{s}=0.9)$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	78
527	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
526	Reconstruction and identification of ℓ lepton decays to hadrons and $\ell\ell$ CMS. <i>Journal of Instrumentation</i> , 2016 , 11, P01019-P01019	1	75
525	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $(\sqrt{s})=8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	74
524	Searches for invisible decays of the Higgs boson in pp collisions at $(\sqrt{s})=7, 8$, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	74
523	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	73

522	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 2.76) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	73
521	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72
520	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4.2	71
519	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
518	Measurement of the single-top-quark t-channel cross section in pp collisions at (\sqrt{s})=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	70
517	Measurement of the underlying event activity at the LHC with (\sqrt{s}) = 7) TeV and comparison with (\sqrt{s}) = 0.9) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	70
516	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at (\sqrt{s})=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
515	Measurement of the top quark mass using proton-proton data at (\sqrt{s})=7 and 8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	69
514	J/ψ and ψ(2S) production in pp collisions at (\sqrt{s}) = 7 {text{TeV}}). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	69
513	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 5.02) (,text {TeV}). <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	67
512	Search for vectorlike charge 2/3 T quarks in proton-proton collisions at (\sqrt{s})=8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	66
511	Search for anomalous production of multilepton events in pp collisions at (\sqrt{s}) = 7,TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	65
510	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s_{\mathrm{N}};\mathrm{N}}$)=5.02) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
509	Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 742, 200-224	4.2	64
508	Measurement of the ($\overline{\mathrm{t}}\mathrm{t}$) production cross section in the dilepton channel in pp collisions at (\sqrt{s})=7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	64
507	Search for high-mass resonances in dilepton final states in proton-proton collisions at (\sqrt{s})=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
506	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
505	Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at \sqrt{s} =8 and 13 TeV. <i>Physical Review Letters</i> , 2016 , 117, 051802	7.4	61

504	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61
503	Search for a charged Higgs boson in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	61
502	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	60
501	Search for a standard model-like Higgs boson in the $\mu\mu$ and $e+e$ decay channels at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 744, 184-207	4.2	59
500	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	59
499	Angular analysis of the decay $B^0 \rightarrow \mu^+ \mu^-$ from pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 424-448	4.2	59
498	Suppression and azimuthal anisotropy of prompt and nonprompt $[\text{Formula: see text}]$ production in PbPb collisions at $[\text{Formula: see text}] [\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
497	Suppression of $\chi(1S)$, $\chi(2S)$, and $\chi(3S)$ quarkonium states in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 357-379	4.2	57
496	Search for Narrow Resonances in Dijet Final States at $\sqrt{s}=8$ TeV with the Novel CMS Technique of Data Scouting. <i>Physical Review Letters</i> , 2016 , 117, 031802	7.4	57
495	Search for anomalous $(\overline{t}t)$ production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	57
494	Study of exclusive two-photon production of $W+W$ in pp collisions at $(\sqrt{s}=7)$ TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	56
493	Measurement of the $W+W$ cross section in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$ and limits on anomalous WW and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
492	Long-range and short-range dihadron angular correlations in central PbPb collisions at $(\sqrt{s_{\text{NN}}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	56
491	Search for high-mass diphoton resonances in proton-proton collisions at 13 TeV and combination with 8 TeV search. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 147-170	4.2	55
490	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
489	Search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	55
488	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
487	Search for $(B^0_{\text{S}} \rightarrow \text{B}^0 \text{B}^0)$ and $B^0 \rightarrow \text{B}^0 \text{B}^0$ decays. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52

486	A search for pair production of new light bosons decaying into muons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 752, 146-168	4.2	51
485	Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=13$ TeV and combination with 8 TeV data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 57-80	4.2	50
484	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
483	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
482	Search for narrow and broad dijet resonances in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	50
481	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4.2	49
480	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48
479	Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	48
478	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	48
477	Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in $b\bar{b}\gamma$ final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 221-243	4.2	48
476	Measurement of the ($t\bar{t}$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	48
475	Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh, in the final states with h. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 217-244	4.2	46
474	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
473	Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2251	4.2	46
472	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
471	Search for new physics with jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
470	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45
469	Exclusive $t\bar{t} \gamma$ production in proton-proton collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45

468	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	45
467	Search for exclusive or semi-exclusive $\ell\bar{\ell}$ production and observation of exclusive and semi-exclusive e^+e^- production in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	45
466	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4-2	45
465	Measurement of the $X(3872)$ production cross section via decays to $J/\psi \pi\pi$ in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	44
464	Search for heavy bottom-like quarks in 4.9 fb $^{-1}$ of pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	44
463	Charged particle transverse momentum spectra in pp collisions at $(\sqrt{s}=0.9)$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	44
462	Search for two Higgs bosons in final states containing two photons and two bottom quarks in proton-proton collisions at 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4-9	44
461	Measurement of the $(\overline{t}t)$ production cross section in the dilepton channel in pp collisions at $(\sqrt{s})=8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	43
460	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $(\sqrt{s})=7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	43
459	Search for leptonic decays of W^\pm bosons in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	43
458	Search for new phenomena in monophoton final states in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 102-124	4-2	42
457	Event activity dependence of $(Y)(n_S)$ production in $(\sqrt{s_{NN}})=5.02$ TeV pPb and $(\sqrt{s})=2.76$ TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	42
456	Angular coefficients of Z bosons produced in pp collisions at $\sqrt{s}=8$ TeV and decaying to $\mu\mu$ as a function of transverse momentum and rapidity. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 154-175	4-2	42
455	Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	42
454	Measurement of J/ψ and $\psi(2S)$ Prompt Double-Differential Cross Sections in pp Collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2015 , 114, 191802	7-4	41
453	Search for supersymmetry using razor variables in events with b-tagged jets in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4-9	41
452	Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 95,	4-9	41
451	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4-2	41

450	Measurement of prompt J/ψ production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	41
449	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at (\sqrt{s} =7) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	41
448	Measurement of the inelastic proton-proton cross section at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	41
447	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	40
446	Search for displaced supersymmetry in events with an electron and a muon with large impact parameters. <i>Physical Review Letters</i> , 2015 , 114, 061801	7-4	39
445	Search for pair production of first and second generation leptoquarks in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4-9	39
444	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
443	Study of the underlying event at forward rapidity in pp collisions at ($\sqrt{s}=0.9, 2.76, \text{and } 7 \text{ TeV}$). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
442	Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at (\sqrt{s} =7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
441	Search for same-sign top-quark pair production at ($\sqrt{s} = 7$) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	39
440	Search for natural and split supersymmetry in proton-proton collisions at (\sqrt{s} =13) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	39
439	Measurement of the pp- $\bar{Z}Z$ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 250-272	4-2	38
438	Search for new physics in events with same-sign dileptons and jets in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	38
437	Search for microscopic black holes in pp collisions at (\sqrt{s} =8) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	38
436	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	38
435	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4-2	38
434	Differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 741, 12-37	4-2	37
433	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4-2	37

432	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37
431	Measurement of associated W + charm production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
430	Jet production rates in association with W and Z bosons in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
429	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
428	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37
427	Limits on the Higgs boson lifetime and width from its decay to four charged leptons. <i>Physical Review D</i> , 2015 , 92,	4.9	37
426	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at (\sqrt{s}) = 8 TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37
425	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	37
424	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
423	Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton-proton collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 187-209	4.2	36
422	Measurement of the top-quark mass in ($\overline{t}t$) events with dilepton final states in pp collisions at (\sqrt{s}) = 7 TeV. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	36
421	First measurement of the underlying event activity at the LHC with (\sqrt{s}) = 0.9 TeV. <i>European Physical Journal C</i> , 2010 , 70, 555-572	4.2	36
420	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
419	Search for disappearing tracks in proton-proton collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	35
418	Search for pair-produced vectorlike B quarks in proton-proton collisions at \sqrt{s} = 8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	35
417	Study of Z boson production in pPb collisions at $\sqrt{s_{NN}}$ = 5.02 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 36-57	4.2	35
416	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
415	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	35

414	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	35
413	Measurement of the ($\mathrm{t}\bar{\mathrm{t}}$) production cross section in pp collisions at ($\sqrt{s}=7$) TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1	4-2	35
412	Search for lepton flavour violating decays of the Higgs boson to $e\bar{e}$ and $e\mu$ in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 472-500	4-2	35
411	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	34
410	Pseudorapidity distribution of charged hadrons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 143-163	4-2	34
409	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4-2	34
408	Search for microscopic black holes in pp collisions at ($\sqrt{s} = \text{7 TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	34
407	Search for heavy stable charged particles in pp collisions at ($\sqrt{s} = 7; \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	34
406	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4-2	33
405	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	33
404	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	33
403	Search for a light charged Higgs boson decaying to ($\mathrm{c}\overline{\mathrm{s}}$) in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5-4	33
402	Search for neutral resonances decaying into a Z boson and a pair of b jets or $\ell\ell$ leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 369-394	4-2	33
401	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	32
400	Search for resonances in the dilepton mass distribution in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
399	Search for supersymmetry in pp collisions at ($\sqrt{s} = 7$) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
398	Measurement of the Drell-Yan cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
397	Search for narrow high-mass resonances in proton-proton collisions at $s=8$ TeV decaying to a Z and a Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 255-277	4-2	30

396	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section in the e^+e^- channel in proton-proton collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
395	Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 152-180	4.2	30
394	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30
393	Inclusive b-jet production in pp collisions at $(\sqrt{s} = 7\text{TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
392	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
391	Measurement of the top-quark mass in $(\overline{\text{t}}\text{t})$ events with lepton+jets final states in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
390	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $(\sqrt{s} = 7\text{TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	30
389	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
388	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b-quark jets in 7 TeV pp collisions using the variable \cancel{E}_T . <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29
387	Observation of $\Upsilon(1S)$ pair production in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
386	Measurement of diffractive dissociation cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	29
385	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29
384	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
383	Search for vector-like T and B quark pairs in final states with leptons at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	29
382	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 052002	7.4	28
381	Combined search for anomalous pseudoscalar HVV couplings in $VH(H\rightarrow b\bar{b})$ production and $H\rightarrow\gamma\gamma$ decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 672-696	4.2	28
380	Search for heavy Majorana neutrinos in $e^+e^-\rightarrow\mu^+\mu^-$ jets and $e^+e^-\rightarrow\mu^+\mu^-$ jets events in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
379	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	28

378	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	28
377	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4-2	27
376	Measurements of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ differential cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 14-34	4-2	27
375	Evidence for exclusive $B \rightarrow W + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	27
374	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	27
373	Measurement of ($\overline{B} \rightarrow B$) angular correlations based on secondary vertex reconstruction at ($\sqrt{s} = 7, \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	27
372	Measurement of prompt and nonprompt $[\text{Formula: see text}]$ production in $[\text{Formula: see text}]$ and $[\text{Formula: see text}]$ collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 269	4-2	26
371	Measurement of the CP-violating weak phase φ_s and the decay width difference Δ using the $B_s^0 \rightarrow \pi^0(1020)$ decay channel in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 97-120	4-2	26
370	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	26
369	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	26
368	Searches for supersymmetry using the M_{T2} variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	26
367	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ($\sqrt{s} = 7, \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	26
366	Search for monotop signatures in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2015 , 114, 101801	7-4	25
365	Measurement of the W-boson helicity in top-quark decays from ($\overline{t} \rightarrow t$) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	25
364	Search for top squark pair production in pp collisions at ($\sqrt{s}=13$) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	25
363	Measurements of the $[\text{Formula: see text}] [\text{Formula: see text}]$ production cross sections in the $[\text{Formula: see text}]$ channel in proton-proton collisions at $[\text{Formula: see text}]$ and $[\text{Formula: see text}]$ and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4-2	25
362	Search for resonant ($\overline{t} \rightarrow t$) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	25
361	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4-2	25

360	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
359	Search for charged Higgs bosons in the $H^\pm \rightarrow H^\pm A^0$ decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24
358	Measurements of jet multiplicity and differential production cross sections of Z+jets events in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	24
357	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24
356	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
355	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
354	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
353	Measurement of the $Z/\gamma + b$ -jet cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
352	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
351	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 2\ell 2\ell$ channel in pp collisions at ($\sqrt{s} = 7$; {TeV}). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
350	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
349	Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 021802	7.4	23
348	Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 103-129	4.2	23
347	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
346	Search for $W^\pm \rightarrow b$ decays in the lepton + jets final state in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23
345	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23
344	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying ℓ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
343	Measurement of the WZ production cross section in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 766, 268-290	4.2	22

342	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
341	Measurement of the cross section for electroweak production of $Z\gamma$ in association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 380-402	4.2	22
340	Transverse momentum spectra of inclusive b jets in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 59-80	4.2	22
339	Search for anomalous couplings in boosted WW/WZ- γ q production in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 21-42	4.2	22
338	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
337	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
336	Measurement of Bose-Einstein correlations in pp collisions at $(\sqrt{s}) = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	22
335	Measurement of the ZZ production cross section and Z- $\gamma\gamma$ - γ branching fraction in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 280-303	4.2	22
334	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
333	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
332	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
331	Search for single production of scalar leptoquarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	21
330	Measurements of $t\bar{t}$ -spin correlations and top quark polarization using dilepton final states in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	21
329	Correlations between jets and charged particles in PbPb and pp collisions at $(\sqrt{s_{\mathrm{NN}}})=2.76$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
328	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
327	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	21
326	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4.2	21
325	Measurement of the $(\mathrm{t})\bar{(\mathrm{t})}$ production cross section in the γ jets channel in pp collisions at $(\sqrt{s}=7\mathrm{ TeV})$. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	21

324	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
323	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
322	Search for a Higgs boson in the decay channel $H \rightarrow ZZ^{(*)} \rightarrow q(\overline{q}) \mu\mu$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	21
321	Inclusive b-hadron production cross section with muons in pp collisions at ($\sqrt{s}=7$; [TeV]). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21
320	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21
319	Measurement of the integrated and differential $t\bar{t}$ production cross sections for high-pT top quarks in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	21
318	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
317	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
316	Search for a low-mass pseudoscalar Higgs boson produced in association with a $b\bar{b}$ pair in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 296-320	4.2	20
315	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
314	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
313	Measurement of the production cross section for pairs of isolated photons in pp collisions at ($\sqrt{s}=7$; TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	20
312	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
311	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
310	Search for anomalous single top quark production in association with a photon in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
309	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
308	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
307	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19

306	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
305	Search for resonant and nonresonant Higgs boson pair production in the ($\overline{\text{b}}\text{b}\ell\ell$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
304	Study of B Meson Production in p+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Exclusive Hadronic Decays. <i>Physical Review Letters</i> , 2016 , 116, 032301	7.4	19
303	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
302	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
301	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
300	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
299	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
298	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	19
297	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19
296	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4.2	19
295	Search for lepton flavour violating decays of the Higgs boson to $\mu\mu$ and $e\mu$ in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
294	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
293	Study of Z production in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
292	Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	18
291	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
290	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two ℓ leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
289	. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18

288	Relative Modification of Prompt $\Upsilon(2S)$ and J/ψ Yields from pp to PbPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 162301	7.4	18
287	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
286	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying ℓ leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
285	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
284	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
283	Search for ($\overline{\text{t}}\text{t}\text{H}$) production in the ($\text{H}\text{to}\overline{\text{b}}\text{b}$) decay channel with leptonic ($\overline{\text{t}}\text{t}$) decays in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
282	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
281	Measurement of the inclusive jet cross section in pp collisions at ($\sqrt{s}=2.76$,text {TeV}). <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	17
280	Search for ($\overline{\text{t}}\text{t}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
279	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
278	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	17
277	Search for stopped long-lived particles produced in pp collisions at ($\sqrt{s}=\text{7TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	17
276	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at ($\sqrt{s}=7$ mathrm{TeV}). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	17
275	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	17
274	Reinterpretation of LHC Results for New Physics: Status and recommendations after Run 2. <i>SciPost Physics</i> , 2020 , 9,	6.1	17
273	Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton + jets final states produced in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 512-534	4.2	17
272	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
271	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16

270	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
269	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ell\ell$ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
268	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16
267	Search for exotic resonances decaying into WZ/ZZ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	16
266	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
265	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
264	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
263	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
262	Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s}=8$ TeV using the \cancel{E}_T variable. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 403-430	4.2	15
261	Measurements of $\sigma(\overline{t}t)$ differential cross sections in proton-proton collisions at ($\sqrt{s}=13$) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
260	Measurement of the cross section ratio $\sigma(\overline{t}t)/\sigma(\overline{t}t)$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 132-153	4.2	15
259	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
258	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
257	Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 154-179	4.2	15
256	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
255	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
254	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
253	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4.2	15

252	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	15
251	Measurement of the differential inclusive B+ hadron cross sections in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 435-456	4-2	15
250	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	15
249	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	15
248	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4-2	14
247	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	14
246	Measurement of the production cross section ratio $\sigma(B^0 \rightarrow B^0(1P))/\sigma(B^0 \rightarrow B^0(1P))$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 383-402	4-2	14
245	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4-2	14
244	Search for $W \rightarrow \tau \nu$ decaying to tau lepton and neutrino in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 196-216	4-2	14
243	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	14
242	Measurement of the (Λ_{b}^0) lifetime in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
241	Measurement of the ($\text{t} \rightarrow \text{t}$) production cross section in the all-jet final state in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
240	Measurement of the ($\text{t} \rightarrow \text{t}$) production cross section using events with one lepton and at least one jet in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	14
239	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	14
238	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
237	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
236	Search for supersymmetry in events with a lepton pair and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
235	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14

234	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 137-162	4.2	13
233	Search for resonant $(\overline{\mathrm{t}}\mathrm{t})$ production in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
232	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow \ell \ell$ and $B \rightarrow \ell \ell$ and $(\mathrm{mathcal{B}}\left(\mathrm{B}\right)_{\mathrm{c}}^{\pm}\rightarrow\mathrm{J}/\psi\left\{\pi\right\}^{\pm}\left\{\pi\right\}^{\pm}\left\{\pi\right\}^{\pm}\right)/\mathrm{mathcal{B}}\left(\mathrm{B}\right)_{\mathrm{c}}^{\pm}\rightarrow\mathrm{J}/\psi\left\{\pi\right\}^{\pm}\left\{\pi\right\}^{\pm}\right)$ in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
231	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
230	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13
229	Search for a Higgs boson decaying into $\tau\tau$ with low dilepton mass in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 341-362	4.2	13
228	Measurement of exclusive γ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
227	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
226	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4.2	13
225	Search for a fermiophobic Higgs boson in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
224	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
223	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
222	Measurement of $(\overline{\mathrm{t}}\mathrm{t})$ normalised multi-differential cross sections in $(\sqrt{s}=13)$ TeV collisions, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
221	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $(\sqrt{s_{\mathrm{NN}}}=2.76)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
220	Search for $(\overline{\mathrm{t}}\mathrm{t})$ production in the all-jet final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
219	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13
218	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
217	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12

216	Measurement of normalized differential ($\overline{\sigma}(\mathbf{t})$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
215	Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 9-35	4.2	12
214	Measurement of the production cross section for ($\mathbf{Z}\gamma \rightarrow \nu \overline{\nu}$) in pp collisions at ($\sqrt{s}=7$) TeV and limits on ZZ and Z triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
213	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
212	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
211	Search for quark compositeness in dijet angular distributions from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
210	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
209	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	12
208	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
207	Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12
206	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ($\sqrt{s}=13$ TeV). <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	12
205	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
204	Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	11
203	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
202	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
201	Measurement of the charge asymmetry in top quark pair production in pp collisions at $\sqrt{s}=8$ TeV using a template method. <i>Physical Review D</i> , 2016 , 93,	4.9	11
200	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	11
199	Search for neutral MSSM Higgs bosons decaying to $\mu\mu$ in pp collisions at $\sqrt{s}=7$ and 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 752, 221-246	4.2	11

198	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11
197	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
196	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
195	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
194	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	11
193	Measurement of the underlying event activity in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
192	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at ($\sqrt{s}=7$) TeV. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
191	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
190	Measurements of differential Z boson production cross sections in proton-proton collisions at ($\sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
189	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
188	Charged-particle nuclear modification factors in XeXe collisions at ($\sqrt{s_{\mathrm{NN}}} = 5.44$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
187	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
186	Search for the decay of a Higgs boson in the $\tau\tau$ channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
185	Search for beyond the standard model Higgs bosons decaying into a ($\overline{\mathrm{b}}\mathrm{b}$) pair in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
184	Measurements of the pp $\rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at ($\sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
183	A multi-dimensional search for new heavy resonances decaying to boosted $\ell\ell$ or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
182	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
181	Measurement of the top quark mass using charged particles in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	10

180	Search for supersymmetry in pp collisions at $\sqrt{s}=8$ TeV in final states with boosted W bosons and b jets using razor variables. <i>Physical Review D</i> , 2016 , 93,	4.9	10
179	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
178	Measurement of spin correlations in $t\bar{t}$ production using the matrix element method in the muon+jets final state in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 321-346	4.2	10
177	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
176	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493	4.2	10
175	Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	10
174	Measurements of jet charge with dijet events in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
173	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
172	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
171	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
170	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	10
169	Measurement of the $Z\bar{Z}$ production cross section in pp collisions at $\sqrt{s}=8$ TeV and limits on anomalous $Z\bar{Z}\gamma$ and $Z\bar{Z}\gamma\gamma$ trilinear gauge boson couplings. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 448-468	4.2	10
168	Measurement of the inelastic cross section in proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 641-662	4.2	10
167	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
166	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
165	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
164	Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	9
163	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9

162	Measurements of $t\bar{t}$ charge asymmetry using dilepton final states in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 365-386	4.2	9
161	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
160	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
159	Search for exotic decays of a Higgs boson into undetectable particles and one or more photons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 363-388	4.2	9
158	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
157	Search for associated production of dark matter with a Higgs boson decaying to ($\mathbf{b}\overline{\mathbf{b}}$) or $\mathbf{t}\bar{\mathbf{t}}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
156	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
155	Measurement of electroweak-induced production of $W\mathbf{b}$ with two jets in pp collisions at ($\sqrt{s}=8$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
154	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9
153	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
152	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9
151	Search for a singly produced third-generation scalar leptoquark decaying to a lepton and a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
150	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
149	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
148	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
147	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
146	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\text{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
145	Search for s channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8

144	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	8
143	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	8
142	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4-2	8
141	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4-2	8
140	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
139	Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 95,	4-9	7
138	Search for electroweak production of charginos in final states with two leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
137	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4-2	7
136	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4-2	7
135	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2019 , 79, 94	4-2	7
134	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
133	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	7
132	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	7
131	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
130	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
129	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
128	Measurement of the semileptonic ($\overline{t}t$) + ℓ production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
127	Searches for W' bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7

126	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
125	Measurement of the $Z\ell\bar{\ell}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	7
124	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
123	Searches for R-parity-violating supersymmetry in pp collisions at $\sqrt{s}=8$ TeV in final states with $0\ell\bar{\ell}$ leptons. <i>Physical Review D</i> , 2016 , 94,	4.9	7
122	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
121	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
120	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
119	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
118	Search for dark matter produced in association with a Higgs boson decaying to $\ell\bar{\ell} \ell\bar{\ell}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
117	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
116	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
115	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
114	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ($\sqrt{s}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
113	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
112	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
111	Search for supersymmetry in electroweak production with photons and large missing transverse energy in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 479-500	4.2	6
110	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
109	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6

108	Measurement of the mass difference between top quark and antiquark in pp collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 50-71	4.2	6
107	Impact of low-dose electron irradiation on n+p silicon strip sensors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2015 , 803, 100-112	1.2	6
106	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $(\sqrt{s}=7)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	6
105	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
104	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $(\sqrt{s}=8)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
103	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $(\sqrt{s}) = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
102	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
101	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
100	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
99	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
98	Search for a heavy resonance decaying into a Z boson and a vector boson in the $(\nu\overline{\nu}\overline{\text{q}}\overline{\text{q}})$ final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
97	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
96	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
95	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
94	Production of leading charged particles and leading charged-particle jets at small transverse momenta in pp collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physical Review D</i> , 2015 , 92,	4.9	5
93	Comparison of the $Z/\gamma^* + \text{jets}$ to $\gamma^* \text{jets}$ cross sections in pp collisions at $(\sqrt{s}=8)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	5
92	Measurement of energy flow at large pseudorapidities in pp collisions at $(\sqrt{s} = 0.9)$ and 7 TeV 2011 , 2011, 1		5
91	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5

90	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4.2	5
89	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
88	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 6-31	4.2	5
87	η polarizations versus particle multiplicity in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 31-52	4.2	5
86	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
85	Measurement of the groomed jet mass in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
84	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
83	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5
82	Search for a low-mass χ resonance in association with a bottom quark in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
81	Search for the pair production of light top squarks in the $e\chi\chi$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
80	Search for nonresonant Higgs boson pair production in the ($\mathrm{b}\overline{\mathrm{b}}\mathrm{b}\overline{\mathrm{b}}$) final state at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
79	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
78	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
77	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4.2	4
76	Evidence for (W)(W) production from double-parton interactions in proton-proton collisions at ($\sqrt{s}=13$, text {TeV}). <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
75	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
74	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
73	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4

72	Measurement of the ratio $B(B_s^0 \rightarrow \mu^+ \mu^-)/B(B_s^0 \rightarrow \tau^+ \tau^-)$ in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 84-102	4.2	4
71	Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
70	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
69	Search for high-mass Z resonances in e^+e^- and $B \rightarrow \mu\mu$ final states in proton-proton collisions at $(\sqrt{s}=8)$ and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
68	Search for CP violation in $(\overline{t}t)$ production and decay in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
67	Offline calibration procedure of the CMS Drift Tube detectors. <i>Journal of Instrumentation</i> , 2009 , 4, P05002-P05002	4.2	4
66	Measurement of differential cross sections and charge ratios for γ -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
65	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
64	Search for R-parity violating decays of a top squark in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 178-201	4.2	4
63	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $(\sqrt{s}=13)$ TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	4
62	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
61	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $(\sqrt{s})=13$ TeV via Higgs boson decays to $\mu\mu$ leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3
60	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
59	Measurement of the inclusive $(\overline{t}t)$ cross section in pp collisions at $(\sqrt{s}=5.02)$ TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
58	Search for ZZ resonances in the $2\mu\mu$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
57	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
56	Test beam performance measurements for the Phase I upgrade of the CMS pixel detector. <i>Journal of Instrumentation</i> , 2017 , 12, P05022-P05022	1	3
55	Search for top quark partners with charge $5/3$ in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3

54	Study of hadronic event-shape variables in multijet final states in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	3
53	Measurement of the cross section for production of ($\overline{b} X$) decaying to muons in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	3
52	Measurements of the ($\mathrm{p} \rightarrow \mathrm{Z} \mathrm{p}$) production cross section and the ($\mathrm{Z} \rightarrow 4\ell$) branching fraction, and constraints on anomalous triple gauge couplings at ($\sqrt{s} = 13, \text{TeV}$) 2018 , 78, 1		3
51	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4-2	3
50	Measurement of the ($\overline{t} t$) production cross section in the dilepton channel in pp collisions at ($\sqrt{s} = 8$ TeV 2014 , 2014, 1		3
49	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
48	Machine Learning Methods for the Prediction of the Inclusion Content of Clean Steel Fabricated by Electric Arc Furnace and Rolling. <i>Metals</i> , 2021 , 11, 914	2-3	3
47	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at ($\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
46	Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV. <i>Physical Review D</i> , 2016 , 94,	4-9	3
45	Event shape variables measured using multijet final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
44	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to eFinal states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
43	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4-2	3
42	Observation of the decay $B \rightarrow \overline{D} S^*(1020) K^+$ in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 764, 66-86	4-2	2
41	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4-2	2
40	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ($\sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
39	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
38	Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at $\sqrt{s}=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4-9	2
37	Search for dark matter particles in proton-proton collisions at ($\sqrt{s}=8$) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2

36	Search for $W^\pm b$ in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
35	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
34	Inclusive search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
33	Search for excited leptons in final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
32	Measurements of the $pp \rightarrow W\gamma$ and $pp \rightarrow Z\gamma$ cross sections and limits on anomalous quartic gauge couplings at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
31	Characterisation of irradiated thin silicon sensors for the CMS phase II pixel upgrade. <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
30	Search for new phenomena with multiple charged leptons in proton-proton collisions at ($\sqrt{s}=13$) (TeV). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
29	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV 2013 , 2013, 1		2
28	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
27	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
26	Search for supersymmetry in events with a photon, jets, γ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
25	Motion of CMS detector and mechanical structures during Magnet Cycles and Stability Periods from 2008 to 2013 as observed by the Link Alignment System. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 813, 36-55	1.2	1
24	Comparison of epidemic control strategies using agent-based simulations		1
23	Development and validation of HERWIG tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4.2	1
22	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
21	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
20	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0
19	Search for a heavy vector resonance decaying to a W boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0

18	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	o
17	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
16	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	o
15	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	o
14	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
13	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
12	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
11	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
10	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
9	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	o
8	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	
7	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	
6	CMS muon alignment: System description and first results. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009 , 598, 187-191	1.2	
5	The CMS muon system alignment. <i>Journal of Physics: Conference Series</i> , 2010 , 219, 022014	0.3	
4	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
3	Search for Beyond the Standard Model Physics in multi-leptonic and photonic final states with the CMS detector. <i>Nuclear and Particle Physics Proceedings</i> , 2016 , 273-275, 644-648	0.4	
2	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
1	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	

